




*electrical installation systems*



**FAST CATALOGUE**




# I N D E X

## TRUNKING SYSTEMS

<b>1</b>	MINITRUNKING SYSTEMS	4
<b>2</b>	CABLE TRUNKING SYSTEMS	6
<b>3</b>	SKIRTING BOARD AND WALL TRUNKING SYSTEMS	10
<b>4</b>	TRUNKING SYSTEMS FOR AIR CONDITIONING INSTALLATION	13
<b>5</b>	SLOTTED TRUNKINGS	14



1



2



3



4



5

## INDUSTRIAL PLUGS AND SOCKETS - DISTRIBUTION BOARDS

<b>1</b>	INDUSTRIAL PLUGS AND SOCKETS	18
<b>2</b>	DISTRIBUTION BOARDS	28



1




2

## WALL AND FLUSH MOUNTING DISTRIBUTION ENCLOSURES

<b>1</b>	SURFACE MOUNTING POLYESTER BOARDS	32
<b>2</b>	MODULAR DISTRIBUTION ENCLOSURES	34
<b>3</b>	WALL MOUNTING JUNCTION BOXES	38
<b>4</b>	FLUSH MOUNTING JUNCTION BOXES	42




1



2




3



4

## CONDUIT SYSTEMS AND ACCESSORIES

<b>1</b>	RIGID, PLIABLE AND FLEXIBLE SPIRAL CONDUITS	44
<b>2</b>	ACCESSORIES FOR CONDUIT SYSTEMS, FIXING SYSTEMS	48
<b>3</b>	IP67 ACCESSORIES FOR RIGID CONDUIT "SECURITY SYSTEM"	49
<b>4</b>	CABLE GLANDS, LAMP HOLDER, TERMINAL BLOCKS	52



1



2



3



4

# AN ITALIAN COMPANY

We believe in an entrepreneurial project begun over 40 years ago, in which we have been investing resources, energy, time, skills and enthusiasm to grow a healthy and productive enterprise. From our partners we demand the same conviction so as to create the necessary synergy to make "good business" together. We offer our customers the result of a work carried out with care and commonsense; our range is composed of quality products, manufactured in Italy by using technical and skilled manpower and respecting a social and environmental logic, which, we trust, could be useful for our future.

Our sales manager are efficient, always at customers' disposal so as to consider any cooperation opportunity and to reply to their specific enquiries and queries with professional competence. We can proudly say that EC brand is present in over 70 countries worldwide with importers, distributors and qualified dealers.

## ELETTROCANALI S.p.A.

### HEADQUARTERS, EXPORT DEPARTMENT, PRODUCTION FACILITIES, LOGISTICS CENTRE (NORTHERN ITALY)

Via Generale C.A. Dalla Chiesa, 18 - 24020 Scanzorosciate (BG)  
Tel. +39 035 665077/668264 - Fax +39 035 655475/6590705  
info@elettrocantali.com

### PRODUCTION FACILITIES, LOGISTIC CENTRE (SOUTHERN ITALY)

Via Pianodardine, 16/B - 83100 Avellino (AV)  
Tel. +39 0825 624128/9 - Fax +39 0825 622223  
info@elettrocantali-av.com

### PRODUCTION FACILITIES, R&D

Via Levata, 40 - 24066 Pedrengo (BG)

### PRODUCTION FACILITIES

Via Camerano, 63 - 60027 Osimo - Loc. Osimo stazione (AN)

### ELETTROCANALI FRANCE Sàrl

Vie De Bousieu - Ruy-Montceau, BP 90244  
38305 Bourgoin-Jallieu Cedex (F)  
Tel. +33 (0)474 280588 - Fax +33 (0)474 280883  
elettrocantali.france@elettrocantali.com

### ELETTROCANALI IBERICA SISTEMAS Y COMPONENTES S.L.

Duran i Reynals, 21 bis - Polígono Font del Radium  
08403 Granollers (Barcelona) (E)  
Tel. +34 93 7152964 - Fax. +34 93 1121471  
elettrocantali.iberica@elettrocantali.com



Scanzorosciate (BG)



Pedrengo (BG)



Osimo (AN)





Avellino (AV)



# NEWS

## IP65 WATERTIGHT SURFACE MOUNTING POLYESTER BOARDS



## MINITRUNKINGS WITH FRONT-HOOKING COVER - SERIES MC




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC MC1517B</b>	B	MT	dim. 15x17	100
<b>EC MC2010B</b>	B	MT	dim. 20x10	100
<b>EC MC2210B-1B</b>	B	MT	dim. 22x10	100
<b>EC MC2210B</b>	B	MT	dim. 22x10-2 compartments	100
<b>EC MC2517B</b>	B	MT	dim. 25x17	80
<b>EC MC2525B</b>	B	MT	dim. 25x25	100
<b>EC MC3010-1B</b>	B	MT	dim. 30x10	80
<b>EC MC3010B</b>	B	MT	dim. 30x10-2 compartments	80
<b>EC MC4010B</b>	B	MT	dim. 40x10	60
<b>EC MC4017-1B</b>	B	MT	dim. 40x17	50
<b>EC MC4017B</b>	B	MT	dim. 40x17-2 compartments	50
<b>EC MC4025B</b>	B	MT	dim. 40x25	80
<b>EC MC5020B</b>	B	MT	dim. 50x20	60
<b>EC MC5020-1B</b>	B	MT	dim. 50x20-2 compartments	60
<b>EC MC5020-2B</b>	B	MT	dim. 50x20-3 compartments	60
<b>EC MC6017B</b>	B	MT	dim. 60x17-3 compartments	70

## MINITRUNKINGS WITH FRONT-HOOKING COVER - GERMAN TYPE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC MC1515B</b>	B	MT	dim. 15x15	100
<b>EC MC1818B</b>	B	MT	dim. 18x18	100
<b>EC MC2020B</b>	B	MT	dim. 20x20	90
<b>EC MC3015B</b>	B	MT	dim. 30x15	80
<b>EC MC3030B</b>	B	MT	dim. 30x30	80

## MINITRUNKINGS WITH WRAP-AROUND COVER - SERIES MCA



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC MC1517AB</b>	B	MT	dim. 15x17	80
<b>EC MC2010AB</b>	B	MT	dim. 20x10	100
<b>EC MC2517AB</b>	B	MT	dim. 25x17	60
<b>EC MC2525AB</b>	B	MT	dim. 25x25	80
<b>EC MC3010AB</b>	B	MT	dim. 30x10-2 compartments	80
<b>EC MC4017AB</b>	B	MT	dim. 40x17-2 compartments	80
<b>EC MC4025AB</b>	B	MT	dim. 40x25	60


## SELF-ADHESIVE MINITRUNKINGS WITH HINGED COVER - SERIES MA




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC MA1010</b>	B	MT	dim. 10x10	200
<b>EC MA1510</b>	B	MT	dim. 15x10	150
<b>EC MA2010</b>	B	MT	dim. 20x10	100
<b>EC MA125125</b>	B	MT	dim. 12,5x12,5	150
<b>EC MA2075</b>	B	MT	dim. 20x7,5	150
<b>EC MA12575</b>	B	MT	dim. 12,5x7,5	200

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------


**INTERNAL ANGLE FOR MINITRUNKINGS**

	<b>EC AI1517B</b>	B	PCS	dim. 15x17	2/50
	<b>EC AI2010B</b>	B	PCS	dim. 20x10	2/50
	<b>EC AI2210B</b>	B	PCS	dim. 22x10	2/50
	<b>EC AI2517B</b>	B	PCS	dim. 25x17	2/50
	<b>EC AI2525B</b>	B	PCS	dim. 25x25	2/50
	<b>EC AI3010B</b>	B	PCS	dim. 30x10	2/50
	<b>EC AI4010B</b>	B	PCS	dim. 40x10	2/50
	<b>EC AI4017B</b>	B	PCS	dim. 40x17	2/50
	<b>EC AI4025B</b>	B	PCS	dim. 40x25	2/50
	<b>EC AI6017B</b>	B	PCS	dim. 60x17	2/50

**EXTERNAL ANGLE FOR MINITRUNKINGS**

	<b>EC AE1517B</b>	B	PCS	dim. 15x17	2/50
	<b>EC AE2010B</b>	B	PCS	dim. 20x10	2/50
	<b>EC AE2210B</b>	B	PCS	dim. 22x10	2/50
	<b>EC AE2517B</b>	B	PCS	dim. 25x17	2/50
	<b>EC AE2525B</b>	B	PCS	dim. 25x25	2/50
	<b>EC AE3010B</b>	B	PCS	dim. 30x10	2/50
	<b>EC AE4010B</b>	B	PCS	dim. 40x10	2/50
	<b>EC AE4017B</b>	B	PCS	dim. 40x17	2/50
	<b>EC AE4025B</b>	B	PCS	dim. 40x25	2/50
	<b>EC AE6017B</b>	B	PCS	dim. 60x17	2/50


**FLAT ANGLE FOR MINITRUNKINGS**

	<b>EC AP1517B</b>	B	PCS	dim. 15x17	2/50
	<b>EC AP2010B</b>	B	PCS	dim. 20x10	2/50
	<b>EC AP2210B</b>	B	PCS	dim. 22x10	2/50
	<b>EC AP2517B</b>	B	PCS	dim. 25x17	2/50
	<b>EC AP2525B</b>	B	PCS	dim. 25x25	2/50
	<b>EC AP3010B</b>	B	PCS	dim. 30x10	2/50
	<b>EC AP4010B</b>	B	PCS	dim. 40x10	2/50
	<b>EC AP4017B</b>	B	PCS	dim. 40x17	2/50
	<b>EC AP4025B</b>	B	PCS	dim. 40x25	2/50
	<b>EC AP6017B</b>	B	PCS	dim. 60x17	2/50


	<b>EC GU1517B</b>	B	PCS	dim. 15x17	2/50
	<b>EC GU2010B</b>	B	PCS	dim. 20x10	2/50
	<b>EC GU2210B</b>	B	PCS	dim. 22x10	2/50
	<b>EC GU2517B</b>	B	PCS	dim. 25x17	2/50
	<b>EC GU2525B</b>	B	PCS	dim. 25x25	2/50
	<b>EC GU3010B</b>	B	PCS	dim. 30x10	2/50
	<b>EC GU4010B</b>	B	PCS	dim. 40x10	2/50
	<b>EC GU4017B</b>	B	PCS	dim. 40x17	2/50
	<b>EC GU4025B</b>	B	PCS	dim. 40x25	2/50
	<b>EC GU6017B</b>	B	PCS	dim. 60x17	2/50

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------


**STRAIGHT JOINT FOR MINITRUNKINGS**

	<b>EC GU1517B</b>	B	PCS	dim. 15x17	2/50
	<b>EC GU2010B</b>	B	PCS	dim. 20x10	2/50
	<b>EC GU2210B</b>	B	PCS	dim. 22x10	2/50
	<b>EC GU2517B</b>	B	PCS	dim. 25x17	2/50
	<b>EC GU2525B</b>	B	PCS	dim. 25x25	2/50
	<b>EC GU3010B</b>	B	PCS	dim. 30x10	2/50
	<b>EC GU4010B</b>	B	PCS	dim. 40x10	2/50
	<b>EC GU4017B</b>	B	PCS	dim. 40x17	2/50
	<b>EC GU4025B</b>	B	PCS	dim. 40x25	2/50
	<b>EC GU6017B</b>	B	PCS	dim. 60x17	2/50

**T JOINT FOR MINITRUNKINGS**

	<b>EC T1517B</b>	B	PCS	dim. 15x17	2/50
	<b>EC T2010B</b>	B	PCS	dim. 20x10	2/50
	<b>EC T2210B</b>	B	PCS	dim. 22x10	2/50
	<b>EC T2517B</b>	B	PCS	dim. 25x17	2/50
	<b>EC T2525B</b>	B	PCS	dim. 25x25	2/50
	<b>EC T3010B</b>	B	PCS	dim. 30x10	2/50
	<b>EC T4010B</b>	B	PCS	dim. 40x10	2/50
	<b>EC T4017B</b>	B	PCS	dim. 40x17	2/50
	<b>EC T4025B</b>	B	PCS	dim. 40x25	2/50
	<b>EC T6017B</b>	B	PCS	dim. 60x17	2/50

**END CAP FOR MINITRUNKINGS**

	<b>EC TT1517B</b>	B	PCS	dim. 15x17	2/50
	<b>EC TT2010B</b>	B	PCS	dim. 20x10	2/50
	<b>EC TT2210B</b>	B	PCS	dim. 22x10	2/50
	<b>EC TT2517B</b>	B	PCS	dim. 25x17	2/50
	<b>EC TT2525B</b>	B	PCS	dim. 25x25	2/50
	<b>EC TT3010B</b>	B	PCS	dim. 30x10	2/50
	<b>EC TT4010B</b>	B	PCS	dim. 40x10	2/50
	<b>EC TT4017B</b>	B	PCS	dim. 40x17	2/50
	<b>EC TT4025B</b>	B	PCS	dim. 40x25	2/50
	<b>EC TT6017B</b>	B	PCS	dim. 60x17	2/50

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------	------	--------	----	-------------	------------	------	--------	----	-------------	------------

SEPARATION AND DERIVATION BOX



**EC SSB1** B PCS for all minitrunkings 1/25

3-MODULE WALL ADAPTOR BOX 83,5 mm CENTRE HOLE



**EC SPAB** B PCS for all minitrunkings 1/50

3-MODULE BOX COVER 83,5 mm CENTRE HOLE



**EC CPB** B PCS for SPAB and similar 5/50

WALL ADAPTOR BOX 60/67 mm CENTRE HOLE



**EC SPA60B** B PCS for all minitrunkings 1/25

WALL ADAPTOR BOX FOR MAGIC TYPE DEVICE



**EC SM0** B PCS blank 30  
**EC SM1** B PCS 1 device 30  
**EC SM2** B PCS 2 device 30

WALL ADAPTOR BOX FOR FRENCH STANDARD 45x45 mm




**EC SPA45B** B PCS for minitrunkings 22x10 and 30x10 1/30

## CABLE TRUNKINGS WITH COVER SERIES CP - WHITE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC CP2540B</b>	B	MT	dim. 25x40	100
<b>EC CP2560B</b>	B	MT	dim. 25x60	70
<b>EC CP2580B</b>	B	MT	dim. 25x80	56
<b>EC CP4040B</b>	B	MT	dim. 40x40	70
<b>EC CP4060B</b>	B	MT	dim. 40x60	56
<b>EC CP4080B</b>	B	MT	dim. 40x80	40
<b>EC CP40100B</b>	B	MT	dim. 40x100	32
<b>EC CP6040B</b>	B	MT	dim. 60x40	50
<b>EC CP6060B</b>	B	MT	dim. 60x60	32
<b>EC CP6080B</b>	B	MT	dim. 60x80	36
<b>EC CP60100B</b>	B	MT	dim. 60x100	24
<b>EC CP8040B</b>	B	MT	dim. 80x40-ready 2 sep.	40
<b>EC CP8060B</b>	B	MT	dim. 80x60-ready 2 sep.	28
<b>EC CP8080B</b>	B	MT	dim. 80x80-ready 2 sep.	30
<b>EC CP80100B</b>	B	MT	dim. 80x100-ready 2 sep.	24
<b>EC CP10040B</b>	B	MT	dim. 100x40-ready 2 sep.	28
<b>EC CP10060B</b>	B	MT	dim. 100x60-ready 2 sep.	20
<b>EC CP10080B</b>	B	MT	dim. 100x80-ready 2 sep.	24
<b>EC CP100100B</b>	B	MT	dim. 100x100-ready 2 sep.	16
<b>EC CP12040B</b>	B	MT	dim. 120x40-ready 2 sep.	24
<b>EC CP12060B</b>	B	MT	dim. 120x60-ready 2 sep.	20
<b>EC CP12080B</b>	B	MT	dim. 120x80-ready 2 sep.	16
<b>EC CP15060B</b>	B	MT	dim. 150x60-ready 4 sep.	16
<b>EC CP20060B</b>	B	MT	dim. 200x60-ready 4 sep.	16
<b>EC CP20080B</b>	B	MT	dim. 200x80-ready 4 sep.	12

## CABLE TRUNKINGS WITH COVER SERIES CP - GREY




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC CP2540G</b>	G	MT	dim. 25x40	100
<b>EC CP2560G</b>	G	MT	dim. 25x60	70
<b>EC CP2580G</b>	G	MT	dim. 25x80	56
<b>EC CP4040G</b>	G	MT	dim. 40x40	70
<b>EC CP4060G</b>	G	MT	dim. 40x60	56
<b>EC CP4080G</b>	G	MT	dim. 40x80	40
<b>EC CP40100G</b>	G	MT	dim. 40x100	32
<b>EC CP6040G</b>	G	MT	dim. 60x40	50
<b>EC CP6060G</b>	G	MT	dim. 60x60	32
<b>EC CP6080G</b>	G	MT	dim. 60x80	36
<b>EC CP60100G</b>	G	MT	dim. 60x100	24
<b>EC CP8040G</b>	G	MT	dim. 80x40-ready 2 sep.	40
<b>EC CP8060G</b>	G	MT	dim. 80x60-ready 2 sep.	28
<b>EC CP8080G</b>	G	MT	dim. 80x80-ready 2 sep.	30
<b>EC CP80100G</b>	G	MT	dim. 80x100-ready 2 sep.	24
<b>EC CP10040G</b>	G	MT	dim. 100x40-ready 2 sep.	28
<b>EC CP10060G</b>	G	MT	dim. 100x60-ready 2 sep.	20
<b>EC CP10080G</b>	G	MT	dim. 100x80-ready 2 sep.	24
<b>EC CP100100G</b>	G	MT	dim. 100x100-ready 2 sep.	16
<b>EC CP12040G</b>	G	MT	dim. 120x40-ready 2 sep.	24
<b>EC CP12060G</b>	G	MT	dim. 120x60-ready 2 sep.	20
<b>EC CP12080G</b>	G	MT	dim. 120x80-ready 2 sep.	16
<b>EC CP15060G</b>	G	MT	dim. 150x60-ready 4 sep.	16
<b>EC CP20060G</b>	G	MT	dim. 200x60-ready 4 sep.	16
<b>EC CP20080G</b>	G	MT	dim. 200x80-ready 4 sep.	12




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------	------	--------	----	-------------	------------

**INTERNAL ANGLE FOR TRUNKINGS**




<b>EC AI4040B</b>	B	PCS	dim. 40x40	2/50
<b>EC AI6040B</b>	B	PCS	dim. 60x40	2/50
<b>EC AI6060B</b>	B	PCS	dim. 60x60	10
<b>EC AI8040B</b>	B	PCS	dim. 80x40	10
<b>EC AI8060B</b>	B	PCS	dim. 80x60	10
<b>EC AI8080B</b>	B	PCS	dim. 80x80	10
<b>EC AI10040B</b>	B	PCS	dim. 100x40	10
<b>EC AI10060B</b>	B	PCS	dim. 100x60	10
<b>EC AI10080B</b>	B	PCS	dim. 100x80	10
<b>EC AI12040B</b>	B	PCS	dim. 120x40	10
<b>EC AI12060B</b>	B	PCS	dim. 120x60	10
<b>EC AI12080B</b>	B	PCS	dim. 120x80	10
<b>EC AI15060B</b>	B	PCS	dim. 150x60	8
<b>EC AI20060B</b>	B	PCS	dim. 200x60	5
<b>EC AI20080B</b>	B	PCS	dim. 200x80	5

**EXTERNAL ANGLE FOR TRUNKINGS**




<b>EC AE4040B</b>	B	PCS	dim. 40x40	2/50
<b>EC AE6040B</b>	B	PCS	dim. 60x40	2/50
<b>EC AE6060B</b>	B	PCS	dim. 60x60	10
<b>EC AE8040B</b>	B	PCS	dim. 80x40	10
<b>EC AE8060B</b>	B	PCS	dim. 80x60	10
<b>EC AE8080B</b>	B	PCS	dim. 80x80	10
<b>EC AE10040B</b>	B	PCS	dim. 100x40	10
<b>EC AE10060B</b>	B	PCS	dim. 100x60	10
<b>EC AE10080B</b>	B	PCS	dim. 100x80	10
<b>EC AE12040B</b>	B	PCS	dim. 120x40	10
<b>EC AE12060B</b>	B	PCS	dim. 120x60	10
<b>EC AE12080B</b>	B	PCS	dim. 120x80	10
<b>EC AE15060B</b>	B	PCS	dim. 150x60	8
<b>EC AE20060B</b>	B	PCS	dim. 200x60	4
<b>EC AE20080B</b>	B	PCS	dim. 200x80	4

**FLAT ANGLE FOR TRUNKINGS**




<b>EC AP4040B</b>	B	PCS	dim. 40x40	2/50
<b>EC AP6040B</b>	B	PCS	dim. 60x40	2/50
<b>EC AP6060B</b>	B	PCS	dim. 60x60	10
<b>EC AP8040B</b>	B	PCS	dim. 80x40	10
<b>EC AP8060B</b>	B	PCS	dim. 80x60	10
<b>EC AP8080B</b>	B	PCS	dim. 80x80	10
<b>EC AP10040B</b>	B	PCS	dim. 100x40	10
<b>EC AP10060B</b>	B	PCS	dim. 100x60	10
<b>EC AP10080B</b>	B	PCS	dim. 100x80	10
<b>EC AP12040B</b>	B	PCS	dim. 120x40	10
<b>EC AP12060B</b>	B	PCS	dim. 120x60	10
<b>EC AP12080B</b>	B	PCS	dim. 120x80	8
<b>EC AP15060B</b>	B	PCS	dim. 150x60	8
<b>EC AP20060B</b>	B	PCS	dim. 200x60	8
<b>EC AP20080B</b>	B	PCS	dim. 200x80	6

**T JOINT FOR TRUNKINGS**




<b>EC T4040B</b>	B	PCS	dim. 40x40	2/50
<b>EC T6040B</b>	B	PCS	dim. 60x40	2/50
<b>EC T6060B</b>	B	PCS	dim. 60x60	10

**END CAP FOR TRUNKINGS**



<b>ECTT4040B</b>	B	PCS	dim. 40x40	2/50
<b>ECTT6040B</b>	B	PCS	dim. 60x40	2/50
<b>ECTT6060B</b>	B	PCS	dim. 60x60	20
<b>ECTT8040B</b>	B	PCS	dim. 80x40	20
<b>ECTT8060B</b>	B	PCS	dim. 80x60	20
<b>ECTT8080B</b>	B	PCS	dim. 80x80	20
<b>ECTT10040B</b>	B	PCS	dim. 100x40	20
<b>ECTT10060B</b>	B	PCS	dim. 100x60	20
<b>ECTT10080B</b>	B	PCS	dim. 100x80	20
<b>ECTT12040B</b>	B	PCS	dim. 120x40	20
<b>ECTT12060B</b>	B	PCS	dim. 120x60	20
<b>ECTT12080B</b>	B	PCS	dim. 120x80	20
<b>ECTT15060B</b>	B	PCS	dim. 150x60	10
<b>ECTT20060B</b>	B	PCS	dim. 200x60	10
<b>ECTT20080B</b>	B	PCS	dim. 200x80	10

**STRAIGHT JOINT FOR TRUNKINGS**



<b>EC GU4040B</b>	B	PCS	dim. 40x40	2/50
<b>EC GU6040B</b>	B	PCS	dim. 60x40	2/50
<b>EC GU6060B</b>	B	PCS	dim. 60x60	20
<b>EC GU8040B</b>	B	PCS	dim. 80x40	20
<b>EC GU8060B</b>	B	PCS	dim. 80x60	20
<b>EC GU8080B</b>	B	PCS	dim. 80x80	20
<b>EC GU10040B</b>	B	PCS	dim. 100x40	20
<b>EC GU10060B</b>	B	PCS	dim. 100x60	20
<b>EC GU10080B</b>	B	PCS	dim. 100x80	20
<b>EC GU12040B</b>	B	PCS	dim. 120x40	20
<b>EC GU12060B</b>	B	PCS	dim. 120x60	10
<b>EC GU12080B</b>	B	PCS	dim. 120x80	10
<b>EC GU15060B</b>	B	PCS	dim. 150x60	10
<b>EC GU20060B</b>	B	PCS	dim. 200x60	10
<b>EC GU20080B</b>	B	PCS	dim. 200x80	10

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------	------	--------	----	-------------	------------	------	--------	----	-------------	------------

**CABLE RETAINER FOR CABLE TRUNKINGS**



<b>EC CO4040</b>	GC	PCS	dim. 40x40	5/25
<b>EC CO4060</b>	GC	PCS	dim. 40x60	5/25
<b>EC CO4080</b>	GC	PCS	dim. 40x80	5/25
<b>EC CO40100</b>	GC	PCS	dim. 40x100	5/25
<b>EC CO6040</b>	GC	PCS	dim. 60x40	5/25
<b>EC CO6060</b>	GC	PCS	dim. 60x60	5/25
<b>EC CO6080</b>	GC	PCS	dim. 60x80	5/25
<b>EC CO60100</b>	GC	PCS	dim. 60x100	5/25
<b>EC CO8040</b>	GC	PCS	dim. 80x40	5/25
<b>EC CO8060</b>	GC	PCS	dim. 80x60	5/25
<b>EC CO8080</b>	GC	PCS	dim. 80x80	5/25
<b>EC CO80100</b>	GC	PCS	dim. 80x100	5/25
<b>EC CO10040</b>	GC	PCS	dim. 100x40	5/25
<b>EC CO10060</b>	GC	PCS	dim. 100x60	5/25
<b>EC CO10080</b>	GC	PCS	dim. 100x80	5/25
<b>EC CO10010</b>	GC	PCS	dim. 100x100	5/25
<b>EC CO12040</b>	GC	PCS	dim. 120x40	5/25
<b>EC CO12060</b>	GC	PCS	dim. 120x60	5/25
<b>EC CO12080</b>	GC	PCS	dim. 120x80	5/25
<b>EC CO150</b>	GC	PCS	dim. 150	5/25
<b>EC CO200</b>	GC	PCS	dim. 200	5/25

**SEPARATION AND DERIVATION BOX**



<b>EC SSB2</b>	B	PCS	dim. 165x165x75	1/5
<b>EC SSB3</b>	B	PCS	dim. 250x250x100	1/4

**KIT ADAPTOR BOX 83,5 mm CENTRE HOLE DISTANCE**



<b>EC KIT80B</b>	B	PCS	trunking 80x60	1/10
<b>EC KIT100B</b>	B	PCS	trunking 100x60	1/10
<b>EC KIT120B</b>	B	PCS	trunking 120x60	1/10
<b>EC KIT150B</b>	B	PCS	trunking 150x60	1/5

**KIT ADAPTOR BOX 60/67 mm CENTRE HOLE DISTANCE**



<b>EC KIT100A</b>	B	PCS	trunking 100x60	1/10
<b>EC KIT120A</b>	B	PCS	trunking 120x60	1/10
<b>EC KIT150A</b>	B	PCS	trunking 150x60	1/5

**KIT ADAPTOR BOX FOR CEE TYPE INDUSTRIAL SOCKETS**



<b>EC KIT100C</b>	B	PCS	trunking 100x60	1/10
<b>EC KIT120C</b>	B	PCS	trunking 120x60	1/10
<b>EC KIT150C</b>	B	PCS	trunking 150x60	1/5

## CABLE TRUNKINGS WITH COVER DIN DIMENSION SERIES CP



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC CP5050B</b>	B	MT	dim. 50x50	24
<b>EC CP5050G</b>	G	MT	dim. 50x50	24
<b>EC CP7550B</b>	B	MT	dim. 75x50-ready 2 sep.	40
<b>EC CP7550G</b>	G	MT	dim. 75x50-ready 2 sep.	40

## SECTIONABLE SEPARATOR FOR CABLE TRUNKINGS



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC SESB</b>	B	MT	for H 40-60-80	50
<b>EC SESG</b>	G	MT	for H 40-60-80	50


## HALOGEN FREE CABLE TRUNKINGS WITH COVER SERIES CPH - GREY



*HALOGEN  
Free*

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC CPH2540</b>	GC	MT	dim. 25x40	100
<b>EC CPH2560</b>	GC	MT	dim. 25x60	70
<b>EC CPH2580</b>	GC	MT	dim. 25x80	56
<b>EC CPH4040</b>	GC	MT	dim. 40x40	70
<b>EC CPH4060</b>	GC	MT	dim. 40x60	56
<b>EC CPH4080</b>	GC	MT	dim. 40x80	40
<b>EC CPH6040</b>	GC	MT	dim. 60x40	50
<b>EC CPH6060</b>	GC	MT	dim. 60x60	32
<b>EC CPH6080</b>	GC	MT	dim. 60x80	36
<b>EC CPH8040</b>	GC	MT	dim. 80x40	40
<b>EC CPH8060</b>	GC	MT	dim. 80x60	28
<b>EC CPH8080</b>	GC	MT	dim. 80x80	30
<b>EC CPH10040</b>	GC	MT	dim. 100x40	28
<b>EC CPH10060</b>	GC	MT	dim. 100x60	20
<b>EC CPH10080</b>	GC	MT	dim. 100x80	24
<b>EC CPH12040</b>	GC	MT	dim. 120x40	24
<b>EC CPH12060</b>	GC	MT	dim. 120x60	20
<b>EC CPH12080</b>	GC	MT	dim. 120x80	16


## 45x45 DEVICE INSTALLATION TRUNKINGS WITH COVER




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 2209055</b>	B	MT	dim. 90x55	24
<b>EC 22013555-2</b>	B	MT	dim. 135x55-2 compartments	16
<b>EC 22016555-3</b>	B	MT	dim. 165x55-3 compartments	16

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------


### STRAIGHT JOINT

	<b>EC 220GU9055</b>	B	PCS	dim. 90x55 and 135x55	10/50
	<b>EC 220GU16555</b>	B	PCS	dim. 165x55	10/50


### COVER JOINT

	<b>EC 220GC45</b>	B	PCS	cover joint 45	5/50
--	-------------------	---	-----	----------------	------

### COVER/DEVICE JOINT


	<b>EC 220GA45</b>	B	PCS	vertical fixing device	5/50
---	-------------------	---	-----	------------------------	------

### VARIABLE INTERNAL ANGLE


	<b>EC 220AI9055</b>	B	PCS	dim. 90x55	1/10
	<b>EC 220AI13555</b>	B	PCS	dim. 135x55	1/10
	<b>EC 220AI16555</b>	B	PCS	dim. 165x55	1/10

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------


### VARIABLE EXTERNAL ANGLE

	<b>EC 220AE9055</b>	B	PCS	dim. 90x55	1/10
	<b>EC 220AE13555</b>	B	PCS	dim. 135x55	1/8
	<b>EC 220AE16555</b>	B	PCS	dim. 165x55	1/8

### FLAT ANGLE

	<b>EC 220AP9055</b>	B	PCS	dim. 90x55	1/10
	<b>EC 220AP13555</b>	B	PCS	dim. 135x55	1/8
	<b>EC 220AP16555</b>	B	PCS	dim. 165x55	1/8

### END CAP

	<b>EC 220TT9055</b>	B	PCS	dim. 90x55	2/10
	<b>EC 220TT13555</b>	B	PCS	dim. 135x55	2/10
	<b>EC 220TT16555</b>	B	PCS	dim. 165x55	2/10

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

### ADDITIONAL AND BOTTOM COVERS



<b>EC 220CC25</b>	B	PCS	bottom cover	50
<b>EC 220CC45</b>	B	MT	additional cover	50

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------


### SEPARATION AND DERIVATION BOX



<b>EC SSB2</b>	B	PCS	dim. 165x165x75	1/5
<b>EC SSB3</b>	B	PCS	dim. 250x250x100	1/4

## SKIRTING BOARD AND WALL TRUNKING 70x20

Simply System



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 20001</b>	B	MT	skirting board 70x20	24
<b>EC 20101</b>	A	MT	skirting board 70x20	24

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

### COMPARTMENT LID



<b>EC 20202</b>	B	MT	compartment lid	100
<b>EC 20302</b>	A	MT	compartment lid	100

### VARIABLE INTERNAL ANGLE



<b>EC 20003</b>	B	PCS	internal angle	5/25
<b>EC 20103</b>	A	PCS	internal angle	5/25

### VARIABLE EXTERNAL ANGLE



<b>EC 20004</b>	B	MT	external angle	5/25
<b>EC 20104</b>	A	MT	external angle	5/25

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

### VARIABLE FLAT ANGLE



<b>EC 20005</b>	B	PCS	flat angle	1/10
<b>EC 20105</b>	A	PCS	flat angle	1/10

### COVER STRAIGHT JOINT




<b>EC 20006</b>		PCS	cover joint	5/25
<b>EC 20106</b>		PCS	cover joint	5/25

### END CAP



<b>EC 20008</b>	B	PCS	end cap	5/25
<b>EC 20108</b>	A	PCS	end cap	5/25

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------	------	--------	----	-------------	------------	------	--------	----	-------------	------------



<b>EC 20009</b>	B	PCS	3-way junction box	1/5
<b>EC 20109</b>	A	PCS	3-way junction box	1/5



<b>EC 20010</b>	B	PCS	tower device box - 3 mod.	1/10
<b>EC 20110</b>	A	PCS	tower device box - 3 mod.	1/10



<b>EC 20015</b>	B	PCS	tower device box - 4 mod.	1/10
<b>EC 20115</b>	A	PCS	tower device box - 4 mod.	1/10



<b>EC 20016</b>	B	PCS	tower device box - 6 mod.	1/8
<b>EC 20116</b>	A	PCS	tower device box - 6 mod.	1/8




<b>EC 20011</b>	B	PCS	wall device box - 3 mod.	1/10
<b>EC 20111</b>	A	PCS	wall device box - 3 mod.	1/10



<b>EC 20212</b>	B	PCS	3-module box cover	5/50
<b>EC 20312</b>	A	PCS	3-module box cover	5/50
<b>EC 20213</b>	B	PCS	4-module box cover	5/50
<b>EC 20214</b>	B	PCS	6-module box cover	5/50



# SKIRTING BOARD AND WALL TRUNKING 130x28



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 20201</b>	B	MT	skirting board 130x28	20
<b>EC 20301</b>	A	MT	skirting board 130x28	20

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

## COMPARTMENT LID



<b>EC 20202</b>	B	MT	compartment lid	100
<b>EC 20302</b>	A	MT	compartment lid	100

## VARIABLE INTERNAL ANGLE



<b>EC 20203</b>	B	PCS	internal angle	5
<b>EC 20303</b>	A	PCS	internal angle	5

## VARIABLE EXTERNAL ANGLE



<b>EC 20204</b>	B	PCS	external angle	5
<b>EC 20304</b>	A	PCS	external angle	5

## VARIABLE FLAT ANGLE



<b>EC 20205</b>	B	PCS	flat angle	1/5
<b>EC 20305</b>	A	PCS	flat angle	1/5

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

## COVER STRAIGHT JOINT



<b>EC 20206</b>	B	PCS	cover joint	5/20
<b>EC 20306</b>	A	PCS	cover joint	5/20

## STRAIGHT JOINT




<b>EC 20207</b>	B	PCS	straight joint	5/20
<b>EC 20307</b>	A	PCS	straight joint	5/20

## END CAP



<b>EC 20208</b>	B	PCS	end cap	5/20
<b>EC 20308</b>	A	PCS	end cap	5/20

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------	------	--------	----	-------------	------------	------	--------	----	-------------	------------



<b>EC 20209</b>	B	PCS	3-way junction box	1/5
<b>EC 20309</b>	A	PCS	3-way junction box	1/5



<b>EC 20210</b>	B	PCS	tower device box - 3 mod.	1/6
<b>EC 20310</b>	A	PCS	tower device box - 3 mod.	1/6



<b>EC 20215</b>	B	PCS	tower device box - 4 mod.	1/10
<b>EC 20315</b>	A	PCS	tower device box - 4 mod.	1/10



<b>EC 20216</b>	B	PCS	tower device box - 6 mod.	1/10
<b>EC 20316</b>	A	PCS	tower device box - 6 mod.	1/10



<b>EC 20211</b>	B	PCS	tower device box - 8 mod.	1/4
<b>EC 20311</b>	A	PCS	tower device box - 8 mod.	1/4



<b>EC 20212</b>	B	PCS	3-module box cover	5/50
<b>EC 20312</b>	A	PCS	3-module box cover	5/50
<b>EC 20213</b>	B	PCS	4-module box cover	5/50
<b>EC 20214</b>	B	PCS	6-module box cover	5/50


## FLOOR CABLE TRUNKINGS



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC CAP5012B</b>	B	MT	dim.50x12-3 compartments	50
<b>EC CAP5012G</b>	G	MT	dim.50x12-3 compartments	50
<b>EC CAP7517A</b>	A	MT	dim.75x17-3 compartments	50
<b>EC CAP7517B</b>	B	MT	dim.75x17-3 compartments	50
<b>EC CAP7517G</b>	G	MT	dim.75x17-3 compartments	50

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

### DERIVATION BOX FOR FLOOR CABLE TRUNKINGS



<b>EC CAPXB</b>	B	PCS	for floor cable trunking	1/20
<b>EC CAPXG</b>	G	PCS	for floor cable trunking	1/20
<b>EC CAPXA</b>	A	PCS	for floor cable trunking	1/20

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------


### MODULAR FLOOR BOXES



<b>EC 160001</b>	A	PCS	1/2 device	1/14
<b>EC 160002</b>	A	PCS	4 device	1/10
<b>EC 160003</b>	G	PCS	8 device (4x2)	1/10
<b>EC 160004</b>	A	PCS	8 device (4x2)	1/10

**DUCT FOR AIR CONDITIONING INSTALLATION**


**SPLIT** system



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 9006040</b>	B	MT	dim. 60x40	30
<b>EC 9007055</b>	B	MT	dim. 70x55	24
<b>EC 9008060</b>	B	MT	dim. 80x60	16
<b>EC 9009065</b>	B	MT	dim. 90x65	16
<b>EC 90010060</b>	B	MT	dim. 100x60	16

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

**INTERNAL ANGLE**



<b>EC 9106040</b>	B	PCS	dim. 60x40	10
<b>EC 9107055</b>	B	PCS	dim. 70x55	10
<b>EC 9108060</b>	B	PCS	dim. 80x60	10
<b>EC 9109065</b>	B	PCS	dim. 90x65	10
<b>EC 91010060</b>	B	PCS	dim. 100x60	10

**EXTERNAL ANGLE**




<b>EC 9206040</b>	B	PCS	dim. 60x40	10
<b>EC 9207055</b>	B	PCS	dim. 70x55	10
<b>EC 9208060</b>	B	PCS	dim. 80x60	10
<b>EC 9209065</b>	B	PCS	dim. 90x65	10
<b>EC 92010060</b>	B	PCS	dim. 100x60	10

**FLAT ANGLE**




<b>EC 9306040</b>	B	PCS	dim. 60x40	10
<b>EC 9307055</b>	B	PCS	dim. 70x55	10
<b>EC 9308060</b>	B	PCS	dim. 80x60	10
<b>EC 9309065</b>	B	PCS	dim. 90x65	10
<b>EC 93010060</b>	B	PCS	dim. 100x60	10

**STRAIGHT JOINT**



<b>EC 9406040</b>	B	PCS	dim. 60x40	20
<b>EC 9407055</b>	B	PCS	dim. 70x55	20
<b>EC 9408060</b>	B	PCS	dim. 80x60	20
<b>EC 9409065</b>	B	PCS	dim. 90x65	20
<b>EC 94010060</b>	B	PCS	dim. 100x60	20

**T JOINT**



<b>EC 9506040</b>	B	PCS	dim. 60x40	10
<b>EC 9507055</b>	B	PCS	dim. 70x55	10
<b>EC 9508060</b>	B	PCS	dim. 80x60	10
<b>EC 9509065</b>	B	PCS	dim. 90x65	10
<b>EC 95010060</b>	B	PCS	dim. 100x60	10

**END CAP**



<b>EC 9606040</b>	B	PCS	dim. 60x40	20
<b>EC 9607055</b>	B	PCS	dim. 70x55	20
<b>EC 9608060</b>	B	PCS	dim. 80x60	20
<b>EC 9609065</b>	B	PCS	dim. 90x65	20
<b>EC 96010060</b>	B	PCS	dim. 100x60	20

**WALL THROUGH STRAIGHT JOINT**



<b>EC 9706040</b>	B	PCS	dim. 60x40	20
<b>EC 9707055</b>	B	PCS	dim. 70x55	20
<b>EC 9708060</b>	B	PCS	dim. 80x60	20
<b>EC 9709065</b>	B	PCS	dim. 90x65	20
<b>EC 97010060</b>	B	PCS	dim. 100x60	20

**WALL TROUGH BENT JOINT**



<b>EC 9806040</b>	B	PCS	dim. 60x40	10
<b>EC 9807055</b>	B	PCS	dim. 70x55	10
<b>EC 9808060</b>	B	PCS	dim. 80x60	10
<b>EC 9809065</b>	B	PCS	dim. 90x65	10
<b>EC 98010060</b>	B	PCS	dim. 100x60	10

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------	------	--------	----	-------------	------------	------	--------	----	-------------	------------

**CONDUIT RETAINER**

<b>EC 9036040</b>	B	PCS	dim. 60x40	30
<b>EC 9037055</b>	B	PCS	dim. 70x55	30
<b>EC 9038060</b>	B	PCS	dim. 80x60	30
<b>EC 9039065</b>	B	PCS	dim. 90x65	30

**EXTERNAL COOLING UNIT FLOOR SUPPORT**

<b>EC 90401</b>	B	PCS	dim. 90x80x350	24
<b>EC 90402</b>	B	PCS	dim. 90x80x450	24
<b>EC 90403</b>	B	PCS	end cap 90x80	24
<b>EC 90411</b>	B	PCS	dim. 105x75x420	24

**UNIVERSAL FITTING FOR CONDENSATE DRAINING CONDUIT**

<b>EC 901Y</b>	B	PCS	Ø 16/18/20	20
----------------	---	-----	------------	----


**ARRANGEMENT BOX FOR CONDENSATE DRAINING**

<b>EC 90201</b>	B	PCS	540x130x65 mm	1/20
-----------------	---	-----	---------------	------

**FLEXIBLE SPIRAL CONDUIT FOR CONDENSATE DRAINING**


<b>EC 990GFE16</b>	B	MT	Ø 16/20,2	30/4050
<b>EC 990GFE18</b>	B	MT	Ø 18/22,2	30/3360
<b>EC 990GFE20</b>	B	MT	Ø 20/24,2	30/3360

## SLOTTED TRUNKINGS WITH COVER 8/12/8 TYPE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC A2525	G	MT	dim. 25x25	100
EC A2540	G	MT	dim. 25x40	100
EC A2560	G	MT	dim. 25x60	70
EC A2580	G	MT	dim. 25x80	56
EC A4025	G	MT	dim. 40x25	80
EC A4040	G	MT	dim. 40x40	70
EC A4060	G	MT	dim. 40x60	56
EC A4080	G	MT	dim. 40x80	40
EC A40100	G	MT	dim. 40x100	32
EC A6040	G	MT	dim. 60x40	50
EC A6060	G	MT	dim. 60x60	32
EC A6080	G	MT	dim. 60x80	36
EC A60100	G	MT	dim. 60x100	24
EC A8040	G	MT	dim. 80x40-ready 2 sep.	40
EC A8060	G	MT	dim. 80x60-ready 2 sep.	28
EC A8080	G	MT	dim. 80x80-ready 2 sep.	30
EC A80100	G	MT	dim. 80x100-ready 2 sep.	24
EC A10040	G	MT	dim. 100x40-ready 2 sep.	28
EC A10060	G	MT	dim. 100x60-ready 2 sep.	20
EC A10080	G	MT	dim. 100x80-ready 2 sep.	24
EC A100100	G	MT	dim. 100x100-ready 2 sep.	16
EC A12040	G	MT	dim. 120x40-ready 2 sep.	24
EC A12060	G	MT	dim. 120x60-ready 2 sep.	20
EC A12080	G	MT	dim. 120x80-ready 2 sep.	16


## SLOTTED TRUNKINGS WITH COVER 4/6/4 TYPE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC S2525	G	MT	dim. 25x25	100
EC S2540	G	MT	dim. 25x40	100
EC S2560	G	MT	dim. 25x60	70
EC S2580	G	MT	dim. 25x80	56
EC S4025	G	MT	dim. 40x25	80
EC S4040	G	MT	dim. 40x40	70
EC S4060	G	MT	dim. 40x60	56
EC S4080	G	MT	dim. 40x80	40
EC S40100	G	MT	dim. 40x100	32
EC S6040	G	MT	dim. 60x40	50
EC S6060	G	MT	dim. 60x60	32
EC S6080	G	MT	dim. 60x80	36
EC S60100	G	MT	dim. 60x100	24
EC S8040	G	MT	dim. 80x40-ready 2 sep.	40
EC S8060	G	MT	dim. 80x60-ready 2 sep.	28
EC S8080	G	MT	dim. 80x80-ready 2 sep.	30
EC S80100	G	MT	dim. 80x100-ready 2 sep.	24
EC S10040	G	MT	dim. 100x40-ready 2 sep.	28
EC S10060	G	MT	dim. 100x60-ready 2 sep.	20
EC S10080	G	MT	dim. 100x80-ready 2 sep.	24
EC S100100	G	MT	dim. 100x100-ready 2 sep.	16
EC S12040	G	MT	dim. 120x40-ready 2 sep.	24
EC S12060	G	MT	dim. 120x60-ready 2 sep.	20
EC S12080	G	MT	dim. 120x80-ready 2 sep.	16




## FLEXIBLE SLOTTED TRUNKINGS



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 23401</b>	G	PCS	12,5x12,5x500	112
<b>EC 23402</b>	G	PCS	16x16x500	84
<b>EC 23403</b>	G	PCS	20x20x500	112
<b>EC 23404</b>	G	PCS	25x25x500	70
<b>EC 23405</b>	G	PCS	30x30x500	50
<b>EC 23406</b>	G	PCS	40x40x500	50
<b>EC 23407</b>	G	PCS	50x50x500	32
<b>EC 23411</b>	G	PCS	12,5x12,5x500 - self-adhesive	112
<b>EC 23412</b>	G	PCS	16x16x500 - self-adhesive	84
<b>EC 23413</b>	G	PCS	20x20x500 - self-adhesive	112
<b>EC 23414</b>	G	PCS	25x25x500 - self-adhesive	70
<b>EC 23415</b>	G	PCS	30x30x500 - self-adhesive	50
<b>EC 23416</b>	G	PCS	40x40x500 - self-adhesive	50
<b>EC 23417</b>	G	PCS	50x50x500 - self-adhesive	32

## PRE-CUT TRUNKING FOR CONDUIT



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC P5050</b>	G	MT	dim. 50x50-Ø9-23	24
<b>EC P7550</b>	G	MT	dim. 75x50-Ø9-23	40

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

### SPARE COVER FOR SLOTTED TRUNKINGS



<b>EC CR25G</b>	G	MT	width 25	100
<b>EC CR40G</b>	G	MT	width 40	100
<b>EC CR60G</b>	G	MT	width 60	100
<b>EC CR80G</b>	G	MT	width 80	100
<b>EC CR100G</b>	G	MT	width 100	60
<b>EC CR120G</b>	G	MT	width 120	80

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

SECTIONABLE SEPARATOR FOR SLOTTED TRUNKINGS



<b>EC SESG</b>	G	MT	for H 40-60-80	50
----------------	---	----	----------------	----


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

CABLE RETAINER FOR SLOTTED TRUNKINGS



<b>EC CO4040</b>	GC	PCS	dim. 40x40	5/25
<b>EC CO4060</b>	GC	PCS	dim. 40x60	5/25
<b>EC CO4080</b>	GC	PCS	dim. 40x80	5/25
<b>EC CO40100</b>	GC	PCS	dim. 40x100	5/25
<b>EC CO6040</b>	GC	PCS	dim. 60x40	5/25
<b>EC CO6060</b>	GC	PCS	dim. 60x60	5/25
<b>EC CO6080</b>	GC	PCS	dim. 60x80	5/25
<b>EC CO60100</b>	GC	PCS	dim. 60x100	5/25
<b>EC CO8040</b>	GC	PCS	dim. 80x40	5/25
<b>EC CO8060</b>	GC	PCS	dim. 80x60	5/25
<b>EC CO8080</b>	GC	PCS	dim. 80x80	5/25
<b>EC CO80100</b>	GC	PCS	dim. 80x100	5/25
<b>EC CO10040</b>	GC	PCS	dim. 100x40	5/25
<b>EC CO10060</b>	GC	PCS	dim. 100x60	5/25
<b>EC CO10080</b>	GC	PCS	dim. 100x80	5/25
<b>EC CO100100</b>	GC	PCS	dim. 100x100	5/25
<b>EC CO12040</b>	GC	PCS	dim. 120x40	5/25
<b>EC CO12060</b>	GC	PCS	dim. 120x60	5/25
<b>EC CO12080</b>	GC	PCS	dim. 120x80	5/25

## HALOGEN FREE SLOTTED TRUNKING WITH COVER 4/6/4 TYPE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC SH2540</b>	GC	MT	dim. 25x40	100
<b>EC SH2560</b>	GC	MT	dim. 25x60	70
<b>EC SH2580</b>	GC	MT	dim. 25x80	56
<b>EC SH4040</b>	GC	MT	dim. 40x40	70
<b>EC SH4060</b>	GC	MT	dim. 40x60	56
<b>EC SH4080</b>	GC	MT	dim. 40x80	40
<b>EC SH6040</b>	GC	MT	dim. 60x40	50
<b>EC SH6060</b>	GC	MT	dim. 60x60	32
<b>EC SH6080</b>	GC	MT	dim. 60x80	36
<b>EC SH8040</b>	GC	MT	dim. 80x40	40
<b>EC SH8060</b>	GC	MT	dim. 80x60	28
<b>EC SH8080</b>	GC	MT	dim. 80x80	30
<b>EC SH10040</b>	GC	MT	dim. 100x40	28
<b>EC SH10060</b>	GC	MT	dim. 100x60	20
<b>EC SH10080</b>	GC	MT	dim. 100x80	24
<b>EC SH12040</b>	GC	MT	dim. 120x40	24
<b>EC SH12060</b>	GC	MT	dim. 120x60	20
<b>EC SH12080</b>	GC	MT	dim. 120x80	16

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

### SPARE COVER FOR HALOGEN FREE SLOTTED TRUNKINGS



<b>EC CR25HG</b>	GC	MT	width 25	100
<b>EC CR40HG</b>	GC	MT	width 40	100
<b>EC CR60HG</b>	GC	MT	width 60	100
<b>EC CR80HG</b>	GC	MT	width 80	100
<b>EC CR100HG</b>	GC	MT	width 100	60
<b>EC CR120HG</b>	GC	MT	width 120	80

## SPIRAL WRAP IN TRANSPARENT POLYTHENE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC P1.5</b>		MT	internal Ø 1,5	25/500
<b>EC P03</b>		MT	internal Ø 3	25/500
<b>EC P04</b>		MT	internal Ø 4	25/500
<b>EC P06</b>		MT	internal Ø 6	25/300
<b>EC P08</b>		MT	internal Ø 8	25/400
<b>EC P10</b>		MT	internal Ø 10	25/200
<b>EC P12</b>		MT	internal Ø 12	20/160
<b>EC P14</b>		MT	internal Ø 14	20/160

## SPIRAL WRAP IN BLACK POLYTHENE





ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC PN1.5</b>		MT	internal Ø 1,5	25/500
<b>EC PN03</b>		MT	internal Ø 3	25/500
<b>EC PN04</b>		MT	internal Ø 4	25/500
<b>EC PN06</b>		MT	internal Ø 6	25/300
<b>EC PN08</b>		MT	internal Ø 8	25/400
<b>EC PN10</b>		MT	internal Ø 10	25/200
<b>EC PN12</b>		MT	internal Ø 12	20/160
<b>EC PN14</b>		MT	internal Ø 14	20/160

## SPIRAL WRAP IN SELF-EXTINGUISHING POLYTHENE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC PA1.5</b>		MT	internal Ø 1,5	25/500
<b>EC PA03</b>		MT	internal Ø 3	25/500
<b>EC PA04</b>		MT	internal Ø 4	25/500
<b>EC PA06</b>		MT	internal Ø 6	25/300
<b>EC PA08</b>		MT	internal Ø 8	25/400
<b>EC PA10</b>		MT	internal Ø 10	25/200
<b>EC PA12</b>		MT	internal Ø 12	20/160
<b>EC PA14</b>		MT	internal Ø 14	20/160

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
				
<b>EC 460</b>		PCS	37,5x7,5x1 - 2 mt	20
<b>EC 46015</b>		PCS	37,5x15x1,5 - 2 mt	20
<b>EC 460F</b>		PCS	37,5x7,5x1 - 2 mt perforated	20

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
				
<b>EC ADC</b>		PCS		1

## STRAIGHT PLUGS EN 60309 - IP44 - 16A

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 470		PCS	2P-24V	10/80
EC 69 471		PCS	3P-24V	10/80
EC 69 170		PCS	2P+⊕-110V	10/80
EC 69 171		PCS	3P+⊕-110V	10/80
EC 69 070		PCS	2P+⊕-220V	10/80
EC 69 270		PCS	3P+⊕-220V	10/80
EC 69 271		PCS	3P+N+⊕-220V	10/80
EC 69 072		PCS	3P+⊕-380V	10/80
EC 69 074		PCS	3P+N+⊕-380V	10/80

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 172		PCS	2P+⊕-110V	10/80
EC 69 173		PCS	3P+⊕-110V	10/80
EC 69 272		PCS	2P+⊕-220V	10/80
EC 69 273		PCS	3P+⊕-220V	10/80
EC 69 076		PCS	3P+⊕-380V	10/80
EC 69 078		PCS	3P+N+⊕-380V	10/60

## STRAIGHT PLUGS EN 60309 - IP67 - 16A

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 174		PCS	2P+⊕-110V	10/80
EC 69 175		PCS	3P+⊕-110V	10/60
EC 69 071		PCS	2P+⊕-220V	10/80
EC 69 274		PCS	3P+⊕-220V	10/60
EC 69 275		PCS	3P+N+⊕-220V	10/40
EC 69 073		PCS	3P+⊕-380V	10/60
EC 69 075		PCS	3P+N+⊕-380V	10/60

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 176		PCS	2P+⊕-110V	10/40
EC 69 177		PCS	3P+⊕-110V	10/40
EC 69 276		PCS	2P+⊕-220V	10/40
EC 69 277		PCS	3P+⊕-220V	10/40
EC 69 077		PCS	3P+⊕-380V	10/40
EC 69 079		PCS	3P+N+⊕-380V	10/40

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	
<b>STRAIGHT PLUGS EN 60309 - IP67 - 63A</b>					
	EC 69 278		PCS	2P+⊕-220V	2/16
	EC 69 279		PCS	3P+⊕-220V	2/16
	EC 69 370		PCS	3P+⊕-380V	2/16
	EC 69 371		PCS	3P+N+⊕-380V	2/16

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	
<b>STRAIGHT PLUGS EN 60309 - IP67 - 125A</b>					
	EC 69 671		PCS	2P+⊕-220V	2/8
	EC 69 674		PCS	3P+⊕-220V	2/8
	EC 69 673		PCS	3P+⊕-380V	2/8
	EC 69 675		PCS	3P+N+⊕-380V	2/8



## STRAIGHT SOCKETS EN 60309 - IP44 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 480		PCS	2P-24V	10/80
EC 69 481		PCS	3P-24V	10/80
EC 69 180		PCS	2P+ $\pm$ -110V	10/80
EC 69 181		PCS	3P+ $\pm$ -110V	10/80
EC 69 080		PCS	2P+ $\pm$ -220V	10/80
EC 69 280		PCS	3P+ $\pm$ -220V	10/80
EC 69 281		PCS	3P+N+ $\pm$ -220V	10/80
EC 69 082		PCS	3P+ $\pm$ -380V	10/80
EC 69 084		PCS	3P+N+ $\pm$ -380V	10/80

## STRAIGHT SOCKETS EN 60309 - IP44 - 32A

EC 69 182		PCS	2P+ $\pm$ -110V	10/60
EC 69 183		PCS	3P+ $\pm$ -110V	10/60
EC 69 282		PCS	2P+ $\pm$ -220V	10/60
EC 69 283		PCS	3P+ $\pm$ -220V	10/60
EC 69 086		PCS	3P+ $\pm$ -380V	10/60
EC 69 088		PCS	3P+N+ $\pm$ -380V	10/40

## STRAIGHT SOCKETS EN 60309 - IP67 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 184		PCS	2P+ $\pm$ -110V	10/80
EC 69 185		PCS	3P+ $\pm$ -110V	10/60
EC 69 081		PCS	2P+ $\pm$ -220V	10/80
EC 69 284		PCS	3P+ $\pm$ -220V	10/60
EC 69 285		PCS	3P+N+ $\pm$ -220V	10/40
EC 69 083		PCS	3P+ $\pm$ -380V	10/60
EC 69 085		PCS	3P+N+ $\pm$ -380V	10/40

## STRAIGHT SOCKETS EN 60309 - IP67 - 32A

EC 69 186		PCS	2P+ $\pm$ -110V	10/60
EC 69 187		PCS	3P+ $\pm$ -110V	10/60
EC 69 286		PCS	2P+ $\pm$ -220V	10/60
EC 69 287		PCS	3P+ $\pm$ -220V	10/60
EC 69 087		PCS	3P+ $\pm$ -380V	10/60
EC 69 089		PCS	3P+N+ $\pm$ -380V	10/40

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

### STRAIGHT SOCKETS EN 60309 - IP67 - 63A



EC 69 288		PCS	2P+ $\pm$ -220V	2/16
EC 69 289		PCS	3P+ $\pm$ -220V	2/16
EC 69 380		PCS	3P+ $\pm$ -380V	2/16
EC 69 381		PCS	3P+N+ $\pm$ -380V	2/16

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

### STRAIGHT SOCKETS EN 60309 - IP67 - 125A



EC 69 681		PCS	2P+ $\pm$ -220V	2/8
EC 69 684		PCS	3P+ $\pm$ -220V	2/8
EC 69 683		PCS	3P+ $\pm$ -380V	2/8
EC 69 685		PCS	3P+N+ $\pm$ -380V	2/8

## PANEL MOUNTING INCLINED SOCKETS EN 60309 - IP44 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 400		PCS	2P-24V	10/80
EC 69 401		PCS	3P-24V	10/80
EC 69 100		PCS	2P+ $\pm$ -110V	10/80
EC 69 101		PCS	3P+ $\pm$ -110V	10/80
EC 69 050		PCS	2P+ $\pm$ -220V	10/80
EC 69 250		PCS	3P+ $\pm$ -220V	10/80
EC 69 251		PCS	3P+N+ $\pm$ -220V	10/60
EC 69 052		PCS	3P+ $\pm$ -380V	10/80
EC 69 054		PCS	3P+N+ $\pm$ -380V	10/60

## PANEL MOUNTING INCLINED SOCKETS EN 60309 - IP44 - 32A

EC 69 102		PCS	2P+ $\pm$ -110V	10/60
EC 69 103		PCS	3P+ $\pm$ -110V	10/60
EC 69 252		PCS	2P+ $\pm$ -220V	10/60
EC 69 253		PCS	3P+ $\pm$ -220V	10/60
EC 69 060		PCS	3P+ $\pm$ -380V	10/60
EC 69 061		PCS	3P+N+ $\pm$ -380V	10/60

## PANEL MOUNTING INCLINED SOCKETS EN 60309 - IP67 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 104		PCS	2P+ $\pm$ -110V	10/80
EC 69 105		PCS	3P+ $\pm$ -110V	10/80
EC 69 051		PCS	2P+ $\pm$ -220V	10/80
EC 69 254		PCS	3P+ $\pm$ -220V	10/80
EC 69 255		PCS	3P+N+ $\pm$ -220V	10/60
EC 69 053		PCS	3P+ $\pm$ -380V	10/80
EC 69 055		PCS	3P+N+ $\pm$ -380V	10/60

## PANEL MOUNTING INCLINED SOCKETS EN 60309 - IP67 - 32A

EC 69 106		PCS	2P+ $\pm$ -110V	10/80
EC 69 107		PCS	3P+ $\pm$ -110V	10/60
EC 69 256		PCS	2P+ $\pm$ -220V	10/80
EC 69 257		PCS	3P+ $\pm$ -220V	10/60
EC 69 058		PCS	3P+ $\pm$ -380V	10/60
EC 69 059		PCS	3P+N+ $\pm$ -380V	10/40

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>PANEL MOUNTING INCLINED SOCKETS EN 60309 - IP67 - 63A</b>				
		PCS	2P+ $\pm$ -220V	2/16
		PCS	3P+ $\pm$ -220V	2/16
		PCS	3P+ $\pm$ -380V	2/16
		PCS	3P+N+ $\pm$ -380V	2/16

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>PANEL MOUNTING SOCKETS FLANGE 60x60 mm</b>				
	GC	PCS	2P+ $\pm$ schuko/italian P17	1/30
	GC	PCS	2P+ $\pm$ french	1/30
	GC	PCS	empty for gw type	1/30

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>PANEL MOUNTING INCLINED SOCKETS EN 60309 - IP67 - 125A</b>				
		PCS	2P+ $\pm$ -220V	2/8
		PCS	3P+ $\pm$ -220V	2/8
		PCS	3P+ $\pm$ -380V	2/8
		PCS	3P+N+ $\pm$ -380V	2/8

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>PANEL MOUNTING SOCKETS FLANGE 50x50 mm</b>				
		PCS	2P+ $\pm$ 16A french standard	100
		PCS	2P+ $\pm$ 16A german standard	100

**WALL MOUNTING INCLINED BOX SOCKETS EN 60309 - IP44**


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 4001		PCS	2P-24V - 16A	12
EC 69 4011		PCS	3P-24V - 16A	12
EC 69 1001		PCS	2P++-110V - 16A	12
EC 69 1011		PCS	3P++-110V - 16A	12
EC 69 0501		PCS	2P++-220V - 16A	12
EC 69 2501		PCS	3P++-220V - 16A	12
EC 69 0521		PCS	3P++-380V - 16A	12
EC 69 0541		PCS	3P+N++-380V - 16A	12
EC 69 1021		PCS	2P++-110V - 32A	12
EC 69 1031		PCS	3P++-110V - 32A	12
EC 69 2521		PCS	2P++-220V - 32A	12
EC 69 2531		PCS	3P++-220V - 32A	12
EC 69 0561		PCS	3P++-380V - 32A	12
EC 69 0581		PCS	3P+N++-380V - 32A	12

**WALL MOUNTING INCLINED BOX SOCKETS EN 60309 - IP67**


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 1041		PCS	2P++-110V - 16A	12
EC 69 1051		PCS	3P++-110V - 16A	12
EC 69 0511		PCS	2P++-220V - 16A	12
EC 69 2541		PCS	3P++-220V - 16A	12
EC 69 0531		PCS	3P++-380V - 16A	12
EC 69 0551		PCS	3P+N++-380V - 16A	12
EC 69 1061		PCS	2P++-110V - 32A	12
EC 69 1071		PCS	3P++-110V - 32A	12
EC 69 2561		PCS	2P++-220V - 32A	12
EC 69 2571		PCS	3P++-220V - 32A	12
EC 69 0571		PCS	3P++-380V - 32A	12
EC 69 0591		PCS	3P+N++-380V - 32A	12

**WALL MOUNTING STRAIGHT BOX SOCKETS EN 60309 - IP44**


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 4001D		PCS	2P-24V - 16A	12
EC 69 4011D		PCS	3P-24V - 16A	12
EC 69 1001D		PCS	2P++-110V - 16A	12
EC 69 1011D		PCS	3P++-110V - 16A	12
EC 69 0501D		PCS	2P++-220V - 16A	12
EC 69 2501D		PCS	3P++-220V - 16A	12
EC 69 0521D		PCS	3P++-380V - 16A	12
EC 69 0541D		PCS	3P+N++-380V - 16A	12
EC 69 1021D		PCS	2P++-110V - 32A	12
EC 69 1031D		PCS	3P++-110V - 32A	12
EC 69 2521D		PCS	2P++-220V - 32A	12
EC 69 2531D		PCS	3P++-220V - 32A	12
EC 69 0561D		PCS	3P++-380V - 32A	12
EC 69 0581D		PCS	3P+N++-380V - 32A	12

**WALL MOUNTING STRAIGHT BOX SOCKETS EN 60309 - IP67**


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 1041D		PCS	2P++-110V - 16A	12
EC 69 1051D		PCS	3P++-110V - 16A	12
EC 69 0511D		PCS	2P++-220V - 16A	12
EC 69 2541D		PCS	3P++-220V - 16A	12
EC 69 0531D		PCS	3P++-380V - 16A	12
EC 69 0551D		PCS	3P+N++-380V - 16A	12
EC 69 1061D		PCS	2P++-110V - 32A	12
EC 69 1071D		PCS	3P++-110V - 32A	12
EC 69 2561D		PCS	2P++-220V - 32A	12
EC 69 2571D		PCS	3P++-220V - 32A	12
EC 69 0571D		PCS	3P++-380V - 32A	12
EC 69 0591D		PCS	3P+N++-380V - 32A	12

## PANEL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP44 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 190		PCS	2P+ $\pm$ -110V	1/24
EC 69 090		PCS	2P+ $\pm$ -220V	1/24
EC 69 290		PCS	3P+ $\pm$ -220V	1/24
EC 69 092		PCS	3P+ $\pm$ -380V	1/24
EC 69 094		PCS	3P+N+ $\pm$ -380V	1/24

## PANEL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP44 - 32A

EC 69 292		PCS	2P+ $\pm$ -220V	1/24
EC 69 293		PCS	3P+ $\pm$ -220V	1/24
EC 69 096		PCS	3P+ $\pm$ -380V	1/24
EC 69 098		PCS	3P+N+ $\pm$ -380V	1/24

## PANEL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP67 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 194		PCS	2P+ $\pm$ -110V	1/24
EC 69 091		PCS	2P+ $\pm$ -220V	1/24
EC 69 294		PCS	3P+ $\pm$ -220V	1/24
EC 69 093		PCS	3P+ $\pm$ -380V	1/24
EC 69 095		PCS	3P+N+ $\pm$ -380V	1/24

## PANEL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP67 - 32A

EC 69 296		PCS	2P+ $\pm$ -220V	1/24
EC 69 297		PCS	3P+ $\pm$ -220V	1/24
EC 69 097		PCS	3P+ $\pm$ -380V	1/24
EC 69 099		PCS	3P+N+ $\pm$ -380V	1/24

## WALL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP44 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 1901		PCS	2P+ $\pm$ -110V	1/24
EC 69 0901		PCS	2P+ $\pm$ -220V	1/24
EC 69 2901		PCS	3P+ $\pm$ -220V	1/24
EC 69 0921		PCS	3P+ $\pm$ -380V	1/24
EC 69 0941		PCS	3P+N+ $\pm$ -380V	1/24

## WALL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP44 - 32A

EC 69 2921		PCS	2P+ $\pm$ -220V	1/24
EC 69 2931		PCS	3P+ $\pm$ -220V	1/24
EC 69 0961		PCS	3P+ $\pm$ -380V	1/24
EC 69 0981		PCS	3P+N+ $\pm$ -380V	1/24

## WALL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP67 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 1941		PCS	2P+ $\pm$ -110V	1/24
EC 69 0911		PCS	2P+ $\pm$ -220V	1/24
EC 69 2941		PCS	3P+ $\pm$ -220V	1/24
EC 69 0931		PCS	3P+ $\pm$ -380V	1/24
EC 69 0951		PCS	3P+N+ $\pm$ -380V	1/24

## WALL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP67 - 32A

EC 69 2961		PCS	2P+ $\pm$ -220V	1/24
EC 69 2971		PCS	3P+ $\pm$ -220V	1/24
EC 69 0971		PCS	3P+ $\pm$ -380V	1/24
EC 69 0991		PCS	3P+N+ $\pm$ -380V	1/24

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

WALL MOUNTING BOX



EC 69 0900	GC	PCS	wall mounting	1/20
------------	----	-----	---------------	------

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

FLUSH MOUNTING BOX



EC 69 0910	GC	PCS	flush mounting	1/12
------------	----	-----	----------------	------



**WITH FUSE HOLDER**

**PANEL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP44 - 16A**




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 190F		PCS	2P+ $\pm$ -110V	1/10
EC 69 090F		PCS	2P+ $\pm$ -220V	1/10
EC 69 290F		PCS	3P+ $\pm$ -220V	1/10
EC 69 092F		PCS	3P+ $\pm$ -380V	1/10
EC 69 094F		PCS	3P+N+ $\pm$ -380V	1/10

**PANEL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP44 - 32A**

EC 69 292F		PCS	2P+ $\pm$ -220V	1/10
EC 69 293F		PCS	3P+ $\pm$ -220V	1/10
EC 69 096F		PCS	3P+ $\pm$ -380V	1/10
EC 69 098F		PCS	3P+N+ $\pm$ -380V	1/10

**PANEL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP67 - 16A**



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 194F		PCS	2P+ $\pm$ -110V	1/10
EC 69 091F		PCS	2P+ $\pm$ -220V	1/10
EC 69 294F		PCS	3P+ $\pm$ -220V	1/10
EC 69 093F		PCS	3P+ $\pm$ -380V	1/10
EC 69 095F		PCS	3P+N+ $\pm$ -380V	1/10

**PANEL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP67 - 32A**

EC 69 296F		PCS	2P+ $\pm$ -220V	1/10
EC 69 297F		PCS	3P+ $\pm$ -220V	1/10
EC 69 097F		PCS	3P+ $\pm$ -380V	1/10
EC 69 099F		PCS	3P+N+ $\pm$ -380V	1/10

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

**WALL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP44 - 16A**



EC 69 1901F		PCS	2P+ $\pm$ -110V	1/10
EC 69 0901F		PCS	2P+ $\pm$ -220V	1/10
EC 69 2901F		PCS	3P+ $\pm$ -220V	1/10
EC 69 0921F		PCS	3P+ $\pm$ -380V	1/10
EC 69 0941F		PCS	3P+N+ $\pm$ -380V	1/10

**WALL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP44 - 32A**

EC 69 2921F		PCS	2P+ $\pm$ -220V	1/10
EC 69 2931F		PCS	3P+ $\pm$ -220V	1/10
EC 69 0961F		PCS	3P+ $\pm$ -380V	1/10
EC 69 0981F		PCS	3P+N+ $\pm$ -380V	1/10

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

**WALL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP67 - 16A**



EC 69 1941F		PCS	2P+ $\pm$ -110V	1/10
EC 69 0911F		PCS	2P+ $\pm$ -220V	1/10
EC 69 2941F		PCS	3P+ $\pm$ -220V	1/10
EC 69 0931F		PCS	3P+ $\pm$ -380V	1/10
EC 69 0951F		PCS	3P+N+ $\pm$ -380V	1/10

**WALL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP67 - 32A**

EC 69 2961F		PCS	2P+ $\pm$ -220V	1/10
EC 69 2971F		PCS	3P+ $\pm$ -220V	1/10
EC 69 0971F		PCS	3P+ $\pm$ -380V	1/10
EC 69 0991F		PCS	3P+N+ $\pm$ -380V	1/10

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

WALL MOUNTING BOX



EC 69 0905	GC	PCS	wall mounting	1/14
------------	----	-----	---------------	------

## PANEL MOUNTING INTERLOCKED VERTICAL COMPACT SOCKETS - IP44 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 1902		PCS	2P+ $\pm$ -110V	1/24
EC 69 0902		PCS	2P+ $\pm$ -220V	1/24
EC 69 2902		PCS	3P+ $\pm$ -220V	1/24
EC 69 0922		PCS	3P+ $\pm$ -380V	1/24
EC 69 0942		PCS	3P+N+ $\pm$ -380V	1/24

## PANEL MOUNTING INTERLOCKED VERTICAL COMPACT SOCKETS - IP44 - 32A

EC 69 2922		PCS	2P+ $\pm$ -220V	1/24
EC 69 2932		PCS	3P+ $\pm$ -220V	1/24
EC 69 0962		PCS	3P+ $\pm$ -380V	1/24
EC 69 0982		PCS	3P+N+ $\pm$ -380V	1/24

## PANEL MOUNTING INTERLOCKED VERTICAL COMPACT SOCKETS - IP67 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 1942		PCS	2P+ $\pm$ -110V	1/24
EC 69 0912		PCS	2P+ $\pm$ -220V	1/24
EC 69 2942		PCS	3P+ $\pm$ -220V	1/24
EC 69 0932		PCS	3P+ $\pm$ -380V	1/24
EC 69 0952		PCS	3P+N+ $\pm$ -380V	1/24

## PANEL MOUNTING INTERLOCKED VERTICAL COMPACT SOCKETS - IP67 - 32A

EC 69 2962		PCS	2P+ $\pm$ -220V	1/24
EC 69 2972		PCS	3P+ $\pm$ -220V	1/24
EC 69 0972		PCS	3P+ $\pm$ -380V	1/24
EC 69 0992		PCS	3P+N+ $\pm$ -380V	1/24

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

### WALL MOUNTING INTERLOCKED VERTICAL COMPACT SOCKETS - IP44 - 16A



EC 69 1903		PCS	2P+ $\pm$ -110V	1/24
EC 69 0903		PCS	2P+ $\pm$ -220V	1/24
EC 69 2903		PCS	3P+ $\pm$ -220V	1/24
EC 69 0923		PCS	3P+ $\pm$ -380V	1/24
EC 69 0943		PCS	3P+N+ $\pm$ -380V	1/24

### WALL MOUNTING INTERLOCKED VERTICAL COMPACT SOCKETS - IP44 - 32A

EC 69 2923		PCS	2P+ $\pm$ -220V	1/24
EC 69 2933		PCS	3P+ $\pm$ -220V	1/24
EC 69 0963		PCS	3P+ $\pm$ -380V	1/24
EC 69 0983		PCS	3P+N+ $\pm$ -380V	1/24

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

### WALL MOUNTING INTERLOCKED VERTICAL COMPACT SOCKETS - IP67 - 16A



EC 69 1943		PCS	2P+ $\pm$ -110V	1/24
EC 69 0913		PCS	2P+ $\pm$ -220V	1/24
EC 69 2943		PCS	3P+ $\pm$ -220V	1/24
EC 69 0933		PCS	3P+ $\pm$ -380V	1/24
EC 69 0953		PCS	3P+N+ $\pm$ -380V	1/24

### WALL MOUNTING INTERLOCKED VERTICAL COMPACT SOCKETS - IP67 - 32A

EC 69 2963		PCS	2P+ $\pm$ -220V	1/24
EC 69 2973		PCS	3P+ $\pm$ -220V	1/24
EC 69 0973		PCS	3P+ $\pm$ -380V	1/24
EC 69 0993		PCS	3P+N+ $\pm$ -380V	1/24

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

WALL MOUNTING BOX



EC 69 09001 GC PCS wall mounting 1/10

**WITH FUSE HOLDER**

**PANEL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP44 - 16A**



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 1904F		PCS	2P+⊕-110V	1/10
EC 69 0904F		PCS	2P+⊕-220V	1/10
EC 69 2904F		PCS	3P+⊕-220V	1/10
EC 69 0924F		PCS	3P+⊕-380V	1/10
EC 69 0944F		PCS	3P+N+⊕-380V	1/10

**PANEL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP44 - 32A**

EC 69 2924F		PCS	2P+⊕-220V	1/10
EC 69 2934F		PCS	3P+⊕-220V	1/10
EC 69 0964F		PCS	3P+⊕-380V	1/10
EC 69 0984F		PCS	3P+N+⊕-380V	1/10

**PANEL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP67 - 16A**



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 1944F		PCS	2P+⊕-110V	1/10
EC 69 0914F		PCS	2P+⊕-220V	1/10
EC 69 2944F		PCS	3P+⊕-220V	1/10
EC 69 0934F		PCS	3P+⊕-380V	1/10
EC 69 0954F		PCS	3P+N+⊕-380V	1/10

**PANEL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP67 - 32A**

EC 69 2964F		PCS	2P+⊕-220V	1/10
EC 69 2974F		PCS	3P+⊕-220V	1/10
EC 69 0974F		PCS	3P+⊕-380V	1/10
EC 69 0994F		PCS	3P+N+⊕-380V	1/10

**PANEL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP67 - 63A**

EC 69 2584F		PCS	2P+⊕-220V	1/10
EC 69 2594F		PCS	3P+⊕-220V	1/10
EC 69 3504F		PCS	3P+⊕-380V	1/10
EC 69 3514F		PCS	3P+N+⊕-380V	1/10

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

**WALL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP44 - 16A**

EC 69 19041F		PCS	2P+⊕-110V	1/10
EC 69 09041F		PCS	2P+⊕-220V	1/10
EC 69 29041F		PCS	3P+⊕-220V	1/10
EC 69 09241F		PCS	3P+⊕-380V	1/10
EC 69 09441F		PCS	3P+N+⊕-380V	1/10

**WALL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP44 - 32A**

EC 69 29241F		PCS	2P+⊕-220V	1/10
EC 69 29341F		PCS	3P+⊕-220V	1/10
EC 69 09641F		PCS	3P+⊕-380V	1/10
EC 69 09841F		PCS	3P+N+⊕-380V	1/10



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

**WALL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP67 - 16A**

EC 69 19441F		PCS	2P+⊕-110V	1/10
EC 69 09141F		PCS	2P+⊕-220V	1/10
EC 69 29441F		PCS	3P+⊕-220V	1/10
EC 69 09341F		PCS	3P+⊕-380V	1/10
EC 69 09541F		PCS	3P+N+⊕-380V	1/10

**WALL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP67 - 32A**

EC 69 29641F		PCS	2P+⊕-220V	1/10
EC 69 29741F		PCS	3P+⊕-220V	1/10
EC 69 09741F		PCS	3P+⊕-380V	1/10
EC 69 09941F		PCS	3P+N+⊕-380V	1/10

**WALL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP67 - 63A**

EC 69 25841F		PCS	2P+⊕-220V	1/10
EC 69 25941F		PCS	3P+⊕-220V	1/10
EC 69 35041F		PCS	3P+⊕-380V	1/10
EC 69 35141F		PCS	3P+N+⊕-380V	1/10



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

## PANEL MOUNTING VERTICAL SOCKETS 220/24V - 16A - 150VA - IP44



<b>EC 69 4924</b>		PCS	2P-without fuse holder	1/10
<b>EC 69 4924F</b>		PCS	2P-with fuse holder	1/10

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

## WALL MOUNTING VERTICAL SOCKETS 220/24V - 16A - 150VA - IP44



<b>EC 69 49241</b>		PCS	2P-without fuse holder	1/10
<b>EC 69 49241F</b>		PCS	2P-with fuse holder	1/10

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------	------	--------	----	-------------	------------	------	--------	----	-------------	------------



**EC 69 09004** GC PCS wall box 1/10



**EC 69 0920** GC PCS flush box with flange 1/14



**EC 69 0930** GC PCS dry lining box with flange 1/14



**EC 69 0F4** B PCS for sockets 16/32A or flange 60x60 1/20



**EC 69 09014** GC PCS 1 socket 1/10  
**EC 69 09024** GC PCS 2 sockets 1/5  
**EC 69 09034** GC PCS 3 sockets 1/3  
**EC 69 09044** GC PCS 4 sockets 1/2



**EC TFLEX18** GC PCS Ø 18 mm 100/2000



**EC 52121** GC PCS joint - PG21 type 10/50  
**EC 52129** GC PCS joint - PG29 type 10/50  
**EC 52136** GC PCS joint - PG36 type 10/50

## 2-WAY MULTIPLIER - EN 603090 PLUG - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 69 1702</b>		PCS	2P+±-110V-IP44	10
<b>EC 69 0702</b>		PCS	2P+±-220V-IP44	10
<b>EC 69 0722</b>		PCS	3P+±-380V-IP44	10
<b>EC 69 1742</b>		PCS	2P+±-110V-IP67	5
<b>EC 69 0712</b>		PCS	2P+±-220V-IP67	5
<b>EC 69 0732</b>		PCS	3P+±-380V-IP67	5

## 3-WAY MULTIPLIER - EN 603090 PLUG - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 69 1703</b>		PCS	2P+±-110V-IP44	6
<b>EC 69 0703</b>		PCS	2P+±-220V-IP44	5
<b>EC 69 2703</b>		PCS	3P+±-220V-IP44	4
<b>EC 69 2713</b>		PCS	3P+N+±-220V-IP44	4
<b>EC 69 0723</b>		PCS	3P+±-380V-IP44	4
<b>EC 69 0743</b>		PCS	3P+N+±-380V-IP44	4
<b>EC 69 1743</b>		PCS	2P+±-110V-IP67	6
<b>EC 69 0713</b>		PCS	2P+±-220V-IP67	5
<b>EC 69 2743</b>		PCS	3P+±-220V-IP67	4
<b>EC 69 2753</b>		PCS	3P+N+±-220V-IP67	4
<b>EC 69 0733</b>		PCS	3P+±-380V-IP67	4
<b>EC 69 0753</b>		PCS	3P+N+±-380V-IP67	4

## 3-WAY MULTIPLIER - EN 603090 PLUG - 32A

<b>EC 69 0763</b>		PCS	3P+±-380V-IP44	4
<b>EC 69 0783</b>		PCS	3P+N+±-380V-IP44	4
<b>EC 69 0773</b>		PCS	3P+±-380V-IP67	4
<b>EC 69 0793</b>		PCS	3P+N+±-380V-IP67	4

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

### INDUSTRIAL EXTENSIONS - PLUG AND SOCKET EN 60309 - 16A - IP44



<b>EC 699P10</b>		PCS	2P-10 mt - 3x2,5	1
<b>EC 699P11</b>		PCS	3P-10 mt - 4x2,5	1
<b>EC 699P12</b>		PCS	3P+N-10 mt - 5x2,5	1
<b>EC 699P13</b>		PCS	2P-20 mt - 3x2,5	1
<b>EC 699P14</b>		PCS	3P-20 mt - 4x2,5	1
<b>EC 699P15</b>		PCS	3P+N-20 mt - 5x2,5	1
<b>EC 699P16</b>		PCS	2P-30 mt - 3x2,5	1
<b>EC 699P17</b>		PCS	3P-30 mt - 4x2,5	1
<b>EC 699P18</b>		PCS	3P+N-30 mt - 5x2,5	1

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

### INDUSTRIAL EXTENSIONS PLUG AND SOCKET EN 60309 - 16A - IP67



<b>EC 699P20</b>		PCS	2P-10 mt - 3x2,5	1
<b>EC 699P21</b>		PCS	3P-10 mt - 4x2,5	1
<b>EC 699P22</b>		PCS	3P+N-10 mt - 5x2,5	1
<b>EC 699P23</b>		PCS	2P-20 mt - 3x2,5	1
<b>EC 699P24</b>		PCS	3P-20 mt - 4x2,5	1
<b>EC 699P25</b>		PCS	3P+N-20 mt - 5x2,5	1
<b>EC 699P26</b>		PCS	2P-30 mt - 3x2,5	1
<b>EC 699P27</b>		PCS	3P-30 mt - 4x2,5	1
<b>EC 699P28</b>		PCS	3P+N-30 mt - 5x2,5	1

### 3-WAY MULTIPLIER - WITH CABLE - 16A - IP67



<b>EC 69 0714-3</b>		PCS	2P+±-220V-3mt	1
<b>EC 69 0714-20</b>		PCS	2P+±-220V-20mt	1
<b>EC 69 0714-30</b>		PCS	2P+±-220V-30mt	1

### 3-WAY MULTIPLIER - WITH CABLE - 16A - IP67



<b>EC 69 0754-3</b>		PCS	3P+N+±-380V-3mt	1
---------------------	--	-----	-----------------	---

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

ADAPTOR INDUSTRIAL TO DOMESTIC SOCKET - 16A



<b>EC 69 0510</b>	GC	PCS	2P-220V → schuko+2 italian P17	10/80
<b>EC 69 0530</b>	GC	PCS	3P+N-380V → schuko/italian P17	10/90
<b>EC 69 0540</b>	GC	PCS	3P+N-380V → 2 italian P17	10/90

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

ADAPTOR DOMESTIC TO INDUSTRIAL SOCKET - 16A



<b>EC 69 0512</b>	GC	PCS	schuko plug	10/80
<b>EC 69 0513</b>	GC	PCS	italian S17 plug	10/80




## EMPTY DISTRIBUTION BOARDS - 4 MODULES - 2 SOCKETS



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 69001</b>	GC	PCS	blank	1/15
<b>EC 69011</b>	GC	PCS	pre-cut for sockets 16/32A	1/15
<b>EC 69021</b>	GC	PCS	flanged for sockets 16A	1/15

## EMPTY DISTRIBUTION BOARDS - 4 MODULES - 3 SOCKETS



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 69002</b>	GC	PCS	blank	1/13
<b>EC 69012</b>	GC	PCS	pre-cut for sockets 16/32A	1/13
<b>EC 69022</b>	GC	PCS	flanged for sockets 16A	1/13

## EMPTY DISTRIBUTION BOARDS - 8 MODULES - 4 SOCKETS



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 69003</b>	GC	PCS	blank	1/10
<b>EC 69013</b>	GC	PCS	pre-cut for sockets 16/32A	1/10
<b>EC 69023</b>	GC	PCS	flanged for sockets 16A	1/10

## EMPTY DISTRIBUTION BOARDS - 12 MODULES - 3 SOCKETS




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 69004</b>	GC	PCS	blank	1/4
<b>EC 69014</b>	GC	PCS	pre-cut for sockets 16/32A	1/4
<b>EC 69024</b>	GC	PCS	flanged for sockets 16A	1/4
<b>EC 69034</b>	GC	PCS	2 interlocked hor. sockets WOFH	1/4

## EMPTY DISTRIBUTION BOARDS - 12 MODULES - 6 SOCKETS









ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 69005</b>	GC	PCS	blank	1
<b>EC 69015</b>	GC	PCS	pre-cut for sockets 16/32A	1
<b>EC 69025</b>	GC	PCS	flanged for sockets 16A	1
<b>EC 69035</b>	GC	PCS	4 interlocked hor. sockets WOFH	1
<b>EC 69045</b>	GC	PCS	2 interlocked ver. sockets WFH	1


## EMPTY DISTRIBUTION BOARDS - 19 MODULES - 8 SOCKETS





ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 69006</b>	GC	PCS	blank	1
<b>EC 69016</b>	GC	PCS	pre-cut for sockets 16/32A	1
<b>EC 69026</b>	GC	PCS	flanged for sockets 16A	1
<b>EC 69036</b>	GC	PCS	4 interlocked hor. sockets WFH	1
<b>EC 69046</b>	GC	PCS	3 interlocked ver. sockets WFH	1


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>CONNECTING DEVICE FOR DISTRIBUTION BOARDS</b> 					<b>HANDLE WITH INSULATED SCREWS</b> 					<b>BLANK FLANGES</b> 				
<b>EC 52121</b>	GC	PCS	joint - PG21 type	10/50	<b>EC 690MA</b>	GC	PCS	for all distribution boards	1/10	<b>EC 690F1</b>	GC	PCS	sockets 16A	10
<b>EC 52129</b>	GC	PCS	joint - PG29 type	10/50						<b>EC 690F2</b>	GC	PCS	hor.interlocked s. 16/32A WOFH	10
<b>EC 52136</b>	GC	PCS	joint - PG36 type	10/50						<b>EC 690F3</b>	GC	PCS	ver.interlocked s. 16/32/63A WFH	10
<b>FLANGE FOR INCLINED SOCKETS</b> 					<b>MODULAR BLANK PLATE - 4,5 MODULES</b> 					<b>PLASTIC BRACKET</b> 				
<b>EC 690F4</b>	GC	PCS	for sockets 16/32A or flange 60x60 for boards 69045 and 69046	1/20	<b>EC 600TC</b>	GC	PCS	4,5 modules	25	<b>EC 600SF</b>	GC	PCS	plastic bracket to keep IP-protection and double insulation - for all distribution boards series 690	50


## board system


ITEM	IP	UM	DESCRIPTION ALL SOCKETS ARE + ±	PACK-AGING	
<b>DISTRIBUTION BOARDS ASD TYPE - 2 VERTICAL SOCKETS 16A</b>					
 16A	EC 6902120	44	PCS	1x2P - 1x3P	1
	EC 6902121	44	PCS	2x2P	1
	EC 6902122	44	PCS	1x2P - 1xbiv	1
	EC 6902123	44	PCS	2xbiv	1
	EC 6902124	65	PCS	2x3P	1
	EC 6902130	65	PCS	1x2P - 1x3P	1
	EC 6902131	65	PCS	2x2P	1
	EC 6902132	65	PCS	2x3P	1


ITEM	IP	UM	DESCRIPTION ALL SOCKETS ARE + ±	PACK-AGING	
<b>DISTRIBUTION BOARDS ASC TYPE - 2 VERTICAL SOCKETS 16A</b>					
 16A	EC 6902100	44	PCS	1x2P - 1x3P	1
	EC 6902101	44	PCS	1x2P - 1xbiv	1
	EC 6902102	44	PCS	2x2P	1
	EC 6902103	44	PCS	2xbiv	1
	EC 6902104	65	PCS	2x3P	1
	EC 6902110	65	PCS	1x2P - 1x3P	1
	EC 6902111	65	PCS	2x2P	1
	EC 6902112	65	PCS	2x3P	1


ITEM	IP	UM	DESCRIPTION ALL SOCKETS ARE + ±	PACK-AGING	
<b>DISTRIBUTION BOARDS ASD TYPE - 3 VERTICAL SOCKETS 16A</b>					
 16A	EC 6902220	44	PCS	2x2P - 1x3P	1
	EC 6902221	44	PCS	1x2P - 1x3P - 1x3P+N	1
	EC 6902222	44	PCS	2x2P - 1xbiv	1
	EC 6902223	44	PCS	1x2P - 2x3P	1
	EC 6902224	44	PCS	1x2P - 1x3P - 1xbiv	1
	EC 6902225	44	PCS	3x2P	1
	EC 6902226	44	PCS	3xbiv	1
	EC 6902227	44	PCS	3x3P	1
	EC 6902230	65	PCS	2x2P - 1x3P	1
	EC 6902231	65	PCS	1x2P - 2x3P	1
	EC 6902232	65	PCS	1x2P - 1x3P - 1x3P+N	1
	EC 6902233	65	PCS	3x2P	1
	EC 6902234	65	PCS	3x3P	1


ITEM	IP	UM	DESCRIPTION ALL SOCKETS ARE + ±	PACK-AGING	
<b>DISTRIBUTION BOARDS ASC TYPE - 3 VERTICAL SOCKETS 16A</b>					
 16A	EC 6902200	44	PCS	2x2P - 1x3P	1
	EC 6902201	44	PCS	1x2P - 1x3P - 1x3P+N	1
	EC 6902202	44	PCS	2x2P - 1xbiv	1
	EC 6902203	44	PCS	1x2P - 2x3P	1
	EC 6902204	44	PCS	1x2P - 1x3P - 1xbiv	1
	EC 6902205	44	PCS	3x2P	1
	EC 6902206	44	PCS	3x3P	1
	EC 6902207	44	PCS	3xbiv	1
	EC 6902210	65	PCS	2x2P - 1x3P	1
	EC 6902211	65	PCS	1x2P - 2x3P	1
	EC 6902212	65	PCS	1x2P - 1x3P - 1x3P+N	1
	EC 6902213	65	PCS	3x2P	1
	EC 6902214	65	PCS	3x3P	1


ITEM	IP	UM	DESCRIPTION ALL SOCKETS ARE + ±	PACK-AGING	
<b>DISTRIBUTION BOARDS ASD TYPE - 4 SOCKETS 16A</b>					
 16A	EC 6902320	44	PCS	2x2P - 2x3P	1
	EC 6902321	44	PCS	2x2P - 1x3P - 1x3P+N	1
	EC 6902322	44	PCS	1x2P - 1x3P - 1x3P+N - 1xbiv	1
	EC 6902323	44	PCS	2x2P - 2xbiv	1
	EC 6902324	44	PCS	4x2P	1
	EC 6902325	44	PCS	4x3P	1
	EC 6902326	44	PCS	3x2P - 1x3P	1
	EC 6902330	65	PCS	2x2P - 2x3P	1
	EC 6902331	65	PCS	2x2P - 1x3P - 1x3P+N	1
	EC 6902332	65	PCS	1x2P - 2x3P - 1x3P+N	1
	EC 6902333	65	PCS	4x2P	1
	EC 6902334	65	PCS	4x3P	1
	EC 6902336	65	PCS	3x2P - 1x3P	1


ITEM	IP	UM	DESCRIPTION ALL SOCKETS ARE + ±	PACK-AGING	
<b>DISTRIBUTION BOARDS ASC TYPE - 4 SOCKETS 16A</b>					
 16A	EC 6902300	44	PCS	2x2P - 2x3P	1
	EC 6902301	44	PCS	2x2P - 1x3P - 1x3P+N	1
	EC 6902302	44	PCS	1x2P - 1x3P - 1x3P+N - 1xbiv	1
	EC 6902303	44	PCS	2x2P - 2xbiv	1
	EC 6902304	44	PCS	4x2P	1
	EC 6902305	44	PCS	4x3P	1
	EC 6902308	44	PCS	3x2P - 1x3P	1
	EC 6902310	65	PCS	2x2P - 2x3P	1
	EC 6902311	65	PCS	2x2P - 1x3P - 1x3P+N	1
	EC 6902312	65	PCS	1x2P - 2x3P - 1x3P+N	1
	EC 6902313	65	PCS	4x2P	1
	EC 6902314	65	PCS	4x3P	1
	EC 6902318	65	PCS	3x2P - 1x3P	1

ITEM	IP	UM	DESCRIPTION ALL SOCKETS ARE + ±	PACK-AGING	
<b>DISTRIBUTION BOARDS ASD TYPE - 3 HORIZONTAL SOCKETS 16A</b>					
 16A	EC 6902420	44	PCS	2x2P - 1x3P	1
	EC 6902421	44	PCS	1x2P - 2x3P	1
	EC 6902422	44	PCS	1x2P - 1x3P - 1x3P+N	1
	EC 6902423	44	PCS	1x2P - 1x3P - 1xbiv	1
	EC 6902424	44	PCS	3x2P	1
	EC 6902425	44	PCS	3x3P	1
	EC 6902430	65	PCS	2x2P - 1x3P	1
	EC 6902431	65	PCS	1x2P - 2x3P	1
	EC 6902432	65	PCS	1x2P - 1x3P - 1x3P+N	1
	EC 6902433	65	PCS	3x2P	1
	EC 6902434	65	PCS	3x3P	1

ITEM	IP	UM	DESCRIPTION ALL SOCKETS ARE + ±	PACK-AGING	
<b>DISTRIBUTION BOARDS ASC TYPE - 3 HORIZONTAL SOCKETS 16A</b>					
 16A	EC 6902400	44	PCS	2x2P - 1x3P	1
	EC 6902401	44	PCS	1x2P - 2x3P	1
	EC 6902402	44	PCS	1x2P - 1x3P - 1x3P+N	1
	EC 6902403	44	PCS	1x2P - 1x3P - 1xbiv	1
	EC 6902404	44	PCS	3x2P	1
	EC 6902405	44	PCS	3x3P	1
	EC 6902410	65	PCS	2x2P - 1x3P	1
	EC 6902411	65	PCS	1x2P - 2x3P	1
	EC 6902412	65	PCS	1x2P - 1x3P - 1x3P+N	1
	EC 6902413	65	PCS	3x2P	1
	EC 6902414	65	PCS	3x3P	1

ITEM	IP	UM	DESCRIPTION ALL SOCKETS ARE + ±	PACK-AGING	
<b>DISTRIBUTION BOARDS ASD TYPE - 6 SOCKETS 16A</b>					
 16A	EC 6902520	44	PCS	3x2P - 3x3P	1
	EC 6902521	44	PCS	2x2P - 2x3P - 2x3P+N	1
	EC 6902522	44	PCS	2x2P - 2x3P - 1x3P+N - 1xbiv	1
	EC 6902523	44	PCS	2x2P - 1x3P - 1x3P+N - 2xbiv	1
	EC 6902524	44	PCS	6x2P	1
	EC 6902525	44	PCS	6x3P	1
	EC 6902530	65	PCS	3x2P - 3x3P	1
	EC 6902531	65	PCS	2x2P - 2x3P - 2x3P+N	1
	EC 6902532	65	PCS	3x2P - 2x3P - 1x3P+N	1
	EC 6902533	65	PCS	6x2P	1
	EC 6902534	65	PCS	6x3P	1
	EC 6902535	65	PCS	4x2P - 2x3P	1


ITEM	IP	UM	DESCRIPTION ALL SOCKETS ARE + ±	PACK-AGING	
<b>DISTRIBUTION BOARDS ASC TYPE - 6 SOCKETS 16A</b>					
 16A	EC 6902500	44	PCS	3x2P - 3x3P	1
	EC 6902501	44	PCS	2x2P - 2x3P - 2x3P+N	1
	EC 6902502	44	PCS	2x2P - 2x3P - 1x3P+N - 1xbiv	1
	EC 6902503	44	PCS	2x2P - 1x3P - 1x3P+N - 2xbiv	1
	EC 6902504	44	PCS	6x2P	1
	EC 6902505	44	PCS	6x3P	1
	EC 6902510	65	PCS	3x2P - 3x3P	1
	EC 6902511	65	PCS	2x2P - 2x3P - 2x3P+N	1
	EC 6902512	65	PCS	3x2P - 2x3P - 1x3P+N	1
	EC 6902513	65	PCS	6x2P	1
	EC 6902514	65	PCS	6x3P	1
	EC 6902515	65	PCS	4x2P - 2x3P	1

ITEM	IP	UM	DESCRIPTION ALL SOCKETS ARE + ±	PACK-AGING	
<b>DISTRIBUTION BOARDS ASD TYPE - 8 SOCKETS 16A</b>					
 16A	EC 6902620	44	PCS	8x2P	1
	EC 6902621	44	PCS	4x2P - 4x3P	1
	EC 6902622	44	PCS	4x2P - 4x3P+N	1
	EC 6902623	44	PCS	4x2P - 2x3P - 2x3P+N	1
	EC 6902630	65	PCS	8x2P	1
	EC 6902631	65	PCS	4x2P - 4x3P	1
	EC 6902632	65	PCS	4x2P - 4x3P+N	1
	EC 6902633	65	PCS	4x2P - 2x3P - 2x3P+N	1

**panel system**


ITEM	IP	UM	DESCRIPTION ALL SOCKETS ARE + ±	PACK- AGING
------	----	----	------------------------------------	----------------

**DISTRIBUTION BOARDS ASC TYPE - 8 SOCKETS 16A**


	<b>EC 6902600</b>	44	PCS	8x2P	1
	<b>EC 6902601</b>	44	PCS	4x2P - 4x3P	1
	<b>EC 6902602</b>	44	PCS	4x2P - 4x3P+N	1
	<b>EC 6902603</b>	44	PCS	4x2P - 2x3P - 2x3P+N	1
	<b>EC 6902610</b>	65	PCS	8x2P	1
	<b>EC 6902611</b>	65	PCS	4x2P - 4x3P	1
	<b>EC 6902612</b>	65	PCS	4x2P - 4x3P+N	1
	<b>EC 6902613</b>	65	PCS	4x2P - 2x3P - 2x3P+N	1

16A

**CABLED EMERGENCY PUSH-BUTTON FOR ASC BOARDS**


	-E		PCS	push-button	1
--	----	--	-----	-------------	---

**METALLIC SUPPORT FOR DISTRIBUTION BOARDS**


	<b>EC 69040</b>		PCS	for 8 modules with cable support	1
	<b>EC 69041</b>		PCS	for 12-19 modules with cable support	1
	<b>EC 69040T</b>		PCS	for 8 modules with protection	1
	<b>EC 69041T</b>		PCS	for 12 modules with protection	1


ITEM	PLUG	UM	DESCRIPTION ALL SOCKETS ARE + ±	PACK- AGING
------	------	----	------------------------------------	----------------

**CONSTRUCTION SITE EMPTY DISTRIBUTION BOARD**


	<b>EC 69008</b>		PCS	Empty board for ASC type boards	1
---	-----------------	--	-----	------------------------------------	---

**CONSTRUCTION SITE PREPARED DISTRIBUTION BOARD**


	<b>EC 690081</b>		PCS	Construction site empty distribution board prepared 19+19 modules for 6 interlocked vertical sockets with fuse holder or 12 industrial sockets 16/32A with flange 690F4 (not included) emergency push-button	1
---	------------------	--	-----	---	---

	<b>EC 690082</b>		PCS	Construction site empty distribution board prepared 19+19 modules for 8 interlocked horizontal sockets with fuse holder, emergency push-button	1
---	------------------	--	-----	---	---


**CONSTRUCTION SITE ASSEMBLED DISTRIBUTION BOARD -  
12 INDUSTRIAL SOCKETS - MCB PROTECTION - TERMINAL POWER**

	<b>EC 69008A1</b>		PCS	4xbiv-3x2P16-2x3P16 1x3P+N32-1x3P+N63	1
	<b>EC 69008A2</b>		PCS	6x2P16-3x3P16 1x3P+N16-2x3P+N32	1
	<b>EC 69008A3</b>		PCS	12x2P16	1
	<b>EC 69008A4</b>		PCS	6x2P16-6x3P16	1

**CONSTRUCTION SITE ASSEMBLED DISTRIBUTION BOARD -  
5 INTERLOCKED VERTICAL SOCKETS - FUSE HOLDER -  
TERMINAL POWER**

	<b>EC 6900800</b>		PCS	1x2P16-1x3P16-3x3P32	1
	<b>EC 6900801</b>		PCS	1x2P16-1x3P16-3x3P+N32	1
	<b>EC 6900802</b>		PCS	1x2P16-2x3P16-2x3P32	1
	<b>EC 6900803</b>		PCS	2x2P16-3x3P16	1
	<b>EC 6900804</b>		PCS	2x2P16-3x3P32	1
	<b>EC 6900805</b>		PCS	2x2P16-1x3P16-2x3P32	1
	<b>EC 6900806</b>		PCS	2x2P16-1x3P16 1x3P+N16-1x3P+N32	1
	<b>EC 6900807</b>		PCS	3x2P16-2x3P32	1
	<b>EC 6900808</b>		PCS	3x2P16-1x3P+N16-1x3P+N32	1
	<b>EC 6900809</b>		PCS	4x3P16-1x3P32	1
	<b>EC 6900810</b>		PCS	2x2P32-3x3P+N32	1
	<b>EC 6900811</b>		PCS	1x2P16-2x3P16-1x3P32-1x3P63	1
	<b>EC 6900812</b>		PCS	2x2P16-1x3P16-1x3P32-1x3P63	1
	<b>EC 6900813</b>		PCS	2x2P16-1x3P16-1x3P+N32- 1x3P63	1
	<b>EC 6900814</b>		PCS	1x2P16-2x3P16-1x3P32- 1x3P+N63	1
	<b>EC 6900815</b>		PCS	2x2P16-1x3P+N16 1x3P+N32-1x3P+N63	1
	<b>EC 6900816</b>		PCS	3x2P16-1x3P+N32-1x3P+N63	1
	<b>EC 6900817</b>		PCS	2xbiv-2x2P16-1x3P32-1x3P63	1

**CONSTRUCTION SITE ASSEMBLED DISTRIBUTION BOARD -  
5 INTERLOCKED VERTICAL SOCKETS - FUSE HOLDER - PLUG POWER**

	<b>EC 6900820</b>	125A	PCS	1x2P16-1x3P16-3x3P32	1
	<b>EC 6900821</b>	125A	PCS	1x2P16-1x3P16-3x3P+N32	1
	<b>EC 6900822</b>	125A	PCS	1x2P16-2x3P16-2x3P32	1
	<b>EC 6900823</b>	125A	PCS	2x2P16-3x3P16	1
	<b>EC 6900824</b>	125A	PCS	2x2P16-1x3P16-2x3P32	1
	<b>EC 6900825</b>	63A	PCS	2x2P16-1x3P16-1x3P+N16- 1x3P+N32	1
	<b>EC 6900826</b>	63A	PCS	2x2P16-2x3P16-1x3P+N32	1
	<b>EC 6900827</b>	63A	PCS	3x2P16-2x3P32	1
	<b>EC 6900828</b>	125A	PCS	1x2P16-2x3P16-1x3P32-1x3P63	1
	<b>EC 6900829</b>	125A	PCS	2x2P16-1x3P16-1x3P32-1x3P63	1
	<b>EC 6900830</b>	125A	PCS	1x2P16-2x3P16-1x3P+N32- 1x3P+N63	1
	<b>EC 6900831</b>	125A	PCS	2x2P16-1x3P16-1x3P+N32- 1x3P+N63	1
	<b>EC 6900832</b>	125A	PCS	2xbiv-1x2P16-1x3P16 1x3P+N32-1x3P+N63	1



## POLYESTER BOARDS - BLANK DOOR



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 625001</b>	GC	PCS	270x305x170 (I°)	1
<b>EC 625002</b>	GC	PCS	325x430x185 (II°) 36 modules (3x12)	1
<b>EC 625003</b>	GC	PCS	435x505x215 (III°) 54 modules (3x18)	1
<b>EC 625004</b>	GC	PCS	435x655x215 (IV°) 72 modules (4x18)	1
<b>EC 625005</b>	GC	PCS	545x655x265 (V°) 96 modules (4x24)	1
<b>EC 625006</b>	GC	PCS	620x810x320 (VI°) 140 modules (5x28)	1
<b>EC 625007 (■)</b>	GC	PCS	800x1060x360 (VII°) 190 modules (5x38)	1


## POLYESTER BOARDS - TRASPARENT WINDOW





ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 625011</b>	GC	PCS	270x305x170 (I°)	1
<b>EC 625012</b>	GC	PCS	325x430x185 (II°) 36 modules (3x12)	1
<b>EC 625013</b>	GC	PCS	435x505x215 (III°) 54 modules (3x18)	1
<b>EC 625014</b>	GC	PCS	435x655x215 (IV°) 72 modules (4x18)	1
<b>EC 625015</b>	GC	PCS	545x655x265 (V°) 96 modules (4x24)	1
<b>EC 625016</b>	GC	PCS	620x810x320 (VI°) 140 modules (5x28)	1
<b>EC 625017 (■)</b>	GC	PCS	800x1060x360 (VII°) 190 modules (5x38)	1


(■) Available from June 2014





ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	
<b>POLYESTER HINGED COUNTERDOOR</b>					
	<b>EC 625022</b>	GC	PCS	for board 325x430	1
	<b>EC 625023</b>	GC	PCS	for board 435x505	1
	<b>EC 625024</b>	GC	PCS	for board 435x655	1
	<b>EC 625025</b>	GC	PCS	for board 545x655	1
	<b>EC 625026</b>	GC	PCS	for board 620x810	1
	<b>EC 625027 (■)</b>	GC	PCS	for board 800x1060	1


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	
<b>METAL BACK PLATE</b>					
	<b>EC 625031</b>	GC	PCS	Dim. 207x239 - I°	1
	<b>EC 625032</b>	GC	PCS	Dim. 264x364 - II°	1
	<b>EC 625033</b>	GC	PCS	Dim. 372x439 - III°	1
	<b>EC 625034</b>	GC	PCS	Dim. 372x589 - IV°	1
	<b>EC 625035</b>	GC	PCS	Dim. 482x589 - V°	1
	<b>EC 625036</b>	GC	PCS	Dim. 556x739 - VI°	1
	<b>EC 625037 (■)</b>	GC	PCS	Dim. 736x989 - VII°	1


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	
<b>INSULANTING BACK PLATE</b>					
	<b>EC 625041</b>	GC	PCS	Dim. 207x239 - I°	1
	<b>EC 625042</b>	GC	PCS	Dim. 264x364 - II°	1
	<b>EC 625043</b>	GC	PCS	Dim. 372x439 - III°	1
	<b>EC 625044</b>	GC	PCS	Dim. 372x589 - IV°	1
	<b>EC 625045</b>	GC	PCS	Dim. 482x589 - V°	1
	<b>EC 625046</b>	GC	PCS	Dim. 556x739 - VI°	1


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	
<b>PAIR OF UP RIGHTS FOR RAIL DIN AND PANELS</b>					
	<b>EC 625072</b>	GC	1 pair	for board II°	1 pair
	<b>EC 625073</b>	GC	1 pair	for board III°	1 pair
	<b>EC 625074</b>	GC	1 pair	for boards IV - V°	1 pair
	<b>EC 625076</b>	GC	1 pair	for board VI°	1 pair
	<b>EC 625077 (■)</b>	GC	1 pair	for board VII°	1 pair


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	
<b>COVER MODULE WITH WINDOW</b>					
	<b>EC 625102</b>	GC	PCS	12 modules - board II°	1
	<b>EC 625103</b>	GC	PCS	18 modules - board III°-IV°	1
	<b>EC 625105</b>	GC	PCS	24 modules - board V°	1
	<b>EC 625106</b>	GC	PCS	28 modules - board VI°	1
	<b>EC 625107 (■)</b>	GC	PCS	38 modules - board VII°	1


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	
<b>BLANK COVER MODULE</b>					
	<b>EC 625112</b>	GC	PCS	Height 125 - board II°	1
	<b>EC 625113</b>	GC	PCS	Height 150 - boards III°-IV°	1
	<b>EC 625115</b>	GC	PCS	Height 150 - board V°	1
	<b>EC 625116</b>	GC	PCS	Height 150 - board VI°	1
	<b>EC 625117 (■)</b>	GC	PCS	Height 200 - board VII°	1


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	
<b>DOUBLE BLANK COVER MODULE</b>					
	<b>EC 625122</b>	GC	PCS	Height 250 - board II°	1
	<b>EC 625123</b>	GC	PCS	Height 300 - boards III°-IV°	1
	<b>EC 625125</b>	GC	PCS	Height 300 - board V°	1
	<b>EC 625126</b>	GC	PCS	Height 300 - board VI°	1
	<b>EC 625127 (■)</b>	GC	PCS	Height 400 - board VII°	1


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	
<b>DIN RAIL WITH SUPPORT</b>					
	<b>EC 625132</b>	GC	PCS	12 modules - board II°	1 kit
	<b>EC 625133</b>	GC	PCS	18 modules - boards III°-IV°	1 kit
	<b>EC 625135</b>	GC	PCS	24 modules - board V°	1 kit
	<b>EC 625136</b>	GC	PCS	28 modules - board VI°	1 kit
	<b>EC 625137 (■)</b>	GC	PCS	38 modules - board VII°	1 kit

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	
<b>DEEP ADJUSTEMENT BACK PLATE KIT</b>					
	<b>EC 625REG</b>	GC	PCS	II° and III° dim. need Nr° 2 kits, IV° and V° dim. need Nr° 3 kits, VI° and VII° dim. need Nr° 4 Kits	1 kit

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	
<b>SET OF BRACKETS FOR FIXING</b>					
	<b>EC 625SZ</b>	GC	PCS	set of 4 steel brackets - galvanized	1 kit
	<b>EC 625SI</b>	GC	PCS	set of 4 steel brackets - stainless steel	1 kit

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	
<b>MODULAR BLANK PLATE</b>					
	<b>EC 600TC</b>	GC	PCS	blank plates (4,5 modules)	25

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	
<b>SAFETY LOCK</b>					
	<b>EC 625SC</b>	GC	PCS	safety lock with handle	1 kit

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	
<b>SPARE BRASS INSERTS KIT</b>					
	<b>EC 625IO</b>	GC	PCS	insert kit (nr° 10)	1 kit

Lock supplied with two unified keys.  
The keys are unified and open all the locks.

(■) Available from June 2014



## WALL MOUNTING MODULAR ENCLOSURES WITH TRANSPARENT DOOR - IP40 - RAL 7035



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 60004</b>	GC	PCS	4 modules	1/22
<b>EC 60008</b>	GC	PCS	8 modules	1/15
<b>EC 60012</b>	GC	PCS	12 modules	1/8
<b>EC 60024</b>	GC	PCS	24 modules (2x12)	1/5
<b>EC 60036</b>	GC	PCS	36 modules (2x18)	1/4
<b>EC 60054</b>	GC	PCS	54 modules (3x18)	1

## WALL MOUNTING MODULAR ENCLOSURES WITH TRANSPARENT DOOR - IP40 - RAL 9001



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 60004B</b>	B	PCS	4 modules	1/22
<b>EC 60008B</b>	B	PCS	8 modules	1/15
<b>EC 60012B</b>	B	PCS	12 modules	1/8
<b>EC 60024B</b>	B	PCS	24 modules (2x12)	1/5
<b>EC 60036B</b>	B	PCS	36 modules (2x18)	1/4
<b>EC 60054B</b>	B	PCS	54 modules (3x18)	1

## WALL MOUNTING MODULAR ENCLOSURES WITHOUT DOOR - IP40 - RAL 7035



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 61002</b>	GC	PCS	2 modules	50
<b>EC 61003</b>	GC	PCS	4 modules	25

## WALL MOUNTING MODULAR ENCLOSURES WITHOUT DOOR - IP40 - RAL 7035



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 61004</b>	GC	PCS	4 modules	1/22
<b>EC 61008</b>	GC	PCS	8 modules	1/15
<b>EC 61012</b>	GC	PCS	12 modules	1/8
<b>EC 61024</b>	GC	PCS	24 modules (2x12)	1/5
<b>EC 61036</b>	GC	PCS	36 modules (2x18)	1/4
<b>EC 61054</b>	GC	PCS	54 modules (3x18)	1

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>INSTALLATION KIT FOR WALL MOUNTING MODULAR ENCLOSURES</b> 					<b>PLASTIC BRACKET</b> 					<b>CONNETING DEVICE FOR DISTRIBUTION ENCLOSURES</b> 				
<b>EC 6004EQ</b>		PCS	for 4 modules	1/22	<b>EC 6005F</b>	GC	PCS	plastic bracket to keep IP-protection and double insulation - for all enclosures series 600-610	50	<b>EC 52121</b>	GC	PCS	joint - PG21 type	10/50
<b>EC 6008EQ</b>		PCS	for 8 modules	1/15						<b>EC 52129</b>	GC	PCS	joint - PG29 type	10/50
<b>EC 6012EQ</b>		PCS	for 12 modules	1/8						<b>EC 52136</b>	GC	PCS	joint - PG36 type	10/50
<b>EC 6024EQ</b>		PCS	for 24 modules	1/5										
<b>EC 6036EQ</b>		PCS	for 36 modules	1/4										
<b>EC 6054EQ</b>		PCS	for 54 modules	1										

## WALL MOUNTING WATERTIGHT MODULAR ENCLOSURES - IP65 - RAL 7035



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 62004</b>	GC	PCS	4 modules	1/22
<b>EC 62008</b>	GC	PCS	8 modules	1/14
<b>EC 62012</b>	GC	PCS	12 modules	1/8
<b>EC 62024</b>	GC	PCS	24 modules (2x12)	1/4
<b>EC 62036</b>	GC	PCS	36 modules (2x18)	1/4
<b>EC 62054</b>	GC	PCS	54 modules (3x18)	1
<b>EC 62072</b>	GC	PCS	72 modules (4x18)	1

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>BLANK PLATE FOR 72 MODULES ENCLOSURE</b> 					<b>INSTALLATION KIT FOR WALL MOUNTING WATERTIGHT MODULAR ENCLOSURES</b> 					<b>SAFETY LOCK</b> 				
<b>EC 67018</b>	GC	PCS	blank plate 18 modules for 62072	1/10	<b>EC 6204EQ</b>		PCS	for 4 modules	1/22	<b>EC 600SC</b>	GC	PCS	lock and 2 keys	1 kit
<b>PLASTIC BRACKET</b> 					<b>EC 6208EQ</b> PCS for 8 modules 1/14 <b>EC 6212EQ</b> PCS for 12 modules 1/8 <b>EC 6224EQ</b> PCS for 24 modules 1/4 <b>EC 6236EQ</b> PCS for 36 modules 1/4 <b>EC 6254EQ</b> PCS for 54/72 modules 1					The keys are unified and open all the locks.				
<b>EC 600SF</b>	GC	PCS	plastic bracket to keep IP-protection and double insulation - for all enclosures series 620-640	50										

## WALL MOUNTING WATERTIGHT EMERGENCY MODULAR ENCLOSURES - IP65



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 64004</b>	R	PCS	4 modules - red	1/22
<b>EC 64008</b>	R	PCS	8 modules - red	1/14
<b>EC 64104</b>	GC	PCS	4 modules - grey	1/22
<b>EC 64108</b>	GC	PCS	8 modules - grey	1/14
<b>EC 64401</b>		PCS	spare glass 4 modules	10
<b>EC 64402</b>		PCS	spare glass 8 modules	10


## BREAKING GLASS EMERGENCY PANEL - IP55



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 64202</b>	R	PCS	call point 1NO+1NC	1

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EMERGENCY CALL POINT ACCESSORIES</b>					<b>LAMP HOLDER WITH LED</b>				
<b>EC 64400</b>		PCS	stiel glass hammer with safety chain	1	<b>EC 64420</b>		PCS	AC/DC 12V - white light	10
<b>EC 64403</b>		PCS	spare glass dim. 78x76x1,85 mm	10	<b>EC 64421</b>		PCS	AC/DC 24V - white light	10
<b>SPARE CONTACT</b>					<b>STANDARD LAMP - BLUE LIGHT</b>				
<b>EC 64410</b>		PCS	spare contact NC red	10	<b>EC L4000LN</b>		PCS	neon AC 220V	10
<b>EC 64411</b>		PCS	spare contact NO green	10	<b>EC L4000LD</b>		PCS	LED AC 220V	10

### FLUSH MOUNTING MODULAR ENCLOSURES WITH TRANSPARENT DOOR - IP40 - RAL 7035



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 63004</b>	GC	PCS	4 modules	1/20
<b>EC 63008</b>	GC	PCS	8 modules	1/9
<b>EC 63012</b>	GC	PCS	12 modules	1/7
<b>EC 63024</b>	GC	PCS	24 modules (2x12)	1/5
<b>EC 63036</b>	GC	PCS	36 modules (2x18)	1/4
<b>EC 63054</b>	GC	PCS	54 modules (3x18)	1
<b>EC 63072</b>	GC	PCS	72 modules (4x18)	1

### FLUSH MOUNTING MODULAR ENCLOSURES WITH TRANSPARENT DOOR - IP40 - RAL 9001



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 63004B</b>	B	PCS	4 modules	1/20
<b>EC 63008B</b>	B	PCS	8 modules	1/9
<b>EC 63012B</b>	B	PCS	12 modules	1/7
<b>EC 63024B</b>	B	PCS	24 modules (2x12)	1/5
<b>EC 63036B</b>	B	PCS	36 modules (2x18)	1/4
<b>EC 63054B</b>	B	PCS	54 modules (3x18)	1
<b>EC 63072B</b>	B	PCS	72 modules (4x18)	1

### FLUSH MOUNTING MODULAR ENCLOSURES WITH SOLID DOOR - IP40 - RAL 9001



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 63004C</b>	B	PCS	4 modules	1/20
<b>EC 63008C</b>	B	PCS	8 modules	1/9
<b>EC 63012C</b>	B	PCS	12 modules	1/7
<b>EC 63024C</b>	B	PCS	24 modules (2x12)	1/5
<b>EC 63036C</b>	B	PCS	36 modules (2x18)	1/4
<b>EC 63054C</b>	B	PCS	54 modules (3x18)	1
<b>EC 63072C</b>	B	PCS	72 modules (4x18)	1

### FLUSH MOUNTING MODULAR ENCLOSURES WITH TRANSPARENT DOOR - IP40 - BLACK



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 63004N</b>	N	PCS	4 modules	1/20
<b>EC 63008N</b>	N	PCS	8 modules	1/9
<b>EC 63012N</b>	N	PCS	12 modules	1/7
<b>EC 63024N</b>	N	PCS	24 modules (2x12)	1/5
<b>EC 63036N</b>	N	PCS	36 modules (2x18)	1/4
<b>EC 63054N</b>	N	PCS	54 modules (3x18)	1
<b>EC 63072N</b>	N	PCS	72 modules (4x18)	1

## DRY LINING MODULAR DISTRIBUTION ENCLOSURES WITH TRANSPARENT DOOR - IP40 - RAL 9001



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 63512B</b>	B	PCS	12 modules	1/7
<b>EC 63524B</b>	B	PCS	24 modules (2x12)	1/5

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>INSTALLATION KIT FOR FLUSH MOUNTING MODULAR ENCLOSURES</b> 					<b>BLANK PLATE FOR 72 MODULES ENCLOSURE</b> 					<b>MODULAR BLANK PLATE - 4,5 MODULES</b> 				
<b>EC 6304EQ</b>		PCS	for 4 modules	1/20	<b>EC 67018</b>	GC	PCS	blank plate 18 modules for 63072	1/10	<b>EC 600TC</b>	GC	PCS	4,5 modules - grey	25
<b>EC 6308EQ</b>		PCS	for 8 modules	1/9						<b>EC 600TCB</b>	B	PCS	4,5 modules - white	25
<b>EC 6312EQ</b>		PCS	for 12 modules	1/7						<b>EC 600TCR</b>	R	PCS	4,5 modules - red	25
<b>EC 6324EQ</b>		PCS	for 24 modules	1/5						<b>EC 600TCN</b>	N	PCS	4,5 modules - black	25
<b>EC 6336EQ</b>		PCS	for 36 modules	1/4										
<b>EC 6354EQ</b>		PCS	for 54/72 modules	1										

TERMINAL BLOCK PLASTIC SUPPORTS				
<b>EC 67004</b>	GC	PCS	for 4-8	10
<b>EC 67012</b>	GC	PCS	for 12-24-36-54-72	10

BRASS TERMINAL BLOCKS				
<b>EC 680M1</b>		PCS	1x25+2x16+2x10	10
<b>EC 680M2</b>		PCS	1x25+4x16+4x10	10
<b>EC 680M3</b>		PCS	1x25+6x16+6x10	10
<b>EC 680M4</b>		PCS	1x25+4x16	10
<b>EC 680M5</b>		PCS	1x25+6x16	10
<b>EC 680M6</b>		PCS	1x25+8x16	10

INSULATED BRASS TERMINAL BLOCK TO BE SET ON DIN EN 50022 RAIL				
<b>EC 890050</b>		PCS	1x35+ 6x16-blue	10/340
<b>EC 890051</b>		PCS	1x35+1x25+ 10x16-blue	10/320
<b>EC 890052</b>		PCS	1x35+2x25+ 12x16-blue	10/240
<b>EC 890053</b>		PCS	1x35+ 6x16-green	10/340
<b>EC 890054</b>		PCS	1x35+1x25+ 10x16-green	10/320
<b>EC 890055</b>		PCS	1x35+2x25+ 12x16-green	10/240
<b>EC 890056</b>		PCS	1x35+ 6x16-black	10/340
<b>EC 890057</b>		PCS	1x35+1x25+ 10x16-black	10/320
<b>EC 890058</b>		PCS	1x35+2x25+ 12x16-black	10/240

## JUNCTION BOX WITH STEPPED GLANDS - IP44



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 400C1</b>	GC	PCS	Ø 65x35	5/120
<b>EC 400C2</b>	GC	PCS	Ø 80x40	5/150
<b>EC 400C3</b>	GC	PCS	80x80x40	5/160
<b>EC 400C1A</b>	GC	PCS	Ø 65x35 - GWT 960°	5/120
<b>EC 400C2A</b>	GC	PCS	Ø 80x40 - GWT 960°	5/150
<b>EC 400C3A</b>	GC	PCS	80x80x40 - GWT 960°	5/160

## JUNCTION BOX WITH STEPPED GLANDS - IP55



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 400C4</b>	GC	PCS	100x100x50	1/90
<b>EC 400C4R</b>	GC	PCS	120x80x50	1/90
<b>EC 400C5</b>	GC	PCS	150x110x70	1/45
<b>EC 400C6</b>	GC	PCS	190x140x70	1/25
<b>EC 400C7</b>	GC	PCS	240x190x90	1/14
<b>EC 400C8</b>	GC	PCS	300x220x120	1/6
<b>EC 400C9</b>	GC	PCS	380x300x120	1/4
<b>EC 400C10</b>	GC	PCS	460x380x120	1/4
<b>EC 400C4A</b>	GC	PCS	100x100x50 - GWT 960°	1/90
<b>EC 400C4RA</b>	GC	PCS	120x80x50 - GWT 960°	1/90
<b>EC 400C5A</b>	GC	PCS	150x110x70 - GWT 960°	1/45
<b>EC 400C6A</b>	GC	PCS	190x140x70 - GWT 960°	1/25
<b>EC 400C7A</b>	GC	PCS	240x190x90 - GWT 960°	1/14
<b>EC 400C8A</b>	GC	PCS	300x220x120 - GWT 960°	1/6
<b>EC 400C9A</b>	GC	PCS	380x300x120 - GWT 960°	1/4
<b>EC 400C10A</b>	GC	PCS	460x380x120 - GWT 960°	1/4

## SMOOTH SIDED JUNCTION BOX - IP56



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 410C4</b>	GC	PCS	100x100x50	1/100
<b>EC 410C4R</b>	GC	PCS	120x80x50	1/100
<b>EC 410C5</b>	GC	PCS	150x110x70	1/42
<b>EC 410C6</b>	GC	PCS	190x140x70	1/24
<b>EC 410C7</b>	GC	PCS	240x190x90	1/16
<b>EC 410C8</b>	GC	PCS	300x220x120	1/6
<b>EC 410C9</b>	GC	PCS	380x300x120	1/4
<b>EC 410C10</b>	GC	PCS	460x380x120	1/4
<b>EC 410C4A</b>	GC	PCS	100x100x50 - GWT 960°	1/100
<b>EC 410C4RA</b>	GC	PCS	120x80x50 - GWT 960°	1/100
<b>EC 410C5A</b>	GC	PCS	150x110x70 - GWT 960°	1/42
<b>EC 410C6A</b>	GC	PCS	190x140x70 - GWT 960°	1/24
<b>EC 410C7A</b>	GC	PCS	240x190x90 - GWT 960°	1/16
<b>EC 410C8A</b>	GC	PCS	300x220x120 - GWT 960°	1/6
<b>EC 410C9A</b>	GC	PCS	380x300x120 - GWT 960°	1/4
<b>EC 410C10A</b>	GC	PCS	460x380x120 - GWT 960°	1/4

## SMOOTH SIDED JUNCTION BOX - TRANSPARENT LID - IP56



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 420C5</b>	GC	PCS	150x110x70	1/42
<b>EC 420C6</b>	GC	PCS	190x140x70	1/24
<b>EC 420C7</b>	GC	PCS	240x190x90	1/16
<b>EC 420C8</b>	GC	PCS	300x220x120	1/6
<b>EC 420C9</b>	GC	PCS	380x300x120	1/4
<b>EC 420C10</b>	GC	PCS	460x380x120	1/4

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

### SMOOTH SIDED JUNCTION BOX - HIGH LID - IP56



<b>EC 430C5</b>	GC	PCS	150x110x140	1/18
<b>EC 430C6</b>	GC	PCS	190x140x140	1/16
<b>EC 430C7</b>	GC	PCS	240x190x160	1/8
<b>EC 430C8</b>	GC	PCS	300x220x180	1/4
<b>EC 430C9</b>	GC	PCS	380x300x180	1/3

### SMOOTH SIDED JUNCTION BOX - HIGH TRANSPARENT LID - IP56



<b>EC 440C5</b>	GC	PCS	150x110x140	1/18
<b>EC 440C6</b>	GC	PCS	190x140x140	1/16
<b>EC 440C7</b>	GC	PCS	240x190x160	1/8
<b>EC 440C8</b>	GC	PCS	300x220x180	1/4
<b>EC 440C9</b>	GC	PCS	380x300x180	1/3

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

### SMOOTH SIDED JUNCTION BOX - IP56 - 120°C



120°  
polycarbonate

<b>EC 480C4</b>	GC	PCS	100x100x50	1/100
<b>EC 480C4R</b>	GC	PCS	120x80x50	1/100
<b>EC 480C5</b>	GC	PCS	150x110x70	1/42
<b>EC 480C6</b>	GC	PCS	190x140x70	1/24
<b>EC 480C7</b>	GC	PCS	240x190x90	1/16
<b>EC 480C8</b>	GC	PCS	300x220x120	1/6
<b>EC 480C9</b>	GC	PCS	380x300x120	1/4
<b>EC 480C10</b>	GC	PCS	460x380x120	1/4

### SMOOTH SIDED JUNCTION BOX - HIGH LID - IP56 - 120°C



120°  
polycarbonate

<b>EC 490C5</b>	GC	PCS	150x110x140	1/18
<b>EC 490C6</b>	GC	PCS	190x140x140	1/16
<b>EC 490C7</b>	GC	PCS	240x190x160	1/8
<b>EC 490C8</b>	GC	PCS	300x220x180	1/4
<b>EC 490C9</b>	GC	PCS	380x300x180	1/3

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------


METAL  
BACK PLATE



<b>EC 450P6</b>		PCS	190x140	1/30
<b>EC 450P7</b>		PCS	240x190	1/30
<b>EC 450P8</b>		PCS	300x220	1/20
<b>EC 450P9</b>		PCS	380x300	1/10
<b>EC 450P10</b>		PCS	460x380	1/10

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

INSULATING  
PLASTIC BACK  
PLATE



<b>EC 451P6</b>		PCS	190x140	1/30
<b>EC 451P7</b>		PCS	240x190	1/30
<b>EC 451P8</b>		PCS	300x220	1/20
<b>EC 451P9</b>		PCS	380x300	1/10
<b>EC 451P10</b>		PCS	460x380	1/10

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

DIN RAILS EN 50022  
FOR JUNCTION BOXES



<b>EC 460D5</b>		PCS	150x110	10
<b>EC 460D6</b>		PCS	190x140	10
<b>EC 460D7</b>		PCS	240x190	10
<b>EC 460D8</b>		PCS	300x220	10
<b>EC 460D9</b>		PCS	380x300	10
<b>EC 460D10</b>		PCS	460x380	10

PLASTIC STEPPED  
GLAND



<b>EC 47020</b>	GC	PCS	concentric - hole Ø 23	100/800
<b>EC 47025</b>	GC	PCS	concentric - hole Ø 29	100/600
<b>EC 47032</b>	GC	PCS	concentric - hole Ø 37	100/500
<b>EC 47040</b>	GC	PCS	concentric - hole Ø 48	100/300
<b>EC 47025S</b>	GC	PCS	direct inlet - hole Ø 29	100/600

SCREW HEAD CAPS  
FOR DOUBLE  
INSULATION



<b>EC TFLEX13</b>	GC	PCS	caps for C1-C2-C3-C4	100/2000
<b>EC TFLEX18</b>	GC	PCS	caps for C5-C6-C7-C8	100/2000
<b>EC TFLEX25</b>	GC	PCS	caps for C9-C10	100/1500

PLASTIC BRACKET



<b>EC 600SF</b>	GC	PCS	plastic bracket to keep IP-protection and double insulation - for all boxes series 400/410/420/430/440/480/490 - dimensions C6-C7-C8-C9-C10	50
-----------------	----	-----	---	----



## 1/4 TURN PLASTIC SCREWS

### JUNCTION BOX WITH CABLE DIRECT INLET - IP55



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 401C4</b>	GC	PCS	105x105x55	1/60
<b>EC 401C5</b>	GC	PCS	155x110x70	1/45
<b>EC 401C4A</b>	GC	PCS	105x105x55 - GWT 960°	1/60
<b>EC 401C5A</b>	GC	PCS	155x110x70 - GWT 960°	1/45

### JUNCTION BOX WITH STEPPED GLANDS - IP55



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 405C4</b>	GC	PCS	105x105x55	1/60
<b>EC 405C5</b>	GC	PCS	155x110x70	1/45
<b>EC 405C4A</b>	GC	PCS	105x105x55 - GWT 960°	1/60
<b>EC 405C5A</b>	GC	PCS	155x110x70 - GWT 960°	1/45

### SMOOTH SIDED JUNCTION BOX - IP56



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 415C4</b>	GC	PCS	105x105x55	1/80
<b>EC 415C5</b>	GC	PCS	155x110x70	1/42
<b>EC 415C4A</b>	GC	PCS	105x105x55 - GWT 960°	1/80
<b>EC 415C5A</b>	GC	PCS	155x110x70 - GWT 960°	1/42

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>RED JUNCTION BOX WITH CABLE DIRECT INLET - IP55 - V0 - 960°C</b>				
<b>EC 407C4A</b>	R	PCS	105x105x55	1/60
<b>EC 407C5A</b>	R	PCS	155x110x70	1/45




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>RED SMOOTH SIDED JUNCTION BOX - IP56 - V0 - 960°C</b>				
<b>EC 416C4A</b>	R	PCS	105x105x55	1/80
<b>EC 416C5A</b>	R	PCS	155x110x70	1/42



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>RED JUNCTION BOX WITH STEPPED GLANDS - IP55 - V0 - 960°C</b>				
<b>EC 406C4A</b>	R	PCS	105x105x55	1/60
<b>EC 406C5A</b>	R	PCS	155x110x70	1/45




## ALVEOLAR BOARD WITH REVERSIBLE DOOR



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 65001</b>	GC	PCS	200x150x40	1/20
<b>EC 65002</b>	GC	PCS	200x150x60	1/40
<b>EC 65003</b>	GC	PCS	200x150x80	1/28
<b>EC 65004</b>	GC	PCS	300x200x40	1/30
<b>EC 65005</b>	GC	PCS	300x200x60	1/16
<b>EC 65006</b>	GC	PCS	300x200x80	1/12
<b>EC 65007</b>	GC	PCS	300x200x120	1/8
<b>EC 65008</b>	GC	PCS	400x300x60	1/8
<b>EC 65009</b>	GC	PCS	400x300x80	1/6
<b>EC 65010</b>	GC	PCS	400x300x120	1/4

## ALUMINIUM WALL MOUNTING JUNCTION BOXES - IP66



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 485C1</b>		PCS	90x90x53	1/32
<b>EC 485C2</b>		PCS	128x103x55	1/24
<b>EC 485C3</b>		PCS	154x129x58	1/16
<b>EC 485C4</b>		PCS	178x155x74	1/18
<b>EC 485C5</b>		PCS	239x202x85	1/8
<b>EC 485C6</b>		PCS	294x244x114	1/2
<b>EC 485C7</b>		PCS	392x298x144 (IP55)	1/2

### METAL BACK PLATE FOR ALUMINIUM JUNCTION BOXES



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 455P2</b>		PCS	122x97	1/30
<b>EC 455P3</b>		PCS	147x123	1/30
<b>EC 455P4</b>		PCS	165x124	1/30
<b>EC 455P5</b>		PCS	206x172	1/20
<b>EC 455P6</b>		PCS	254x210	1/10
<b>EC 455P7</b>		PCS	349x260	1/10

### DIN RAILS EN 50022 FOR ALUMINIUM JUNCTION BOXES



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 465D1</b>		PCS	90x90	10
<b>EC 465D2</b>		PCS	128x103	10
<b>EC 465D3</b>		PCS	154x129	10
<b>EC 465D4</b>		PCS	178x155	10
<b>EC 465D5</b>		PCS	239x202	10
<b>EC 465D6</b>		PCS	294x244	10
<b>EC 465D7</b>		PCS	392x298	10

### WARNING LIGHT



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 320B</b>		PCS	blue colour	1/30
<b>EC 320G</b>		PCS	yellow colour	1/30
<b>EC 320R</b>		PCS	red colour	1/30
<b>EC 320T</b>		PCS	transparent colour	1/30
<b>EC 320V</b>		PCS	green colour	1/30

### SELF-SUPPORTING PROTECTING COVER FOR ELECTRICAL DEVICES GW SYSTEM, MAGIC OR SIMILAR - IP55



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 316B</b>	B	PCS	white - 3 devices	1/40
<b>EC 316G</b>	GC	PCS	grey - 3 devices	1/40
<b>EC 316N</b>	N	PCS	anthracit - 3 devices	1/40

### WALL BOX FOR ELECTRICAL DEVICES GW SYSTEM, MAGIC OR SIMILAR - IP40



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 300A1</b>	GC	PCS	1 device	1/60
<b>EC 300A2</b>	GC	PCS	2 devices	1/60
<b>EC 300A3</b>	GC	PCS	3 devices	1/40
<b>EC 300A4</b>	GC	PCS	4 devices	1/30
<b>EC 300A4V</b>	GC	PCS	4 vertical devices	1/25
<b>EC 300A6</b>	GC	PCS	6 devices	1/20
<b>EC 300A6V</b>	GC	PCS	6 vertical devices	1/18

### WALL BOX FOR ELECTRICAL DEVICES GW SYSTEM, MAGIC OR SIMILAR - IP55



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 310A1</b>	GC	PCS	1 device	1/50
<b>EC 310A2</b>	GC	PCS	2 devices	1/50
<b>EC 310A3</b>	GC	PCS	3 devices	1/35
<b>EC 310A4</b>	GC	PCS	4 devices	1/25
<b>EC 310A4V</b>	GC	PCS	4 vertical devices	1/20
<b>EC 310A6V</b>	GC	PCS	6 vertical devices	1/15

## FLUSH MOUNTING JUNCTION BOX WITH COVER - IP40



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 350C1</b>	B	PCS	92x92x45	1/240
<b>EC 350C2</b>	B	PCS	120x100x50	1/150
<b>EC 350C3</b>	B	PCS	120x100x70	1/100
<b>EC 350C4</b>	B	PCS	152x100x70	1/80
<b>EC 350C5</b>	B	PCS	160x130x70	1/60
<b>EC 350C6</b>	B	PCS	196x152x70	1/40
<b>EC 350C7</b>	B	PCS	294x152x70	1/28
<b>EC 350C8</b>	B	PCS	392x152x70	1/20
<b>EC 350C9</b>	B	PCS	480x160x70	1/18

## FLUSH MOUNTING JUNCTION BOX WITH COVER AND PROTECTION LID - IP40



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 350C1P</b>	B	PCS	92x92x45	1/120
<b>EC 350C2P</b>	B	PCS	120x100x50	1/90
<b>EC 350C3P</b>	B	PCS	120x100x70	1/70
<b>EC 350C4P</b>	B	PCS	152x100x70	1/80
<b>EC 350C5P</b>	B	PCS	160x130x70	1/60
<b>EC 350C6P</b>	B	PCS	196x152x70	1/40
<b>EC 350C7P</b>	B	PCS	294x152x70	1/28
<b>EC 350C8P</b>	B	PCS	392x152x70	1/20
<b>EC 350C9P</b>	B	PCS	480x160x70	1/18

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

### SPARE COVERS FOR FLUSH MOUNTING BOX SERIES 350




<b>EC 351C1</b>	B	PCS	92x92	1/200
<b>EC 351C3</b>	B	PCS	120x100	1/150
<b>EC 351C4</b>	B	PCS	152x100	1/120
<b>EC 351C5</b>	B	PCS	160x130	1/100
<b>EC 351C6</b>	B	PCS	196x152	1/50
<b>EC 351C7</b>	B	PCS	294x152	1/50
<b>EC 351C8</b>	B	PCS	392x152	1/50
<b>EC 351C9</b>	B	PCS	480x160	1/30

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
INTERNAL SEPARATOR				
<b>EC 35005</b>		PCS	internal separator from C4 up to C9	10/100



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
DIN RAILS EN 50022				
<b>EC 460</b>		PCS	37,5x7,5x1 - 2 mt	20
<b>EC 46015</b>		PCS	37,5x15x1,5 - 2 mt	20
<b>EC 460F</b>		PCS	37,5x7,5x1 - 2 mt perforated	20



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
INSULATED BRASS TERMINAL BLOCK TO BE SET ON DIN EN 50022 RAIL				
<b>EC 890050</b>		PCS	1x35+6x16-blue	10/340
<b>EC 890051</b>		PCS	1x35+1x25+10x16-blue	10/320
<b>EC 890052</b>		PCS	1x35+2x25+12x16-blue	10/240
<b>EC 890053</b>		PCS	1x35+6x16-green	10/340
<b>EC 890054</b>		PCS	1x35+1x25+10x16-green	10/320
<b>EC 890055</b>		PCS	1x35+2x25+12x16-green	10/240
<b>EC 890056</b>		PCS	1x35+6x16-black	10/340
<b>EC 890057</b>		PCS	1x35+1x25+10x16-black	10/320
<b>EC 890058</b>		PCS	1x35+2x25+12x16-black	10/240



## STANDARD MODULAR BOX FOR DEVICE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 37003</b>	AR	PCS	3 devices	390
<b>EC 37004</b>	AR	PCS	4 devices	300
<b>EC 37006</b>	AR	PCS	6 devices	200

## 60x60 STANDARD MODULAR BOX FOR DEVICE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 37301</b>	AR	PCS	2 devices	300

## MODULAR BOX FOR DEVICE - HIGH INTERNAL VOLUME



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 37100</b>	G	PCS	3 devices	10/400
<b>EC 37104</b>	G	PCS	4 devices	10/240
<b>EC 37106</b>	G	PCS	6 devices	10/150
<b>EC 37200</b>	G	PCS	3 devices with protection lid	5/300
<b>EC 37110</b>	G	PCS	3 devices protection lid	10/400
<b>EC 37114</b>	G	PCS	4 devices protection lid	10/800
<b>EC 37116</b>	G	PCS	6 devices protection lid	10/800
<b>EC 37111</b>	G	PCS	plastic spacer	20/200

## FLUSH MOUNTING ROUND BOXES



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 37065</b>	AR	PCS	box Ø 60x40	10/600
<b>EC 37085</b>	AR	PCS	box Ø 80x40	10/400
<b>EC 37160</b>	B	PCS	screwless cover Ø 60	50/2000
<b>EC 37165</b>	B	PCS	cover with brackets Ø 60	50/800
<b>EC 37180</b>	B	PCS	screwless cover Ø 80	50/1200
<b>EC 37185</b>	B	PCS	cover with brackets Ø 80	50/600
<b>EC 37322</b>	AR	PCS	protection lid Ø 60	10/3000
<b>EC 37323</b>	AR	PCS	protection lid Ø 80	10/2000

## DRY LINING INSTALLATION BOX - MODULAR DEVICES




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 34003</b>	BL	PCS	3 devices	10/300
<b>EC 34004</b>	BL	PCS	4 devices	10/230
<b>EC 34006</b>	BL	PCS	6 devices	10/160
<b>EC 34040</b>	BL	PCS	Ø 68x40 - 2 devices	10/550

## DRY LINING INSTALLATION JUNCTION BOXES




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 34045</b>	BL	PCS	Ø 80x45	10/350
<b>EC 340105</b>	BL	PCS	120x100x50	1/150
<b>EC 37180</b>	B	PCS	screwless cover Ø 80	50/1200
<b>EC 37185</b>	B	PCS	cover with brackets Ø 80	50/600

## RIGID CONDUITS CLASS. 3321 IN 3 MT BARS




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC TG1516</b>	GC	MT	rigid conduit Ø 16	102/3162
<b>EC TG1520</b>	GC	MT	rigid conduit Ø 20	102/2040
<b>EC TG1525</b>	GC	MT	rigid conduit Ø 25	60/1440
<b>EC TG1532</b>	GC	MT	rigid conduit Ø 32	30/840
<b>EC TG1540</b>	GC	MT	rigid conduit Ø 40	30/540
<b>EC TG1550</b>	GC	MT	rigid conduit Ø 50	15/360
<b>EC TG1563</b>	GC	MT	rigid conduit Ø 63	180

## RIGID CONDUITS CLASS. 2221 IN 3 MT BARS



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC TG1216</b>	GC	MT	rigid conduit Ø 16	102/3162
<b>EC TG1220</b>	GC	MT	rigid conduit Ø 20	102/2040
<b>EC TG1225</b>	GC	MT	rigid conduit Ø 25	60/1440
<b>EC TG1232</b>	GC	MT	rigid conduit Ø 32	30/840
<b>EC TG1240</b>	GC	MT	rigid conduit Ø 40	30/540
<b>EC TG1250</b>	GC	MT	rigid conduit Ø 50	15/360

## HALOGEN FREE RIGID CONDUITS CLASS. 2342 IN 3 MT BARS - WITH SLEEVE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC TG2016B</b>	GC	MT	rigid conduit Ø 16	102/3162
<b>EC TG2020B</b>	GC	MT	rigid conduit Ø 20	102/2040
<b>EC TG2025B</b>	GC	MT	rigid conduit Ø 25	60/1440
<b>EC TG2032B</b>	GC	MT	rigid conduit Ø 32	30/840
<b>EC TG2040B</b>	GC	MT	rigid conduit Ø 40	30/540
<b>EC TG2050B</b>	GC	MT	rigid conduit Ø 50	15/360

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

### RIGID CONDUITS CLASS. 3321 IN 3 MT BARS WITH SLEEVE



<b>ECTG1516B</b>	GC	MT	rigid conduit Ø 16	75/3000
<b>ECTG1520B</b>	GC	MT	rigid conduit Ø 20	51/2040
<b>ECTG1525B</b>	GC	MT	rigid conduit Ø 25	51/1428
<b>ECTG1532B</b>	GC	MT	rigid conduit Ø 32	30/840
<b>ECTG1540B</b>	GC	MT	rigid conduit Ø 40	21/420
<b>ECTG1550B</b>	GC	MT	rigid conduit Ø 50	15/360
<b>ECTG1563B</b>	GC	MT	rigid conduit Ø 63	180

### RIGID CONDUITS CLASS. 2221 IN 3 MT BARS WITH SLEEVE



<b>ECTG1216B</b>	GC	MT	rigid conduit Ø 16	102/3162
<b>ECTG1220B</b>	GC	MT	rigid conduit Ø 20	102/2040
<b>ECTG1225B</b>	GC	MT	rigid conduit Ø 25	60/1440
<b>ECTG1232B</b>	GC	MT	rigid conduit Ø 32	30/840
<b>ECTG1240B</b>	GC	MT	rigid conduit Ø 40	30/540
<b>ECTG1250B</b>	GC	MT	rigid conduit Ø 50	15/360

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

### HALOGEN FREE RIGID CONDUITS CLASS. 3342 IN 3 MT BARS



<b>ECTG2116</b>	GC	MT	rigid conduit Ø 16	102/3162
<b>ECTG2120</b>	GC	MT	rigid conduit Ø 20	102/2040
<b>ECTG2125</b>	GC	MT	rigid conduit Ø 25	60/1440
<b>ECTG2132</b>	GC	MT	rigid conduit Ø 32	30/840
<b>ECTG2140</b>	GC	MT	rigid conduit Ø 40	30/540
<b>ECTG2150</b>	GC	MT	rigid conduit Ø 50	15/360

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

STEEL SPRING FOR COLD-BENDING OF THE RIGID CONDUITS



<b>EC AC16</b>	PCS		for rigid conduit Ø 16	1
<b>EC AC20</b>	PCS		for rigid conduit Ø 20	1
<b>EC AC25</b>	PCS		for rigid conduit Ø 25	1
<b>EC AC32</b>	PCS		for rigid conduit Ø 32	1

**ON REQUEST IN 2 MT BARS**



**PLIABLE CORRUGATED PVC CONDUITS CLASS. 3321**




3321

Conduits available with draw tape on request. Please add the letter "T" to the item code.

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC TC1516</b>	N	MT	pliable conduit Ø 16	100/6000
<b>EC TC151650</b>	N	MT	pliable conduit Ø 16	50/4800
<b>EC TC1520</b>	N	MT	pliable conduit Ø 20	100/5200
<b>EC TC152050</b>	N	MT	pliable conduit Ø 20	50/3300
<b>EC TC1525</b>	N	MT	pliable conduit Ø 25	50/3000
<b>EC TC1532</b>	N	MT	pliable conduit Ø 32	25/1600
<b>EC TC1540</b>	N	MT	pliable conduit Ø 40	25/1000
<b>EC TC1550</b>	N	MT	pliable conduit Ø 50	25/800


**PLIABLE CORRUGATED PVC CONDUITS CLASS. 2221**



2221

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC TC1216</b>	GC	MT	pliable conduit Ø 16	100/6000
<b>EC TC121650</b>	GC	MT	pliable conduit Ø 16	50/4800
<b>EC TC1220</b>	GC	MT	pliable conduit Ø 20	100/4800
<b>EC TC122050</b>	GC	MT	pliable conduit Ø 20	50/3300
<b>EC TC1225</b>	GC	MT	pliable conduit Ø 25	50/2800
<b>EC TC1225100</b>	GC	MT	pliable conduit Ø 25	100/3600
<b>EC TC1232</b>	GC	MT	pliable conduit Ø 32	25/1600
<b>EC TC123250</b>	GC	MT	pliable conduit Ø 32	50/1800
<b>EC TC1240</b>	GC	MT	pliable conduit Ø 40	25/1000
<b>EC TC1250</b>	GC	MT	pliable conduit Ø 50	25/800

**PLIABLE CORRUGATED PVC CONDUITS CLASS. 3341**



-25° C

3341

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC TC1816</b>	G	MT	pliable conduit Ø 16	100/6000
<b>EC TC181650</b>	G	MT	pliable conduit Ø 16	50/4800
<b>EC TC1820</b>	G	MT	pliable conduit Ø 20	100/4800
<b>EC TC182050</b>	G	MT	pliable conduit Ø 20	50/3300
<b>EC TC1825</b>	G	MT	pliable conduit Ø 25	50/2800
<b>EC TC1825100</b>	G	MT	pliable conduit Ø 25	100/3600
<b>EC TC1832</b>	G	MT	pliable conduit Ø 32	25/1600
<b>EC TC183250</b>	G	MT	pliable conduit Ø 32	50/1800
<b>EC TC1840</b>	G	MT	pliable conduit Ø 40	25/1000
<b>EC TC1850</b>	G	MT	pliable conduit Ø 50	25/800

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

**PLIABLE CORRUGATED PVC CONDUITS CLASS. 3321 - 25 MT COILS**



<b>ECTC151625</b>	N	PCS	pliable conduit Ø 16	1
<b>ECTC152025</b>	N	PCS	pliable conduit Ø 20	1
<b>ECTC152525</b>	N	PCS	pliable conduit Ø 25	1

**PLIABLE CORRUGATED PVC CONDUITS CLASS. 3321 - 10 MT COILS**



<b>ECTC151610</b>	N	PCS	pliable conduit Ø 16	1
<b>ECTC152010</b>	N	PCS	pliable conduit Ø 20	1
<b>ECTC152510</b>	N	PCS	pliable conduit Ø 25	1

**PLIABLE CORRUGATED PVC CONDUITS CLASS. 2221 - 25 MT COILS**



<b>ECTC121625</b>	GC	PCS	pliable conduit Ø 16	1
<b>ECTC122025</b>	GC	PCS	pliable conduit Ø 20	1
<b>ECTC122525</b>	GC	PCS	pliable conduit Ø 25	1

**PLIABLE CORRUGATED PVC CONDUITS CLASS. 3341 (-25°C) - 25 MT COILS**



-25° C

<b>ECTC181625</b>	G	PCS	pliable conduit Ø 16	1
<b>ECTC182025</b>	G	PCS	pliable conduit Ø 20	1
<b>ECTC182525</b>	G	PCS	pliable conduit Ø 25	1

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

**PLIABLE CORRUGATED PVC CONDUITS CLASS. 3321 - COLOURED**



<b>ECTC1516</b>		MT	pliable conduit Ø 16	100/6000
<b>ECTC1520</b>		MT	pliable conduit Ø 20	100/5200
<b>ECTC1525</b>		MT	pliable conduit Ø 25	50/3000
<b>ECTC1532</b>		MT	pliable conduit Ø 32	25/1600


• Please add the colour code to the item code: **VE**=Green, **B**=White, **BL**=Blue, **M**=Brown, **L**=Violet.

**PLIABLE CORRUGATED PVC CONDUITS CLASS. 2221 - 10 MT COILS**



<b>ECTC121610</b>	GC	PCS	pliable conduit Ø 16	1
<b>ECTC122010</b>	GC	PCS	pliable conduit Ø 20	1
<b>ECTC122510</b>	GC	PCS	pliable conduit Ø 25	1

**PLIABLE CORRUGATED PVC CONDUITS CLASS. 3341 (-25°C) - 10 MT COILS**




-25° C

<b>ECTC181610</b>	G	PCS	pliable conduit Ø 16	1
<b>ECTC182010</b>	G	PCS	pliable conduit Ø 20	1
<b>ECTC182510</b>	G	PCS	pliable conduit Ø 25	1




## PLIABLE CORRUGATED SELF-RECOVERING CONDUITS CLASS. 3422 ICTA



**+90° C** 3422

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC ICTA16</b>	G	MT	pliable conduit Ø 16	100/7000
<b>EC ICTA20</b>	G	MT	pliable conduit Ø 20	100/5000
<b>EC ICTA25</b>	G	MT	pliable conduit Ø 25	100/3600
<b>EC ICTA32</b>	G	MT	pliable conduit Ø 32	50/1800
<b>EC ICTA40</b>	G	MT	pliable conduit Ø 40	25/1000
<b>EC ICTA50</b>	G	MT	pliable conduit Ø 50	25/800


## PLIABLE CORRUGATED SELF-RECOVERING CONDUITS CLASS. 3422 ICTA WITH DRAW TAPE



**+90° C** 3422

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC ICTA16T</b>	G	MT	pliable conduit Ø 16	100/7000
<b>EC ICTA20T</b>	G	MT	pliable conduit Ø 20	100/5000
<b>EC ICTA25T</b>	G	MT	pliable conduit Ø 25	100/3600
<b>EC ICTA32T</b>	G	MT	pliable conduit Ø 32	50/1800
<b>EC ICTA40T</b>	G	MT	pliable conduit Ø 40	25/1000
<b>EC ICTA50T</b>	G	MT	pliable conduit Ø 50	25/800


## PLIABLE CORRUGATED SELF-RECOVERING CONDUITS CLASS. 3422 ICTA - PREWIRED



**+90° C** 3422

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC ICTA163G15</b>	G	MT	3G1,5 - Ø 16	100/2800
<b>EC ICTA164G15</b>	G	MT	4G1,5 - Ø 16	100/2800
<b>EC ICTA165G15</b>	G	MT	5G1,5 - Ø 16	100/2800
<b>EC ICTA163G25</b>	G	MT	3G2,5 - Ø 16	100/2800
<b>EC ICTA162X15</b>	G	MT	2x1,5 - Ø 16	100/2800
<b>EC ICTA16VVT</b>	G	MT	1x4x0,6+T - Ø 16	100/2800
<b>EC ICTA203G15</b>	G	MT	3G1,5 - Ø 20	100/2400
<b>EC ICTA204G15</b>	G	MT	4G1,5 - Ø 20	100/2400
<b>EC ICTA205G15</b>	G	MT	5G1,5 - Ø 20	100/2400
<b>EC ICTA203G25</b>	G	MT	3G2,5 - Ø 20	100/2400
<b>EC ICTA205G25</b>	G	MT	5G2,5 - Ø 20	100/2400
<b>EC ICTA202X15</b>	G	MT	2x1,5 - Ø 20	100/2400


## PLIABLE CORRUGATED SELF-RECOVERING CONDUITS CLASS. 2232



**+90° C**  
*HALOGEN Free* 2232

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC TP1216</b>	AR	MT	pliable conduit Ø 16	100/7000
<b>EC TP1220</b>	AR	MT	pliable conduit Ø 20	100/5000
<b>EC TP1225</b>	AR	MT	pliable conduit Ø 25	50/3000
<b>EC TP1232</b>	AR	MT	pliable conduit Ø 32	25/1600
<b>EC TP1240</b>	AR	MT	pliable conduit Ø 40	25/1000
<b>EC TP1250</b>	AR	MT	pliable conduit Ø 50	25/800

## PLIABLE CORRUGATED SELF-RECOVERING CONDUITS CLASS. 3422



**+90° C**  
*HALOGEN Free* 3422

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC TP1516</b>	AR	MT	pliable conduit Ø 16	100/7000
<b>EC TP1520</b>	AR	MT	pliable conduit Ø 20	100/5000
<b>EC TP1525</b>	AR	MT	pliable conduit Ø 25	50/3000
<b>EC TP1532</b>	AR	MT	pliable conduit Ø 32	25/1600
<b>EC TP1540</b>	AR	MT	pliable conduit Ø 40	25/1000
<b>EC TP1550</b>	AR	MT	pliable conduit Ø 50	25/800

**SPIRAL FLEXIBLE PVC CONDUITS - CLASS. 2311 - GREY**



2311

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC GFE08</b>	GC	MT	internal Ø 8	30/2070
<b>EC GFE10</b>	GC	MT	internal Ø 10	30/1800
<b>EC GFE12</b>	GC	MT	internal Ø 12	30/1800
<b>EC GFE14</b>	GC	MT	internal Ø 14	30/1440
<b>EC GFE16</b>	GC	MT	internal Ø 16	30/1080
<b>EC GFE20</b>	GC	MT	internal Ø 20	30/1080
<b>EC GFE22</b>	GC	MT	internal Ø 22	30/720
<b>EC GFE25</b>	GC	MT	internal Ø 25	30/600
<b>EC GFE28</b>	GC	MT	internal Ø 28	30/480
<b>EC GFE32</b>	GC	MT	internal Ø 32	30/480
<b>EC GFE35</b>	GC	MT	internal Ø 35	30/480
<b>EC GFE40</b>	GC	MT	internal Ø 40	30/360
<b>EC GFE50</b>	GC	MT	internal Ø 50	30/180
<b>EC GFE60</b>	GC	MT	internal Ø 60	30/120

**SPIRAL FLEXIBLE PVC CONDUITS - CLASS. 2311 - BLACK**



2311

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC GFE08N</b>	N	MT	internal Ø 8	30/2070
<b>EC GFE10N</b>	N	MT	internal Ø 10	30/1800
<b>EC GFE12N</b>	N	MT	internal Ø 12	30/1800
<b>EC GFE14N</b>	N	MT	internal Ø 14	30/1440
<b>EC GFE16N</b>	N	MT	internal Ø 16	30/1080
<b>EC GFE20N</b>	N	MT	internal Ø 20	30/1080
<b>EC GFE22N</b>	N	MT	internal Ø 22	30/720
<b>EC GFE25N</b>	N	MT	internal Ø 25	30/600
<b>EC GFE28N</b>	N	MT	internal Ø 28	30/480
<b>EC GFE32N</b>	N	MT	internal Ø 32	30/480
<b>EC GFE35N</b>	N	MT	internal Ø 35	30/480
<b>EC GFE40N</b>	N	MT	internal Ø 40	30/360
<b>EC GFE50N</b>	N	MT	internal Ø 50	30/180
<b>EC GFE60N</b>	N	MT	internal Ø 60	30/120

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

**SPIRAL FLEXIBLE CONDUIT-BOX JOINTS GAS THREAD - IP65**



<b>EC GX10</b>	GC	PCS	thread 1/4"	25/500
<b>EC GX12</b>	GC	PCS	thread 3/8"	25/500
<b>EC GX14</b>	GC	PCS	thread 1/2"	25/400
<b>EC GX16</b>	GC	PCS	thread 1/2"	25/350
<b>EC GX20</b>	GC	PCS	thread 3/4"	25/250
<b>EC GX22</b>	GC	PCS	thread 3/4"	25/250
<b>EC GX25</b>	GC	PCS	thread 1"	10/150
<b>EC GX28</b>	GC	PCS	thread 1"	10/120
<b>EC GX32</b>	GC	PCS	thread 1" and 1/4"	10/90
<b>EC GX35</b>	GC	PCS	thread 1" and 1/4"	10/70
<b>EC GX40</b>	GC	PCS	thread 1" and 1/2"	10/60
<b>EC GX50</b>	GC	PCS	thread 2"	10/50

Also available in black colour: item +N

**SPIRAL FLEXIBLE CONDUIT-BOX JOINTS METRIC THREAD - IP65**



<b>EC GX10M</b>	GC	PCS	thread 15 mm	25/500
<b>EC GX12M</b>	GC	PCS	thread 16 mm	25/500
<b>EC GX16M</b>	GC	PCS	thread 20 mm	25/350
<b>EC GX20M</b>	GC	PCS	thread 25 mm	25/250
<b>EC GX25M</b>	GC	PCS	thread 32 mm	10/150
<b>EC GX32M</b>	GC	PCS	thread 40 mm	10/90
<b>EC GX40M</b>	GC	PCS	thread 50 mm	10/60
<b>EC GX50M</b>	GC	PCS	thread 55 mm	10/50

Also available in black colour: item +N

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

**SPIRAL FLEXIBLE CONDUIT-BOX JOINTS PG THREAD - IP65**



<b>EC GX10-9</b>	GC	PCS	PG9	25/500
<b>EC GX12-11</b>	GC	PCS	PG11	25/500
<b>EC GX12-13</b>	GC	PCS	PG13,5	25/500
<b>EC GX14-13</b>	GC	PCS	PG13,5	25/400
<b>EC GX16-11</b>	GC	PCS	PG11	25/350
<b>EC GX16-13</b>	GC	PCS	PG13,5	25/350
<b>EC GX16-16</b>	GC	PCS	PG16	25/350
<b>EC GX20-21</b>	GC	PCS	PG21	25/250
<b>EC GX22-21</b>	GC	PCS	PG21	25/250
<b>EC GX25-29</b>	GC	PCS	PG29	10/150
<b>EC GX28-29</b>	GC	PCS	PG29	10/120
<b>EC GX32-36</b>	GC	PCS	PG36	10/90
<b>EC GX35-36</b>	GC	PCS	PG36	10/70

Also available in black colour: item +N

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

## COUPLING FOR CORRUGATED CONDUITS



<b>EC GFLEX16</b>	I	PCS	coupling Ø 16	100/2000
<b>EC GFLEX20</b>	I	PCS	coupling Ø 20	100/1200
<b>EC GFLEX25</b>	I	PCS	coupling Ø 25	100/700
<b>EC GFLEX32</b>	I	PCS	coupling Ø 32	100/400
<b>EC GFLEX40</b>	I	PCS	coupling Ø 40	300
<b>EC GFLEX50</b>	I	PCS	coupling Ø 50	150

## CAPS FOR CORRUGATED CONDUITS



<b>EC TFLEX16</b>	I	PCS	cap Ø 16	100/2000
<b>EC TFLEX20</b>	I	PCS	cap Ø 20	100/2000
<b>EC TFLEX25</b>	I	PCS	cap Ø 25	100/1500
<b>EC TFLEX32</b>	I	PCS	cap Ø 32	50/800
<b>EC TFLEX40</b>	I	PCS	cap Ø 40	50/500
<b>EC TFLEX50</b>	I	PCS	cap Ø 50	50/300

## GROUND BOXES



<b>EC POZ.20</b>	GC	PCS	200x200	1
<b>EC POZ.25</b>	GC	PCS	250x250 watertight	1
<b>EC POZ.30</b>	GC	PCS	300x300	1
<b>EC POZ.40</b>	GC	PCS	400x400	1

## INSPECTIONABLE 90° BEND - IP40



<b>EC CI16</b>	GC	PCS	90° bend Ø 16	100/400
<b>EC CI20</b>	GC	PCS	90° bend Ø 20	100/300
<b>EC CI25</b>	GC	PCS	90° bend Ø 25	100/200
<b>EC CI32</b>	GC	PCS	90° bend Ø 32	50/150

## INSPECTIONABLE T JOINT - IP40



<b>EC TI16</b>	GC	PCS	T joint Ø 16	100/300
<b>EC TI20</b>	GC	PCS	T joint Ø 20	100/200
<b>EC TI25</b>	GC	PCS	T joint Ø 25	50/100
<b>EC TI32</b>	GC	PCS	T joint Ø 32	50/100

## HALOGEN FREE 90° BENDS - IP40



<b>EC CRS16H</b>	GC	PCS	90° bend Ø 16	100/1000
<b>EC CRS20H</b>	GC	PCS	90° bend Ø 20	50/600
<b>EC CRS25H</b>	GC	PCS	90° bend Ø 25	25/300
<b>EC CRS32H</b>	GC	PCS	90° bend Ø 32	100
<b>EC CRS40H</b>	GC	PCS	90° bend Ø 40	100
<b>EC CRS50H</b>	GC	PCS	90° bend Ø 50	50

## HALOGEN FREE COUPLING - IP40



<b>EC GSU16H</b>	GC	PCS	coupling Ø 16	100/1200
<b>EC GSU20H</b>	GC	PCS	coupling Ø 20	100/800
<b>EC GSU25H</b>	GC	PCS	coupling Ø 25	50/500
<b>EC GSU32H</b>	GC	PCS	coupling Ø 32	25/250
<b>EC GSU40H</b>	GC	PCS	coupling Ø 40	25/150
<b>EC GSU50H</b>	GC	PCS	coupling Ø 50	25/100

## HALOGEN FREE SNAP CONDUIT CLIPS



<b>EC CF16</b>	GC	PCS	clips Ø 16	100/1500
<b>EC CF20</b>	GC	PCS	clips Ø 20	100/1000
<b>EC CF25</b>	GC	PCS	clips Ø 25	100/1000
<b>EC CF32</b>	GC	PCS	clips Ø 32	100/800
<b>EC CF40</b>	GC	PCS	clips Ø 40	50/400
<b>EC CF50</b>	GC	PCS	clips Ø 50	25/250

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

## 90° BENDS - IP40



<b>EC CRS16</b>	GC	PCS	90° bend Ø 16	100/1000
<b>EC CRS20</b>	GC	PCS	90° bend Ø 20	50/600
<b>EC CRS25</b>	GC	PCS	90° bend Ø 25	25/300
<b>EC CRS32</b>	GC	PCS	90° bend Ø 32	100
<b>EC CRS40</b>	GC	PCS	90° bend Ø 40	100
<b>EC CRS50</b>	GC	PCS	90° bend Ø 50	50

## FLEXIBLE BENDS - IP44



<b>EC CV16</b>	GC	PCS	flexible bend Ø 16	20/300
<b>EC CV20</b>	GC	PCS	flexible bend Ø 20	20/200
<b>EC CV25</b>	GC	PCS	flexible bend Ø 25	20/120
<b>EC CV32</b>	GC	PCS	flexible bend Ø 32	10/80

## COUPLING - IP40



<b>EC GSU16</b>	GC	PCS	coupling Ø 16	100/1200
<b>EC GSU20</b>	GC	PCS	coupling Ø 20	100/800
<b>EC GSU25</b>	GC	PCS	coupling Ø 25	50/500
<b>EC GSU32</b>	GC	PCS	coupling Ø 32	25/250
<b>EC GSU40</b>	GC	PCS	coupling Ø 40	25/150
<b>EC GSU50</b>	GC	PCS	coupling Ø 50	25/100

## SMOOTH JOINT - IP40



<b>EC GI16</b>	GC	PCS	joint Ø 16	100/2000
<b>EC GI20</b>	GC	PCS	joint Ø 20	100/1200
<b>EC GI25</b>	GC	PCS	joint Ø 25	100/700
<b>EC GI32</b>	GC	PCS	joint Ø 32	400
<b>EC GI40</b>	GC	PCS	joint Ø 40	200
<b>EC GI50</b>	GC	PCS	joint Ø 50	100

## CONDUIT-BOX JOINTS - IP65



<b>EC BS16</b>	GC	PCS	conduit-box Ø 16	10/350
<b>EC BS20</b>	GC	PCS	conduit-box Ø 20	10/350
<b>EC BS25</b>	GC	PCS	conduit-box Ø 25	10/200
<b>EC BS32</b>	GC	PCS	conduit-box Ø 32	10/100
<b>EC BS40</b>	GC	PCS	conduit-box Ø 40	5/80
<b>EC BS50</b>	GC	PCS	conduit-box Ø 50	5/40

## CONDUIT-CONDUIT JOINTS - IP65



<b>EC MS16</b>	GC	PCS	conduit-conduit Ø 16	10/350
<b>EC MS20</b>	GC	PCS	conduit-conduit Ø 20	10/200
<b>EC MS25</b>	GC	PCS	conduit-conduit Ø 25	10/200
<b>EC MS32</b>	GC	PCS	conduit-conduit Ø 32	10/100
<b>EC MS40</b>	GC	PCS	conduit-conduit Ø 40	5/80
<b>EC MS50</b>	GC	PCS	conduit-conduit Ø 50	5/40

## RIGID-FLEXIBLE CONDUIT JOINTS - IP65



<b>EC GS16</b>	GC	PCS	rigid Ø 16-flexible Ø 12	10/350
<b>EC GS20</b>	GC	PCS	rigid Ø 20-flexible Ø 16	10/350
<b>EC GS25</b>	GC	PCS	rigid Ø 25-flexible Ø 20	10/200
<b>EC GS32</b>	GC	PCS	rigid Ø 32-flexible Ø 25	10/100
<b>EC GS40</b>	GC	PCS	rigid Ø 40-flexible Ø 32	5/100
<b>EC GS50</b>	GC	PCS	rigid Ø 50-flexible Ø 40	5/40

## RIGID-FLEXIBLE CONDUIT SAME DIAMETER JOINTS - IP65




<b>EC RS16</b>	GC	PCS	rigid-flexible Ø 16	10/200
<b>EC RS20</b>	GC	PCS	rigid-flexible Ø 20	10/200
<b>EC RS25</b>	GC	PCS	rigid-flexible Ø 25	10/160
<b>EC RS32</b>	GC	PCS	rigid-flexible Ø 32	10/80
<b>EC RS40</b>	GC	PCS	rigid-flexible Ø 40	5/60
<b>EC RS50</b>	GC	PCS	rigid-flexible Ø 50	5/40


**SECURITY SYSTEM**

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------


**90° BENDS - IP65**

	<b>EC CS16</b>	GC	PCS	90° bend Ø 16	10/200
	<b>EC CS20</b>	GC	PCS	90° bend Ø 20	10/200
	<b>EC CS25</b>	GC	PCS	90° bend Ø 25	10/100
	<b>EC CS32</b>	GC	PCS	90° bend Ø 32	10/50
	<b>EC CS40</b>	GC	PCS	90° bend Ø 40	5/20
	<b>EC CS50</b>	GC	PCS	90° bend Ø 50	12

**FLEXIBLE BEND - IP65**


	<b>EC CXT16</b>	GC	PCS	flexible bend Ø 16	50/200
	<b>EC CXT20</b>	GC	PCS	flexible bend Ø 20	50/200
	<b>EC CXT25</b>	GC	PCS	flexible bend Ø 25	35/140
	<b>EC CXT32</b>	GC	PCS	flexible bend Ø 32	20/80
	<b>EC CXT40</b>	GC	PCS	flexible bend Ø 40	10/40
	<b>EC CXT50</b>	GC	PCS	flexible bend Ø 50	10/40

**CONDUIT-BOX FLEXIBLE JOINTS - IP65**


	<b>EC CXS16</b>	GC	PCS	conduit-box Ø 16	50/200
	<b>EC CXS20</b>	GC	PCS	conduit-box Ø 20	50/200
	<b>EC CXS25</b>	GC	PCS	conduit-box Ø 25	35/140
	<b>EC CXS32</b>	GC	PCS	conduit-box Ø 32	20/80
	<b>EC CXS40</b>	GC	PCS	conduit-box Ø 40	15/60
	<b>EC CXS50</b>	GC	PCS	conduit-box Ø 50	10/40

**e@ssystem**


**CONDUIT-BOX JOINTS - IP67**

	<b>EC 70016</b>	GC	PCS	conduit-box Ø 16	25/500
	<b>EC 70020</b>	GC	PCS	conduit-box Ø 20	25/500
	<b>EC 70025</b>	GC	PCS	conduit-box Ø 25	25/400
	<b>EC 70032</b>	GC	PCS	conduit-box Ø 32	25/200
	<b>EC 70040</b>	GC	PCS	conduit-box Ø 40	10/100
	<b>EC 70050</b>	GC	PCS	conduit-box Ø 50	10/70


**CONDUIT-CONDUIT JOINTS - IP67**

	<b>EC 71016</b>	GC	PCS	conduit-conduit Ø 16	25/500
	<b>EC 71020</b>	GC	PCS	conduit-conduit Ø 20	25/400
	<b>EC 71025</b>	GC	PCS	conduit-conduit Ø 25	25/250
	<b>EC 71032</b>	GC	PCS	conduit-conduit Ø 32	25/150
	<b>EC 71040</b>	GC	PCS	conduit-conduit Ø 40	10/70
	<b>EC 71050</b>	GC	PCS	conduit-conduit Ø 50	10/50

**RIGID-FLEXIBLE CONDUIT JOINTS - IP67**


	<b>EC 72016</b>	GC	PCS	rigid-flexible Ø 16	25/500
	<b>EC 72020</b>	GC	PCS	rigid-flexible Ø 20	25/500
	<b>EC 72025</b>	GC	PCS	rigid-flexible Ø 25	25/300
	<b>EC 72032</b>	GC	PCS	rigid-flexible Ø 32	25/200
	<b>EC 72040</b>	GC	PCS	rigid-flexible Ø 40	10/100
	<b>EC 72050</b>	GC	PCS	rigid-flexible Ø 50	10/60

**90° BENDS - IP67**

	<b>EC 73016</b>	GC	PCS	90° bend Ø 16	25/300
	<b>EC 73020</b>	GC	PCS	90° bend Ø 20	25/200
	<b>EC 73025</b>	GC	PCS	90° bend Ø 25	25/100
	<b>EC 73032</b>	GC	PCS	90° bend Ø 32	25/50
	<b>EC 73040</b>	GC	PCS	90° bend Ø 40	10/30
	<b>EC 73050</b>	GC	PCS	90° bend Ø 50	15


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

**CONDUIT-BOX JOINTS - IP67 - CO-MOULDED GASKET**

	<b>EC 74116</b>	GC	PCS	conduit-box Ø 16	10/350
	<b>EC 74120</b>	GC	PCS	conduit-box Ø 20	10/350
	<b>EC 74125</b>	GC	PCS	conduit-box Ø 25	10/200
	<b>EC 74132</b>	GC	PCS	conduit-box Ø 32	10/100
	<b>EC 74140</b>	GC	PCS	conduit-box Ø 40	5/80
	<b>EC 74150</b>	GC	PCS	conduit-box Ø 50	5/40


*HALOGEN Free*

**CONDUIT-CONDUIT JOINTS - IP67 - CO-MOULDED GASKET**

	<b>EC 74016</b>	GC	PCS	conduit-conduit Ø 16	10/250
	<b>EC 74020</b>	GC	PCS	conduit-conduit Ø 20	10/200
	<b>EC 74025</b>	GC	PCS	conduit-conduit Ø 25	10/150
	<b>EC 74032</b>	GC	PCS	conduit-conduit Ø 32	10/100
	<b>EC 74040</b>	GC	PCS	conduit-conduit Ø 40	5/50
	<b>EC 74050</b>	GC	PCS	conduit-conduit Ø 50	5/40


*HALOGEN Free*

**RIGID-FLEXIBLE CONDUIT JOINTS - IP67 - CO-MOULDED GASKET**

	<b>EC 74216</b>	GC	PCS	rigid-flexible Ø 16	10/350
	<b>EC 74220</b>	GC	PCS	rigid-flexible Ø 20	10/250
	<b>EC 74225</b>	GC	PCS	rigid-flexible Ø 25	10/200
	<b>EC 74232</b>	GC	PCS	rigid-flexible Ø 32	10/100
	<b>EC 74240</b>	GC	PCS	rigid-flexible Ø 40	5/80
	<b>EC 74250</b>	GC	PCS	rigid-flexible Ø 50	5/40

*HALOGEN Free*

**90° BENDS - IP67 - CO-MOULDED GASKET**

	<b>EC 74316</b>	GC	PCS	90° bend Ø 16	10/150
	<b>EC 74320</b>	GC	PCS	90° bend Ø 20	10/100
	<b>EC 74325</b>	GC	PCS	90° bend Ø 25	10/100
	<b>EC 74332</b>	GC	PCS	90° bend Ø 32	10/50
	<b>EC 74340</b>	GC	PCS	90° bend Ø 40	5/20
	<b>EC 74350</b>	GC	PCS	90° bend Ø 50	5/15

*HALOGEN Free*



## Ø 3 mm NYLON CABLE DRAW TAPE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC S3-05</b>	I	PCS	5 mt	340
<b>EC S3-10</b>	I	PCS	10 mt	180
<b>EC S3-15</b>	I	PCS	15 mt	120
<b>EC S3-20</b>	I	PCS	20 mt	90
<b>EC S3-25</b>	I	PCS	25 mt	70
<b>EC S3-30</b>	I	PCS	30 mt	60

## Ø 4 mm NYLON CABLE DRAW TAPE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC S4-05</b>	I	PCS	5 mt	200
<b>EC S4-10</b>	I	PCS	10 mt	100
<b>EC S4-15</b>	I	PCS	15 mt	60
<b>EC S4-20</b>	I	PCS	20 mt	50
<b>EC S4-25</b>	I	PCS	25 mt	40
<b>EC S4-30</b>	I	PCS	30 mt	36

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

### HALOGEN FREE SNAP CONDUIT CLIPS



<b>EC CF16</b>	GC	PCS	clips Ø 16	100/1500
<b>EC CF20</b>	GC	PCS	clips Ø 20	100/1000
<b>EC CF25</b>	GC	PCS	clips Ø 25	100/1000
<b>EC CF32</b>	GC	PCS	clips Ø 32	100/800
<b>EC CF40</b>	GC	PCS	clips Ø 40	50/400
<b>EC CF50</b>	GC	PCS	clips Ø 50	25/250

### COLLAR CONDUIT CLIPS



<b>EC CFC16</b>	GC	PCS	clips Ø 16	100/1000
<b>EC CFC20</b>	GC	PCS	clips Ø 20	100/1000
<b>EC CFC25</b>	GC	PCS	clips Ø 25	100/800
<b>EC CFC32</b>	GC	PCS	clips Ø 32	50/500

### MODULAR FIXING GUIDE FOR CF AND CFC SERIES



<b>EC GC</b>	GC	PCS	L=200 mm	400
--------------	----	-----	----------	-----

### CONDUIT CLIPS WITH PLUG AND STEEL SCREW



<b>EC CT16</b>	GC	PCS	clips Ø 16	100/1000
<b>EC CT20</b>	GC	PCS	clips Ø 20	100/1000
<b>EC CT25</b>	GC	PCS	clips Ø 25	100/800
<b>EC CT32</b>	GC	PCS	clips Ø 32	50/400

### CLAMP CONDUIT CLIPS



<b>EC C12</b>	GC	PCS	clips Ø 12-20	100/1400
<b>EC C16</b>	GC	PCS	clips Ø 14-22	100/1000
<b>EC C25</b>	GC	PCS	clips Ø 23-35	50/500
<b>EC C50</b>	GC	PCS	clips Ø 38-50	50/250

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

### TIE CONDUIT CLIPS



<b>EC CFF1</b>	GC	PCS	min. Ø 16 - max Ø 32	100/1400
<b>EC CFF2</b>	GC	PCS	min. Ø 32 - max Ø 63	50/700

### ROUND CLIPS WITH ASSEMBLED STEEL NAIL - WHITE



<b>EC GT4BW50</b>	B	PCS	round clip 3-4 mm	50/20000
<b>EC GT6BW50</b>	B	PCS	round clip 5-6 mm	50/12000
<b>EC GT7BW50</b>	B	PCS	round clip 6-7 mm	50/12000
<b>EC GT8BW50</b>	B	PCS	round clip 7-8 mm	50/10000
<b>EC GT10BW50</b>	B	PCS	round clip 9-10 mm	50/6000
<b>EC GT13BW50</b>	B	PCS	round clip 13-14 mm	50/7000
<b>EC GT16BW50</b>	B	PCS	round clip 15-16 mm	50/4000
<b>EC GT19BW50</b>	B	PCS	round clip 19-20 mm	50/3000
<b>EC GT25BW50</b>	B	PCS	round clip 25-26 mm	50/1600

### ROUND CLIPS WITH ASSEMBLED STEEL NAIL - GREY



<b>EC GT4GW50</b>	GC	PCS	round clip 3-4 mm	50/20000
<b>EC GT6GW50</b>	GC	PCS	round clip 5-6 mm	50/12000
<b>EC GT7GW50</b>	GC	PCS	round clip 6-7 mm	50/12000
<b>EC GT8GW50</b>	GC	PCS	round clip 7-8 mm	50/10000
<b>EC GT10GW50</b>	GC	PCS	round clip 9-10 mm	50/6000
<b>EC GT13GW50</b>	GC	PCS	round clip 13-14 mm	50/7000
<b>EC GT16GW50</b>	GC	PCS	round clip 15-16 mm	50/4000
<b>EC GT19GW50</b>	GC	PCS	round clip 19-20 mm	50/3000
<b>EC GT25GW50</b>	GC	PCS	round clip 25-26 mm	50/1600

### PLUGS WITH SCREWS



<b>ECTC5</b>	GC	PCS	plug 5 mm	100/6000
<b>ECTC6</b>	GC	PCS	plug 6 mm	100/5000
<b>ECTC8</b>	GC	PCS	plug 8 mm	100/3000
<b>ECTC10</b>	GC	PCS	plug 10 mm	100/1500

## NATURAL NYLON CABLE TIES



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 8008024	I	PCS	80x2,4	100/5000
EC 8001025	I	PCS	100x2,5	100/5000
EC 8001225	I	PCS	120x2,5	100/5000
EC 8001625	I	PCS	160x2,5	100/5000
EC 8002025	I	PCS	200x2,5	100/5000
EC 8001436	I	PCS	140x3,6	100/5000
EC 8002036	I	PCS	200x3,6	100/5000
EC 8002936	I	PCS	290x3,6	100/5000
EC 8001648	I	PCS	160x4,8	100/5000
EC 8002048	I	PCS	200x4,8	100/5000
EC 8002548	I	PCS	250x4,8	100/5000
EC 8002948	I	PCS	290x4,8	100/4000
EC 8003648	I	PCS	360x4,8	100/3000
EC 8004348	I	PCS	430x4,8	100/3000
EC 8002976	I	PCS	290x7,6	100/2000
EC 8003676	I	PCS	360x7,6	100/2000
EC 8004390	I	PCS	430x9,0	100/1000
EC 8005390	I	PCS	530x9,0	100/1000
EC 8007890	I	PCS	780x9,0	100/500
EC 8007312	I	PCS	730x12,6	100/500
EC 8008812	I	PCS	880x12,6	100/500
EC 80010312	I	PCS	1030x12,6	100/500

## BLACK NYLON CABLE TIES



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 8108024	N	PCS	80x2,4	100/5000
EC 8101025	N	PCS	100x2,5	100/5000
EC 8101225	N	PCS	120x2,5	100/5000
EC 8101625	N	PCS	160x2,5	100/5000
EC 8102025	N	PCS	200x2,5	100/5000
EC 8101436	N	PCS	140x3,6	100/5000
EC 8102036	N	PCS	200x3,6	100/5000
EC 8102936	N	PCS	290x3,6	100/5000
EC 8101648	N	PCS	160x4,8	100/5000
EC 8102048	N	PCS	200x4,8	100/5000
EC 8102548	N	PCS	250x4,8	100/5000
EC 8102948	N	PCS	290x4,8	100/4000
EC 8103648	N	PCS	360x4,8	100/3000
EC 8104348	N	PCS	430x4,8	100/3000
EC 8102976	N	PCS	290x7,6	100/2000
EC 8103676	N	PCS	360x7,6	100/2000
EC 8104390	N	PCS	430x9,0	100/1000
EC 8105390	N	PCS	530x9,0	100/1000
EC 8107890	N	PCS	780x9,0	100/500
EC 8107312	N	PCS	730x12,6	100/500
EC 8108812	N	PCS	880x12,6	100/500
EC 81010312	N	PCS	1030x12,6	100/500

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING		
<b>NATURAL 2-WAY ADHESIVE BASES</b>					<b>BLACK SCREW FISSABLE SUPPORTS</b>						
	EC 83036	I	PCS	19x19	100/5000		EC 86048	N	PCS	15x9,5	100/5000
	EC 83048	I	PCS	27x27	100/5000		EC 86090	N	PCS	22x16	100/5000
<b>BLACK 2-WAY ADHESIVE BASES</b>					<b>CABLE TIES FOR LABEL</b>						
	EC 84036	N	PCS	19x19	100/5000		EC 8701025	I	PCS	100x2,5	100/5000
	EC 84048	N	PCS	27x27	100/5000		EC 8702025	I	PCS	200x2,5	100/5000
<b>NATURAL SCREW FISSABLE SUPPORTS</b>					<b>PLUG FOR CABLE TIES</b>						
	EC 85048	I	PCS	15x9,5	100/5000		EC 88085	N	PCS	8 mm	100/5000
	EC 85090	I	PCS	22x16	100/5000						



## PG-THREAD CABLE GLANDS WITHOUT LOCK NUT - GREY - IP68



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 50007</b>	GC	PCS	PG7	50/1200
<b>EC 50009</b>	GC	PCS	PG9	50/1200
<b>EC 50011</b>	GC	PCS	PG11	50/600
<b>EC 50013</b>	GC	PCS	PG13,5	50/600
<b>EC 50016</b>	GC	PCS	PG16	50/300
<b>EC 50021</b>	GC	PCS	PG21	50/300
<b>EC 50029</b>	GC	PCS	PG29	25/150
<b>EC 50036</b>	GC	PCS	PG36	15/90
<b>EC 50042</b>	GC	PCS	PG42	10/60
<b>EC 50048</b>	GC	PCS	PG48	5/30

## PG-THREAD CABLE GLANDS WITHOUT LOCK NUT - BLACK - IP68



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 50007N</b>	N	PCS	PG7	50/1200
<b>EC 50009N</b>	N	PCS	PG9	50/1200
<b>EC 50011N</b>	N	PCS	PG11	50/600
<b>EC 50013N</b>	N	PCS	PG13,5	50/600
<b>EC 50016N</b>	N	PCS	PG16	50/300
<b>EC 50021N</b>	N	PCS	PG21	50/300
<b>EC 50029N</b>	N	PCS	PG29	25/150
<b>EC 50036N</b>	N	PCS	PG36	15/90
<b>EC 50042N</b>	N	PCS	PG42	10/60
<b>EC 50048N</b>	N	PCS	PG48	5/30

## PG-THREAD CABLE GLANDS WITH LOCK NUT - GREY - IP68



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 51007</b>	GC	PCS	PG7	50/1200
<b>EC 51009</b>	GC	PCS	PG9	50/1200
<b>EC 51011</b>	GC	PCS	PG11	50/600
<b>EC 51013</b>	GC	PCS	PG13,5	50/600
<b>EC 51016</b>	GC	PCS	PG16	50/300
<b>EC 51021</b>	GC	PCS	PG21	50/300
<b>EC 51029</b>	GC	PCS	PG29	25/150
<b>EC 51036</b>	GC	PCS	PG36	15/90
<b>EC 51042</b>	GC	PCS	PG42	10/60
<b>EC 51048</b>	GC	PCS	PG48	5/30

## PG-THREAD CABLE GLANDS WITH LOCK NUT - BLACK - IP68



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 51007N</b>	N	PCS	PG7	50/1200
<b>EC 51009N</b>	N	PCS	PG9	50/1200
<b>EC 51011N</b>	N	PCS	PG11	50/600
<b>EC 51013N</b>	N	PCS	PG13,5	50/600
<b>EC 51016N</b>	N	PCS	PG16	50/300
<b>EC 51021N</b>	N	PCS	PG21	50/300
<b>EC 51029N</b>	N	PCS	PG29	25/150
<b>EC 51036N</b>	N	PCS	PG36	15/90
<b>EC 51042N</b>	N	PCS	PG42	10/60
<b>EC 51048N</b>	N	PCS	PG48	5/30

## METRIC THREAD CABLE GLANDS WITH LOCK NUT - GREY - IP68



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 54016</b>	GC	PCS	thread 16x1,5	100/600
<b>EC 54020</b>	GC	PCS	thread 20x1,5	100/600
<b>EC 54025</b>	GC	PCS	thread 25x1,5	50/300
<b>EC 54032</b>	GC	PCS	thread 32x1,5	25/150
<b>EC 54040</b>	GC	PCS	thread 40x1,5	15/90
<b>EC 54050</b>	GC	PCS	thread 50x1,5	10/60

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>GASKET FOR PG-THREAD CABLE GLANDS</b> 					<b>PG-THREAD LOCK NUTS</b> 					<b>PG-THREADED CAPS</b> 				
<b>EC 53007</b>	GC	PCS	PG7	100/1000	<b>EC 52007</b>	GC	PCS	PG7	50/1000	<b>EC 52207</b>	GC	PCS	PG7	100/1000
<b>EC 53009</b>	GC	PCS	PG9	100/1000	<b>EC 52009</b>	GC	PCS	PG9	50/1000	<b>EC 52209</b>	GC	PCS	PG9	100/1000
<b>EC 53011</b>	GC	PCS	PG11	100/1000	<b>EC 52011</b>	GC	PCS	PG11	50/1000	<b>EC 52211</b>	GC	PCS	PG11	100/1000
<b>EC 53013</b>	GC	PCS	PG13,5	100/1000	<b>EC 52013</b>	GC	PCS	PG13,5	50/1000	<b>EC 52213</b>	GC	PCS	PG13,5	100/1000
<b>EC 53016</b>	GC	PCS	PG16	100/500	<b>EC 52016</b>	GC	PCS	PG16	50/500	<b>EC 52216</b>	GC	PCS	PG16	100/1000
<b>EC 53021</b>	GC	PCS	PG21	100/500	<b>EC 52021</b>	GC	PCS	PG21	50/500	<b>EC 52221</b>	GC	PCS	PG21	100/1000
<b>EC 53029</b>	GC	PCS	PG29	100/500	<b>EC 52029</b>	GC	PCS	PG29	25/500	<b>EC 52229</b>	GC	PCS	PG29	50/500
<b>EC 53036</b>	GC	PCS	PG36	50/500	<b>EC 52036</b>	GC	PCS	PG36	25/500	<b>EC 52236</b>	GC	PCS	PG36	50/500
<b>EC 53042</b>	GC	PCS	PG42	50/500	<b>EC 52042</b>	GC	PCS	PG42	10/500	<b>EC 52242</b>	GC	PCS	PG42	50
<b>EC 53048</b>	GC	PCS	PG48	50/500	<b>EC 52048</b>	GC	PCS	PG48	10/500	<b>EC 52248</b>	GC	PCS	PG48	50
<b>GASKET FOR METRIC THREAD CABLE GLANDS</b> 					<b>METRIC THREAD LOCK NUTS</b> 					<b>METRIC THREADED CAPS</b> 				
<b>EC 53016M</b>	GC	PCS	gasket 16	100/1000	<b>EC 52016M</b>	GC	PCS	lock nut 16	50/500	<b>EC 52312</b>	GC	PCS	thread M 12	100/1000
<b>EC 53020M</b>	GC	PCS	gasket 20	100/1000	<b>EC 52020M</b>	GC	PCS	lock nut 20	50/500	<b>EC 52316</b>	GC	PCS	thread M 16	100/1000
<b>EC 53025M</b>	GC	PCS	gasket 25	100/500	<b>EC 52025M</b>	GC	PCS	lock nut 25	25/500	<b>EC 52320</b>	GC	PCS	thread M 20	100/1000
<b>EC 53032M</b>	GC	PCS	gasket 32	100/500	<b>EC 52032M</b>	GC	PCS	lock nut 32	25/300	<b>EC 52325</b>	GC	PCS	thread M 25	100/1000
<b>EC 53040M</b>	GC	PCS	gasket 40	50/500	<b>EC 52040M</b>	GC	PCS	lock nut 40	10/300	<b>EC 52332</b>	GC	PCS	thread M 32	50/500
<b>EC 53050M</b>	GC	PCS	gasket 50	50/500	<b>EC 52050M</b>	GC	PCS	lock nut 50	10/300	<b>EC 52340</b>	GC	PCS	thread M 40	50/500
										<b>EC 52350</b>	GC	PCS	thread M 50	50
										<b>EC 52363</b>	GC	PCS	thread M 63	50

## THREE-PIECE THERMOSETTING PHENOLIC RESIN LAMP HOLDER - PLAIN



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC K52001</b>		PCS	E14 - 250V - 2A - plain outer shell - white	10
<b>EC K52002</b>		PCS	E14 - 250V - 2A - plain outer shell - black	10
<b>EC K52005</b>		PCS	E14 - 250V - 2A - plain outer shell - gold	10
<b>EC K52003</b>		PCS	E27 - 250V - 4A - plain outer shell - white	10
<b>EC K52004</b>		PCS	E27 - 250V - 4A - plain outer shell - black	10
<b>EC K52006</b>		PCS	E27 - 250V - 4A - plain outer shell - gold	10

## THREE-PIECE THERMOSETTING PHENOLIC RESIN LAMP HOLDER - THREADED



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC K52010</b>		PCS	E14 - 250V - 2A - threaded outer shell with ring - white	10
<b>EC K52011</b>		PCS	E14 - 250V - 2A - threaded outer shell with ring - black	10
<b>EC K52012</b>		PCS	E14 - 250V - 2A - threaded outer shell with ring - gold	10
<b>EC K52015</b>		PCS	E27 - 250V - 4A - threaded outer shell with ring - white	10
<b>EC K52016</b>		PCS	E27 - 250V - 4A - threaded outer shell with ring - black	10
<b>EC K52017</b>		PCS	E27 - 250V - 4A - threaded outer shell with ring - gold	10

## THREE-PIECE METALLIC LAMP HOLDER - THREADED



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC K 52018</b>		PCS	E27 - 250V - 4A - threaded outer shell with ring - gold	10

## SUSPENSION



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>ECK 52030</b>		PCS	E27 - 250V - 4A - 80 cm - white	10
<b>ECK 52050</b>		PCS	E27 - 250V - 4A - 80 cm - black	10
<b>EC K52035</b>		PCS	E14 - 250V - 2A - 80 cm - white	10
<b>EC K52055</b>		PCS	E14 - 250V - 2A - 80 cm - black	10

## SPOT LIGHT



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>ECK 52031</b>		PCS	E27 - 250V - 4A - inclined base - white	10
<b>ECK 52032</b>		PCS	E27 - 250V - 4A - straight base - white	10

## SINGLE-POLE IN-LINE SWITCH



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>ECK 52001B</b>		PCS	250V - 2A - 2x0,75 - white	10
<b>ECK 52002B</b>		PCS	250V - 2A - 2x0,75 - black	10
<b>ECK 52005B</b>		PCS	250V - 2A - 2x0,75 - gold	10

## INSULATING ADHESIVE TAPE - 15 mm x 10 MT




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 891010</b>		PCS	Insulating adhesive tape 15x10 - Yellow/ Green	10/200
<b>EC 891011</b>		PCS	Insulating adhesive tape 15x10 - Blue	10/200
<b>EC 891012</b>		PCS	Insulating adhesive tape 15x10 - Red	10/200
<b>EC 891013</b>		PCS	Insulating adhesive tape 15x10 - Grey	10/200
<b>EC 891014</b>		PCS	Insulating adhesive tape 15x10 - White	10/200
<b>EC 891015</b>		PCS	Insulating adhesive tape 15x10 - Black	10/200

## INSULATING ADHESIVE TAPE - 19 mm x 25 MT



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 891020</b>		PCS	Insulating adhesive tape 19x25 - Yellow/ Green	10/100
<b>EC 891021</b>		PCS	Insulating adhesive tape 19x25 - Blue	10/100
<b>EC 891022</b>		PCS	Insulating adhesive tape 19x25 - Red	10/100
<b>EC 891023</b>		PCS	Insulating adhesive tape 19x25 - Grey	10/100
<b>EC 891024</b>		PCS	Insulating adhesive tape 19x25 - White	10/100
<b>EC 891025</b>		PCS	Insulating adhesive tape 19x25 - Black	10/100

## TRANSPARENT UNIPOLAR TERMINAL BLOCKS



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 890010</b>	I	PCS	section 1,5 mmq	100/9000
<b>EC 890011</b>	I	PCS	section 2,5 mmq	100/5000
<b>EC 890012</b>	I	PCS	section 4 mmq	100/4000
<b>EC 890013</b>	I	PCS	section 6 mmq	100/2500
<b>EC 890014</b>	I	PCS	section 10 mmq	100/2000
<b>EC 890015</b>	I	PCS	section 16 mmq	100/1000
<b>EC 890016</b>	I	PCS	section 25 mmq	5/450
<b>EC 890017</b>	I	PCS	section 35 mmq	5/240

## MODULAR UNIPOLAR TERMINAL BLOCKS



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 890030</b>	GC	PCS	section 2,5 mmq	10/600
<b>EC 890031</b>	GC	PCS	section 4 mmq	10/600
<b>EC 890032</b>	GC	PCS	section 6 mmq	10/300
<b>EC 890033</b>	GC	PCS	section 10 mmq	10/300
<b>EC 890034</b>	GC	PCS	section 16 mmq	10/200
<b>EC 890035</b>	GC	PCS	section 25/35 mmq	10/120
<b>EC 890036</b>	GC	PCS	section 70 mmq	4/60
<b>EC 890040</b>	GC	PCS	blocking element	10/500

## EQUIPOTENTIAL PLATES WITH COVER



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
<b>EC 890020</b>	GC	PCS	21 holes	1/40
<b>EC 890021</b>	GC	PCS	12 holes	1/150

## DELETED ITEMS

EC M12  
 EC M20  
 EC M30  
 EC 6904720  
 EC 6904721  
 EC 6904730  
 EC 6904731  
 EC 6904700  
 EC 6904701  
 EC 6904710  
 EC 6904711  
 EC K22110

EC K22111  
 EC K22112  
 EC K22115  
 EC K22116  
 EC K22117  
 EC K22118  
 EC K22312  
 EC K22313  
 EC K22410  
 EC K22411  
 EC K22412  
 EC K22413

EC K22414  
 EC K22415  
 EC K22416  
 EC K22417  
 EC 380T1  
 EC 340107  
 ECTS20  
 ECTS25  
 EC RID20  
 EC RID25  
 EC CRS63  
 EC GI63

EC TG20  
 EC TG25  
 EC GP6BW50  
 EC GP8BW50  
 EC GP6GW50  
 EC GP8GW50  
 EC 54016N  
 EC 54020N  
 EC 54025N  
 EC 54032N  
 EC 54040N  
 EC 54050N







ELETTROCANALI S.p.a.  
Via Generale Dalla Chiesa, 18  
24020 SCANZOROSCIATE (BG) Italia  
Tel. +39 035 665077/668264  
Fax +39 035 655475/6590705  
[info@elettrocanali.com](mailto:info@elettrocanali.com)

Branch Office:  
Via Pianodardine 16/B - 83100 AVELLINO (AV) Italia  
Tel. +39 0825 624128/9 - Fax +39 0825 622223  
[info@elettrocanali-av.com](mailto:info@elettrocanali-av.com)

[www.elettrocanali.com](http://www.elettrocanali.com)