



Trunking **93**
in **U41X** halogen free



Trunking 93 in U41X

To mount switches and sockets

- **Free choice of switches and sockets.**
- Possibility to attach or **flush-mount** in walls and furniture.
- Excellent equipment protection.
- Halogen free (See raw material's technical data).

Raw material



Safety

Electrical




- Insulating material
- No earthing required

Mechanical




- **IK08** type 3 (distribution and mounting of switches and sockets)

Service temperature



EN 50085*

Protection degree



- **IP4X**, mounted on the wall

In front of fire



- Glow-wire test **960 °C**
- Non-flame propagator

Quality marks



Approvals



Bureau Veritas



FZ 123-FZ

Conformity declaration



Trunking 93

Length: 2 m

White RAL 9010

See updated information of each part number on www.unex.net


* BS EN 50085-2-1 is the UK implementation of EN 50085-2-1





Safe and easy installation

Trunking and fittings



PROTECTIVE FILM
For all trunking part numbers.




FITTINGS

Internal angle



External angle




All items are pressure mounted.

Fittings in 2 pieces:

- **The internal piece** allows easy measuring of the cover and holds the cables.
- **The external piece** covers the cut marks of base and cover and assures protection degree IP4X.

Flexibility to combine a variety of switches and sockets

Two cover widths, suitable for every type of outlet




MODULAR

- Mosaic*
- Simon Connect* K 45 (compatible with Mosaic*)
- Eunea Unica*



MODULAR DOUBLE

- Mosaic*
- Simon Connect* K 45 (compatible with Mosaic*)



UNIVERSAL (CEE-7) (1)



MODULAR

- Mosaic*
- Simon Connect* K 45 (compatible with Mosaic*)
- Eunea Unica*



MODULAR DOUBLE

- Mosaic*
- Simon Connect* K 45 (compatible with Mosaic*)



Safe and easy installation

Double-piece adapters:

- Internal piece: for a solid fixing to the base and easy measuring of the cover.
- External and embellishing pieces: hide the cover cut marks.
- The outlets are strongly fixed to the trunking in compliance with EN 50085-1.
- Protection against solid foreign objects IP4X.



1 cover trunking

- The removable divider is easy to mount and has a solid fixing to the base in order to separate power and data.
- In case of circuit separation a socket box is required.



2 cover trunking

- Independent compartments with fixed divider.
- If power and data are separated there is no need for a socket box.



Electrical safety


Protection degree IP4X against solid foreign objects:

the system of adapters for 93 trunkings assures protection degree IP4X or IPXXD against solid foreign objects, acc/ EN 50085-2-1.




Resistance to wrenching:

The adapters for power outlets resist 81N, in compliance with EN 50085-1 and European regulations of power outlets.




Trunking 93 in U41X

Trunking 93		Trunking sizes (mm)	50x80	50x100	50x150
Colour White RAL 9010 <input type="checkbox"/>					
Cover sizes (mm)			65	80	65 65
Maximum number of compartments			2	2	4
1		Trunking 2 m	93020-42	93021-42	93074-42
Accessories in U41X					
2		Divider 2 m	93820-40		
Fittings in U42X					
3		Flat angle	93220-42	93221-42	93224-42
4		External angle	93270-42	93271-42	93274-42
5		Internal angle	93320-42	93321-42	93324-42
6		End cover	93370-42	93371-42	93374-42
7		Coupler	93520-42	93521-42	93524-42
8		Straight derivation Branching to a 100 mm wide trunking.	93421-42		
9		Internal angle derivation Branching to a 100 mm wide trunking.	93471-42		
Fixing elements in U63X					
10		Trunking plug Note: Use drill bit Ø 6 mm.	25106		
Adapters for switches and sockets in U42X					
		Adapter for switches and sockets	(See table of adapters, according to the size of the cover page 401)		

Adapters for Trunking 93 cover 65 mm.


50x80	50x150
93020-42	93074-42



			Type of adapter		
			Simple adapter	Double adapter	
Number of outlets for each adapter			1	2	
Mounting possibilities			1 simple adapter	2 simple adapters	1 double adapter
Mosaic* and compatible		12	93608-42	93613-42	
		13			
Eunea Unica*		12	93653-42		
Simon* 27		12	93623-42		
Simon Connect* K45		12	93608-42	93613-42	
		13			
Socket boxes		15	93713-40	93718-40	
		16			

Adapters for Trunking 93 cover 80 mm.








50x100
93021-42



			Type of adapter		
			Simple adapter	Adaptador duplo	
Number of outlets for each adapter			1	2	
Mounting possibilities			1 simple adapter	2 simple adapters	1 double adapter
Universal (1)		11	93604-40		
		14			
Mosaic* and compatible		12	93609-42	93614-42	
		13			
Eunea Unica*		12	93654-42		
Simon* 27		12	93624-42		
Simon Connect* K45		12	93609-42	93614-42	
		13			
Socket boxes		15	93714-40	93719-40	
		16			

(1) Frames shall be supplied by the socket manufacturer. We recommend frames with straight corners.

Sizes (mm)

1. One cover trunking		Part no.	Sizes mm		Pack		
			A	B	m		
		93020-42	52	80	4		
		93021-42	52	100	4		
		Colour: White RAL 9010		Material: U41X			
		Note: Perforated base every 250 mm for wall fixing.					
Two covers trunking		Part no.	Sizes mm				Pack
			A	B	E	F	m
		93074-42	52	154	65	65	4
				Colour: White RAL 9010		Material: U41X	
		Note: Perforated base every 250 mm for wall fixing. The fixed dividers are perforated every 125 mm, permitting cables to pass between compartments.					
2. Divider		Part no.	Sizes mm		Pack		
			A		m		
		93820-40	44	48			
				Material: U41X			
3. Flat angle		Part no.	Sizes mm			N° of internal pieces	Pack
			A	B	C		pc.
		93220-42	54	84	124	1	4
		93221-42	54	104	144	1	4
		93224-42	54	159	198	2	2
		Colour: White RAL 9010		Material: U42X			









4. External angle		Part no.	Sizes mm			N° of internal pieces	Pack pc.
			A	B	C		
		93270-42	54	84	102	1	4
		93271-42	54	104	102	1	4
		93274-42	54	159	102	2	2
		Colour: White RAL 9010			Material: U42X		

5. Internal angle		Part no.	Sizes mm			N° of internal pieces	Pack pc.
			A	B	C		
		93320-42	54	84	125	1	4
		93321-42	54	104	125	1	4
		93324-42	54	159	125	2	2
		Colour: White RAL 9010			Material: U42X		

6. End cover		Part no.	Sizes mm			Pack pc.
			A	B	C	
		93370-42	54	84	15	6
		93371-42	54	104	15	6
		93374-42	54	159	20	6
		Colour: White RAL 9010			Material: U42X	
Note: 2 screws are included.						




7. Coupler		Part no.	Sizes mm			N° of internal pieces	Pack pc.
			A	B	C		
		93520-42	54	84	30	1	12
		93521-42	54	104	30	1	12
		93524-42	54	159	30	2	12
		Colour: White RAL 9010			Material: U42X		

8. Straight derivation		Part no.	Sizes mm		Pack pc.
			A		
		93421-42	54		12
				Colour: White RAL 9010	
Note: Branching to a 100 mm wide trunking.					

9. Internal angle derivation		Part no.	Sizes mm		Pack
			A	B	pc.
		93471-42	54	125	12
		Colour: White RAL 9010		Material: U42X	
		Note: Branching to a 100 mm wide trunking.			
10. Trunking plug		Part no.	Sizes mm	Diameter plug mm	Pack
			A		pc.
		25106	35	6	1.000
		Colour: Black		Material: U63X	
		Note: Use drill bit Ø 6 mm.			
		⚠ Indoor use.			
11. Universal (CEE) adapter 1 outlet		Part no.	Application cover		Pack
					pc.
		93604-40	80		12
		Material: U42X			
		Note: 2 screws are included.			
12. Adapter for modular outlets		Part no.	Outlets trademarks	Application cover	Pack
					pc.
		93623-42	Simon*27 (1)	65	12
		93624-42	Simon*27 (1)	80	12
		93653-42	Eunea-Unica* (1)	65	12
		93654-42	Eunea-Unica* (1)	80	12
		93608-42	Mosaic* (1) (2)	65	12
		93609-42	Mosaic* (1) (2)	80	12
		Colour: White RAL 9010		Material: U42X	
		Note: (1) Module 22,5x45 (2) Module 23x46. Compatible with Simon Connect* K45 and data connectors compatibles with Mosaic*.			
13. Adapter for 2 outlets (4 modules 22,5x45)		Part no.	Outlets trademarks	Application cover	Pack
					pc.
		93613-42	Mosaic*	65	12
		93614-42	Mosaic*	80	12
		Colour: White RAL 9010		Material: U42X	
		Note: Compatible with Simon Connect* K45 and data connectors compatible with Mosaic*.			

14. Universal (CEE) socket box 1 outlet		Part no.	Application cover	Pack
				pc.
		93709-40	80	12
		Material: U42X		
Note: 2 pre-mounted screws are included.				
15. Modular socket box		Part no.	Application cover	Pack
				pc.
		93713-40	65	12
		93714-40	80	12
Material: U42X				
Note: The box is only necessary for circuit separation, not for fixing data connectors.				
16. 120 mm box		Part no.	Application cover	Pack
				pc.
		93718-40	65	12
		93719-40	80	12
Material: U42X				
Note: The box is only necessary for circuit separation, not for fixing data connectors. In box part no. 93719-40, a divider part no. 93720 is included. This divider can also be purchased separately.				

Useful cross-sections (mm²)

Sizes (mm)	50x80	50x100	50x150
Part numbers U41X Colour White	93020-42	93021-42	93074-42
Mounting of switches and socket outlets			
Universal outlets without box 		 2150	
Modular outlets without box 	 1565	 2140	 1425 1425
Universal outlets with box 		 675 675	
Modular outlets with box 	 440 440	 480 480	 425 320 320 425
Distribution			
Without divider 	 3110	 3890	 2955 2955
With divider 	 1400 1400	 1795 1795	 1380 1275 1275 1380

COPYRIGHT: All trademarks, brands or distinctive signs, of any kind, that might appear in the present website are the property of Unex aparellaje eléctrico, S.L. or of third parties. The use or access to the present website and/or to its services should not be interpreted, under no circumstances, as conferring any rights to the User on the mentioned trademarks, brands or distinctive signs.

Furthermore, all Contents are the property of Unex aparellaje eléctrico, S.L. or of third parties. As stated in the mentioned Legal Notice, none of the operation rights existing or that might exist about the mentioned Contents should be understood as transferable to the User, beyond those strictly necessary for the correct use of the Portal and the Services.